

L^AT_EX 2_ε Cheat Sheet

Document class

Classes

- Usage (at the very beginning of any document):
`\documentclass[option,option,...]{class}`
- Use `\begin{document}` to start contents and `\end{document}` to end the document. **All the contents have to be inside this two statements.**

book	Default is two-sided.
report	No <code>\part</code> divisions.
article	No <code>\part</code> or <code>\chapter</code> divisions.
letter	Letter (?).
slides	Large sans-serif font.

Options

10pt/11pt/12pt	Font size.
letterpaper/a4paper	Paper size.
twocolumn	Use two columns.
twoside	Set margins for two-sided.
landscape	Landscape orientation. Must use dvips -t landscape.
draft	Double-space lines.

Packages

- Usage (before `\begin{document}`):
`\usepackage{package}`

fullpage	Use 1 inch margins.
anysize	Set margins: <code>\marginsize{l}{r}{t}{b}</code> .
multicol	Use n columns: <code>\begin{multicols}{n}</code> .
latexsym	Use L ^A T _E X symbol font.
graphicx	Show image: <code>\includegraphics[width=x]{file}</code> .
url	Insert URL: <code>\url{http://...}</code> .

Spanish tricks

In order to be capable to add spanish accents and symbols like "ñ" we have to add this two packages:

```
\usepackage[utf8]{inputenc}
\usepackage[spanish]{babel}
```

Title

- These commands go before `\begin{document}`.
- The declaration `\maketitle` goes at the top of the document (just after the `\begin{document}` statement).

<code>\author{text}</code>	Author of document.
<code>\title{text}</code>	Title of document.
<code>\date{text}</code>	Date.

Miscellaneous

<code>\pagestyle{empty}</code>	Empty header, footer and no page numbers.
<code>\tableofcontents</code>	Add a table of contents here (index).

Document structure

<code>\part{title}</code>	<code>\subsubsection{title}</code>
<code>\chapter{title}</code>	<code>\paragraph{title}</code>
<code>\section{title}</code>	<code>\subparagraph{title}</code>
<code>\subsection{title}</code>	

- Use a *, as in `\section*{title}`, to not number a particular item—these items will also not appear in the table of contents.

Text environments

<code>\begin{quote}</code>	Indented quotation block.
<code>\begin{quotation}</code>	Like quote with indented paragraphs.
<code>\begin{verse}</code>	Quotation block for verse.

Lists

<code>\begin{enumerate}</code>	Numbered list.
<code>\begin{itemize}</code>	Bulleted list.
<code>\begin{description}</code>	Description list.
<code>\item text</code>	Add an item.
<code>\item[x] text</code>	Use x instead of normal bullet or number. Required for descriptions.

References

<code>\label{marker}</code>	Set a marker for cross-reference, often of the form <code>\label{sec:item}</code> .
<code>\ref{marker}</code>	Give section/body number of marker.
<code>\pageref{marker}</code>	Give page number of marker.
<code>\footnote{text}</code>	Print footnote at bottom of page.

Floating bodies

<code>\begin{table}[place]</code>	Add numbered table.
<code>\begin{figure}[place]</code>	Add numbered figure.
<code>\begin{equation}[place]</code>	Add numbered equation.
<code>\caption{text}</code>	Caption for the body.

The *place* is a list valid placements for the body. t=top, h=here, b=bottom, p=separate page, !=place even if ugly. Captions and label markers should be within the environment.

Text properties

Font styles

Command	Declaration	Effect
<code>\textrm{text}</code>	<code>\rmfamily text</code>	Roman family
<code>\textsf{text}</code>	<code>\sffamily text</code>	Sans serif family
<code>\texttt{text}</code>	<code>\ttfamily text</code>	Typewriter family
<code>\textmd{text}</code>	<code>\mdseries text</code>	Medium series
<code>\textbf{text}</code>	<code>\bfseries text</code>	Bold series
<code>\textup{text}</code>	<code>\upshape text</code>	Upright shape
<code>\textit{text}</code>	<code>\itshape text</code>	<i>Italic shape</i>
<code>\textsl{text}</code>	<code>\slshape text</code>	<i>Slanted shape</i>
<code>\textsc{text}</code>	<code>\scshape text</code>	SMALL CAPS SHAPE
<code>\emph{text}</code>	<code>\em text</code>	<i>Emphasized</i>
<code>\textnormal{text}</code>	<code>\normalfont text</code>	Document font
<code>\underline{text}</code>		<u>Underline</u>

Font size

- These are declarations and should be used in the form `{\small ...}`, or without braces to affect the entire document.

<code>\tiny</code>	tiny	<code>\Large</code>	Large
<code>\scriptsize</code>	scriptsize	<code>\LARGE</code>	LARGE
<code>\footnotesize</code>	footnotesize		
<code>\small</code>	small	<code>\huge</code>	huge
<code>\normalsize</code>	normalsize		
<code>\large</code>	large	<code>\Huge</code>	Huge

Verbatim text

<code>\begin{verbatim}</code>	Verbatim environment.
<code>\begin{verbatim*}</code>	Spaces are shown as □.
<code>\verb!text!</code>	Text between the delimiting characters (in this case ‘!’) is verbatim.

Justification

Environment	Declaration
<code>\begin{center}</code>	<code>\centering</code>
<code>\begin{flushleft}</code>	<code>\raggedright</code>
<code>\begin{flushright}</code>	<code>\raggedleft</code>

Miscellaneous

`\linespread{x}` changes the line spacing by the multiplier x .

Text-mode symbols

Symbols

<code>&</code>	<code>\&</code>	<code>-</code>	<code>_</code>	<code>...</code>	<code>\ldots</code>	<code>•</code>	<code>\textbullet</code>
<code>\$</code>	<code>\\$</code>	<code>^</code>	<code>\^{}{}</code>	<code> </code>	<code>\textbar</code>	<code>\</code>	<code>\textbackslash</code>
<code>%</code>	<code>\%</code>	<code>~</code>	<code>\~{}{}</code>	<code>#</code>	<code>\#</code>	<code>§</code>	<code>\S</code>

Dashes

Name	Source	Example	Usage
hyphen	-	X-ray	In words.
en-dash	--	1–5	Between numbers.
em-dash	---	Yes—or no?	Punctuation.

Line and page breaks

<code>\\</code>	Begin new line without new paragraph.
<code>*</code>	Prohibit pagebreak after linebreak.
<code>\kill</code>	Don't print current line.
<code>\pagebreak</code>	Start new page.
<code>\noindent</code>	Do not indent current line.

Miscellaneous

<code>\today</code>	3 de mayo de 2014.
<code>\\$sim\$</code>	Prints ~ instead of <code>\~{}{}</code> , which makes ~.
<code>\hspace{l}</code>	Horizontal space of length l (Ex: $l = 20\text{pt}$).
<code>\vspace{l}</code>	Vertical space of length l .
<code>\rule{w}{h}</code>	Line of width w and height h .

Math mode

- For inline math, use:
`$...$`.
- For displayed math, use:
`\begin{equation}`.

Superscript x	<code>\^{\x}</code>	Subscript x	<code>_ {\x}</code>
$\frac{x}{y}$	<code>\frac{\x}{\y}</code>	$\sum_{k=1}^n$	<code>\sum_{\k=1}^{\n}</code>
$\sqrt[n]{x}$	<code>\sqrt[n]{\x}</code>	$\prod_{k=1}^n$	<code>\prod_{\k=1}^{\n}</code>

Math-mode symbols

<code>\leq</code>	<code>\geq</code>	<code>\neq</code>	<code>\approx</code>
<code>\times</code>	<code>\div</code>	<code>\pm</code>	<code>\cdot</code>
<code>\circ</code>	<code>\circ</code>	<code>\prime</code>	<code>\cdots</code>
<code>\infty</code>	<code>\neg</code>	<code>\wedge</code>	<code>\vee</code>
<code>\supset</code>	<code>\forall</code>	<code>\in</code>	<code>\rightarrow</code>
<code>\subset</code>	<code>\exists</code>	<code>\notin</code>	<code>\Rightarrow</code>
<code>\cup</code>	<code>\cap</code>	<code>\mid</code>	<code>\Leftrightarrow</code>
<code>\dot{a}</code>	<code>\hat{a}</code>	<code>\bar{a}</code>	<code>\tilde{a}</code>
<code>\alpha</code>	<code>\beta</code>	<code>\gamma</code>	<code>\delta</code>
<code>\epsilon</code>	<code>\zeta</code>	<code>\eta</code>	<code>\varepsilon</code>
<code>\theta</code>	<code>\iota</code>	<code>\kappa</code>	<code>\vartheta</code>
<code>\lambda</code>	<code>\mu</code>	<code>\nu</code>	<code>\xi</code>
<code>\pi</code>	<code>\rho</code>	<code>\sigma</code>	<code>\tau</code>
<code>\upsilon</code>	<code>\phi</code>	<code>\chi</code>	<code>\psi</code>
<code>\omega</code>	<code>\Gamma</code>	<code>\Delta</code>	<code>\Theta</code>
<code>\Lambda</code>	<code>\Xi</code>	<code>\Pi</code>	<code>\Sigma</code>
<code>\Upsilon</code>	<code>\Phi</code>	<code>\Psi</code>	<code>\Omega</code>

Tabular environments

tabbing environment

`\=` Set tab stop. `\>` Go to tab stop.
Tab stops can be set on “invisible” lines with `\kill` at the end of the line. Normally `\` is used to separate lines.

tabular environment

```
\begin{array}[pos]{cols}
\begin{tabular}[pos]{cols}
\begin{tabular*}{width}[pos]{cols}
```

tabular column specification

`l` Left-justified column.
`c` Centered column.
`r` Right-justified column.
`p{width}` Same as `\parbox[t]{width}`.
`@{decl}` Insert *decl* instead of inter-column space.
`|` Inserts a vertical line between columns.

tabular elements

`\hline` Horizontal line between rows.
`\cline{x-y}` Horizontal line across columns *x* through *y*.
`\multicolumn{n}{cols}{text}`
A cell that spans *n* columns, with *cols* column specification.

Bibliography and citations

When using BibTeX, you need to run `latex` compiler twice more to resolve dependencies.

Citation types

`\cite{key}` Full author list and year. (Watson and Crick 1953)
`\citeA{key}` Full author list. (Watson and Crick)
`\citeN{key}` Full author list and year. Watson and Crick (1953)
`\shortcite{key}` Abbreviated author list and year. ?
`\shortciteA{key}` Abbreviated author list. ?
`\shortciteN{key}` Abbreviated author list and year. ?
`\citeyear{key}` Cite year only. (1953)
All the above have an NP variant without parentheses; Ex. `\citeNP`.

BibTeX entry types

`@article` Journal or magazine article.
`@book` Book with publisher.
`@booklet` Book without publisher.
`@conference` Article in conference proceedings.
`@inbook` A part of a book and/or range of pages.
`@incollection` A part of book with its own title.
`@misc` If nothing else fits.
`@phdthesis` PhD. thesis.
`@proceedings` Proceedings of a conference.
`@techreport` Tech report, usually numbered in series.
`@unpublished` Unpublished.

BibTeX fields

`address` Address of publisher. Not necessary for major publishers.
`author` Names of authors, of format
`booktitle` Title of book when part of it is cited.
`chapter` Chapter or section number.
`edition` Edition of a book.
`editor` Names of editors.
`institution` Sponsoring institution of tech. report.
`journal` Journal name.
`key` Used for cross ref. when no author.
`month` Month published. Use 3-letter abbreviation.
`note` Any additional information.
`number` Number of journal or magazine.
`organization` Organization that sponsors a conference.
`pages` Page range (2,6,9--12).
`publisher` Publisher's name.
`school` Name of school (for thesis).
`series` Name of series of books.
`title` Title of work.
`type` Type of tech. report, ex. “Research Note”.
`volume` Volume of a journal or book.
`year` Year of publication.
Not all fields need to be filled. See example below.

Common BibTeX style files

`abbrv` Standard `abstract` `alpha` with abstract
`alpha` Standard `apa` APA
`plain` Standard `unsrt` Unsorted
The BibTeX document should have the following two lines just before `\end{document}`, where `bibfile.bib` is the name of the BibTeX file.

```
\bibliographystyle{plain}
\bibliography{bibfile}
```

BibTeX example

The BibTeX database goes in a file called `file.bib`, which is processed with `bibtex` package.

```
@Article{WC:1953,
  author = {James Watson and Francis Crick},
  title = {A structure for Deoxyribose Acid},
  journal = N,
  pages = {737},
  year = 1953
}
```

```
@Book{WC:1953,
  author = {James Watson and Francis Crick},
  booktitle = {A structure for Deoxyribose Nucleic Acid},
  pages = {737},
  year = 1953
}
```

...

Sample LaTeX document

```
\documentclass[11pt]{article}
\usepackage{fullpage}
\title{Template}
\author{Name}
\begin{document}
\maketitle

\section{section}
\subsection*{subsection without number}
text \textbf{bold text} text. Some math:  $\$2+2=5\$$ 
\subsection{subsection}
text \emph{emphasized text} text. \cite{WC:1953}
discovered the structure of DNA.
```

```
A table:
\begin{table}[!th]
\begin{tabular}{|l|c|r|}
\hline
first & row & data \\
second & row & data \\
\hline
\end{tabular}
\caption{This is the caption}
\label{ex:table}
\end{table}
```

The table is numbered `\ref{ex:table}`.
`\end{document}`