

# List of Publications...

## RESEARCH PAPERS

[Only published, in print and accepted papers are listed]

### Published Papers

Marrero-Ponce, Y. Total and Local Quadratic Indices of the Molecular Pseudograph's Atom Adjacency Matrix: Applications to the Prediction of Physical Properties of Organic Compounds. *Molecules*. **2003**, 8, 687-726.

Marrero-Ponce, Y.; Cabrera, M., A.; Romero, V.; Ofori, E.; Montero, L. A. Total and Local Quadratic Indices of the "Molecular Pseudograph's Atom Adjacency Matrix". Application to Prediction of Caco-2 Permeability of Drugs. *Int. J. Mol. Sci.* **2003**, 4, 512-536.

González-Díaz, H; Marrero-Ponce, Y.; Hernández, I; Bastida, I; Tenorio, E; Nasco, O; Uriarte, U; Castañedo, N.; Cabrera, M.A.; Aguilera, E.; Marrero, O.; Morales, A.; Pérez, M. 3D-MEDNEs: An Alternative "In Silico" Technique for Chemical Research in Toxicology. 1. Prediction of Chemically Induced Agranulocytosis. *Chem. Res. Toxicol.* **2003**, 16, 1318-1327.

Marrero-Ponce, Y.; Cabrera, M. A.; Romero, V.; González, D. H.; Torrens, F. A New Topological Descriptors Based Model for Predicting Intestinal Epithelial Transport of Drugs in Caco-2 Cell Culture. *J. Pharm. Pharm. Sci.* **2004**, 7, 186-199.

Marrero-Ponce, Y.; González-Díaz, H.; Romero-Zaldivar, V.; Torrens, F.; Castro, E. A. 3D-Chiral Quadratic Indices of the "Molecular Pseudograph's Atom Adjacency Matrix" and their Application to Central Chirality Codification: Classification of ACE Inhibitors and Prediction of  $\sigma$ -Receptor Antagonist Activities. *Bioorg. Med. Chem.* **2004**, 12, 5331-5342.

Marrero-Ponce, Y. Total and Local (Atom and Atom-Type) Molecular Quadratic Indices: Significance-Interpretation, Comparison to Other Molecular Descriptors and QSPR/QSAR Applications. *Bioorg. Med. Chem.* **2004**, 12, 6351-6369.

Marrero-Ponce, Y.; Nodarse, D.; González-Díaz, H.; Ramos de Armas, R.; Romero-Zaldivar, V.; Torrens, F.; Castro, E. Nucleic Acid Quadratic Indices of the "Macromolecular Graph's Nucleotides Adjacency Matrix". Modeling of Footprints after the Interaction of Paromomycin with the HIV-1  $\Psi$ -RNA Packaging Region. *Int. J. Mol. Sci.* **2004**, 5, 276-293 (see also CPS: physchem/0401004.)

Marrero-Ponce, Y. Linear Indices of the "Molecular Pseudograph's Atom Adjacency Matrix": Definition, Significance-Interpretation and Application to QSAR Analysis of Flavone Derivatives as HIV-1 Integrase Inhibitors. *J. Chem. Inf. Comput. Sci.* **2004**, 44, 2010-2026.

Marrero-Ponce, Y.; Castillo-Garit, J. A.; Torrens, F.; Romero-Zaldivar, V.; Castro, E. Atom, Atom-Type and Total Linear Indices of the “Molecular Pseudograph’s Atom Adjacency Matrix”: Application to QSPR/QSAR Studies of Organic Compounds. *Molecules*. **2004**, *9*, 1100-1123.

Marrero-Ponce, Y.; Medina, R.; Castro, E. A.; de Armas, R.; González, H.; Romero, V.; Torrens, F. Protein Quadratic Indices of the “Macromolecular Pseudograph’s  $\alpha$ -Carbon Atom Adjacency Matrix”. 1. Prediction of Arc Repressor Alanine-mutant’s Stability. *Molecules*. **2004**, *9*, 1124–1147.

Marrero-Ponce, Y.; Castillo-Garit, J.A.; Olazabal, E.; Serrano, H. S.; Morales, A.; Castañedo, N.; Ibarra-Velarde, F.; Huesca-Guillen, A.; Jorge, E.; del Valle, A.; Torrens, F.; Castro, E. A. *TOMOCOMD-CARDD*, a Novel Approach for Computer-Aided “Rational” Drug Design: I. Theoretical and Experimental Assessment of a Promising Method for Computational Screening and *in silico* Design of New Anthelmintic Compounds. *J. Comput. Aided Mol. Des.* **2004**, *18*, 615-633.

Marrero-Ponce, Y.; Montero-Torres, A.; Romero-Zaldivar, C.; Iyarreta-Veitia, I.; Mayón Peréz, M.; García Sánchez, R. Non-Stochastic and Stochastic Linear Indices of the “Molecular Pseudograph’s Atom Adjacency Matrix”: Application to “*in silico*” Studies for the Rational Discovery of New Antimalarial Compounds. *Bioorg. Med. Chem.* **2005**, *13*, 1293-1304.

Marrero-Ponce, Y.; Castillo-Garit, J.A.; Olazabal, E.; Serrano, H. S.; Morales, A.; Castañedo, N.; Ibarra-Velarde, F.; Huesca-Guillen, A.; Jorge, E.; Sánchez, A. M.; Torrens, F.; Castro, E. A. Atom, Atom-Type and Total Molecular Linear Indices as a Promising Approach for Bioorganic & Medicinal Chemistry: Theoretical and Experimental Assessment of a Novel Method for Virtual Screening and Rational Design of New Lead Anthelmintic. *Bioorg. Med. Chem.* **2005**, *13*, 1005-1020.

Marrero-Ponce, Y.; Huesca-Guillen, A.; Ibarra-Velarde, F. Quadratic Indices of the “Molecular Pseudograph’s Atom Adjacency Matrix” and Their Stochastic Forms: A Novel Approach for Virtual Screening and *in silico* Discovery of New Lead Paramphistomicide Drugs-like Compounds. *J. Theor. Chem. (THEOCHEM)*. **2005**, *717*, 67-79.

Alvares-Ginarte, Y., M.; Crespo, R.; Montero-Cabrera, L., A.; Ruiz-Garcia, J., A.; Marrero-Ponce, Y.; Santana, R.; Pardillo-Fontdevilla, E.; Alonso-Becerra, E. A Novel *in-silico* Approach for QSAR Studies of Anabolic and Androgenic Activities in the  $17\beta$ -hydroxy- $5\alpha$ -androstane Steroid Family. *QSAR Comb. Sci.* **2005**, *24*, 218-226.

Marrero-Ponce, Y.; Cabrera, M. A.; Romero-Zaldivar, V.; Bermejo, M.; Siverio, D.; Torrens, F. Prediction of Intestinal Epithelial Transport of Drug in (Caco-2) Cell Culture from Molecular Structure using ‘*in silico*’ Approaches During Early Drug Discovery. *Internet Electronic J. Mol. Des.* **2005**, *4*, 124-150.

Marrero-Ponce, Y.; Medina-Marrero, R.; Castillo-Garit, J.A.; Romero-Zaldivar, V.; Torrens, F.; Castro, E. A. Protein Linear Indices of the “Macromolecular Pseudograph’s  $\alpha$ -Carbon Atom Adjacency Matrix” in Bioinformatics. Part 1.

Prediction of Protein Stability Effects of a Complete Set of Alanine Substitutions in Arc Repressor. *Bioorg. Med. Chem.* **2005**, *13*, 3003-3015.

Marrero-Ponce, Y.; Medina-Marrero, R.; Torrens, F.; Martinez, Y.; Romero-Zaldivar, V.; Castro, E. A. Atom, Atom-type, and Total Non-Stochastic and Stochastic Quadratic Fingerprints: A promising approach for modeling of antibacterial activity. *Bioorg. Med. Chem.* **2005**, *13*, 2881-2899.

Marrero-Ponce, Y.; Castillo-Garit, J.A.; Nodarse, D. Linear Indices of the “Macromolecular Graph’s Nucleotides Adjacency Matrix” as a Promising Approach for Bioinformatics Studies. 1. Prediction of Paromomycin’s Affinity Constant with HIV-1  $\Psi$ -RNA Packaging Region. *Bioorg. Med. Chem.* **2005**, *13*, 3397-3404.

Marrero-Ponce, Y.; Castillo-Garit, J. A. 3D-Chiral Atom, Atom-type, and Total Non-Stochastic and Stochastic Molecular Linear Indices and their Application to Central Chirality Codification. *J. Comput. Aided.-Mol. Des.* **2005**, *19*, 369–383.

Marrero-Ponce, Y.; Iyarreta, M.; Montero, A.; Romero, C.; Brandt, C. A.; Ávila, P. E.; Kirchgatter, K. A.; Machado, Y. Ligand-Based Virtual Screening and *in silico* Design of New Antimalarial Compounds Using Non-Stochastic and Stochastic Total and Atom-type Quadratic Maps. *J. Chem. Inf. Comput. Sci.* **2005**, *45*, 1082-1100.

Meneses-Marcel, A.; Marrero-Ponce, Y.; Machado-Tugores, Y.; Montero-Torres, A.; Montero Pereira, D.; Escario, J. A.; Nogal-Ruiz, J. J.; Ochoa, C.; Arán, V. J.; Martínez-Fernández, A. R., García Sánchez, R. N. A Linear Discrimination Analysis Based Virtual Screening of Trichomonacidal Lead-Like Compounds. Outcomes of *in silico* Studies Supported by Experimental Results. *Bioorg. Med. Chem Lett.* **2005**, *17*, 3838-3843.

Montero-Torres, A.; Celeste Vega, A.; Marrero-Ponce, Y.; Rolón, M.; Gómez-Barrio, A.; Escario, J. A.; Arán, V. J.; Martínez-Fernández, A. R.; Meneses-Marcel, A. A Novel Non-Stochastic Quadratic Fingerprints-based Approach for the “*in silico*” Discovery of New Antitrypanosomal Compounds. *Bioorg. Med. Chem.* **2005**, *13*, 6264-6275.

Casañola-Martin, G. M.; Khan, M. T. H.; Marrero-Ponce, Y.; Ather, A.; Sultankhodzhaev, M. N.; Torrens, F. New Tyrosinase Inhibitors Selected by Atomic Linear Indices-Based Classification Models. *Bioorg. Med. Chem. Letter.* **2006**, *16*, 324-330.

Marrero-Ponce, Y.; Meneses-Marcel, A.; Machado-Tugores, Y.; Montero Pereira, D.; Escario, J. A.; Nogal-Ruiz, J. J.; Ochoa, C.; Arán, V. J.; Martínez-Fernández, A. R., García Sánchez, R. N.; Montero-Torres, A.; and Francisco Torrens. A Computer-Based Approach to the Rational Discovery of New Antitrichomonas Drugs by Atom-Type Linear Indices. *Current Drug Discovery Technologies.* **2005**, *2*, 245-265.

Marrero-Ponce, Y.; Medina-Marrero, R.; Martinez, Y.; Torrens, F.; Romero-Zaldivar, V.; Castro, E. A. Non-Stochastic and Stochastic Linear Indices of the Molecular Pseudograph’s Atom Adjacency Matrix: A Novel Approach for Computational –*in*

*silico*- Screening and “Rational” Selection of New Lead Antibacterial Agents. *J. Mol. Mod.* **2006**, *12*, 255–271.

Castillo-Garit, J. A.; Marrero-Ponce, Y.; Torrens, F. Atom-based 3D-Chiral Quadratic Indices: 2. Prediction of the Corticosteroid-Binding Globulin Binding Affinity of the Thirty-one Benchmark Steroids data set. *Bioorg. Med. Chem.* **2006**, *14*, 2398-2408.

Celeste-Vega, M.; Montero-Torres, A.; Marrero-Ponce, Y.; Rolón, M.; Gómez-Barrio, A.; Escario, J. A.; Arán, V. J.; Martínez-Fernández, A. R., Meneses-Marcel, A. New Ligand-Based Approach for the Discovery of Antitrypanosomal Compounds. *Bioorg. Med. Chem. Letter.* **2006**, *16*, 1898–1904.

Montero-Torres, A.; García, R. N.; Marrero-Ponce, Y.; Machado-Tugores, Y.; Nogal, J. J.; Martínez, A. R.; Arán, V. J.; Ochoa, C.; Meneses-Marcel, A.; Torrens, F. Non-stochastic Quadratic Fingerprints and LDA-Based QSAR Models in Hit and Lead Generation Through Virtual Screening: Theoretical and Experimental Assessment of a Promising Method for the Discovery of New Antimalarial Compounds. *Eur. J. Med. Chem.* DOI:10.1016/j.ejmech.2005.12.010.

Torres, L. “TOPS-MODE Based QSARs Derived From Heterogeneous Series of Compounds. Applications to Design of New Anti-Inflammatory Compounds”. *Biorg. Med. Chem.* **2004**, *12*, 73-81.

Gonzalez, H.; Torres, L. *et al*, Markovian Chemicals “in silico” Desing (MARCH-INSUDE), a Promising Approach for Computer Aided Molecular Design III. 2.5D Indices for the Discovery of Antibacterials. *J. Mol. Model.* **2005**, *11*, 116-123.

González-Díaz, H.; Gia, O.; Uriarte, E.; Hernández, I., Ramos, R.; Chaviano, M.; Seijo, S.; Castillo-Garit, J., A.; Morales, L., Santana, L., Akpaloo, D., Molina, E.; Cruz, M., Torres, L., A.; Cabrera, M. A. Markovian chemicals “in silico” design (MARCH-INSIDE), a promising approach for computer-aided molecular design I: discovery of anticancer compounds. *Journal of Molecular Modelling*, **2003**, *9*, 395-407.

Ernesto Estrada, Eugenio Uriarte, Alina Montero, Marta Teijeira, Lourdes Santana, Eric De Clercq. A Novel Approach for the Virtual Screening and Racional Design of Anticancer Compounds. *J. Med. Chem.* **2000**, *43*, 1975-1985.

Alina Montero, Holger Feist, Manfred Michalik, Ivo Rudloff, Klaus Peseke. Synthesis of Aryl- and Hetaryl-C-Substituted Alditoles by Ring Transformation of 2-Formyl-Glycals. *J. Carb. Chem.*, **2004**, *23*, *5*, 313 – 324.

Alina Montero, Holger Feist, Manfred Michalik, José Quincoces, Klaus Peseke. Synthesis of precursors for new pyrimidine acyclo-C-nucleoside analogues by ring transformation of 2-formylgalactal. *J. Carb. Chem.* **2002**, *21*, 305-312.

Alina Montero, Holger Feist, Manfred Michalik, José Quincoces, Klaus Peseke. Ring Transformations of 2-Formylglycals with C,N-Dinucleophiles. *Synthesis* **2002**, *5*, 664-668.

Morales AH, González MP, Rieumont JB. TOPS-MODE approach to predict mutagenicity in dental monomers. *Polymer* 2004, *45*, 2045-2050.

González MP, Morales AH, Molina RR, García JF. A topological sub-structural approach of the mutagenic activity in dental monomers.1. Aromatic epoxides. *Polymer* 2004, *45*, 2773-2779.

- González MP, Dias LC, Morales AH. A topological sub-structural approach to the mutagenic activity in dental monomers. 2. Cycloaliphatic epoxides. *Polymer*. 2004, 45, 5353-5359.
- Morales AH, Cabrera MA, Combes RD, González MP. The Prediction of Carcinogenicity from Molecular Structure. *Current Computer-Aided Drug Design*, 2005, 1, 65-72.
- Morales AH, Cabrera MA, González MP, Molina RR, González HD. A Topological Sub-structural Approach Applied to the Computational Prediction of Rodent Carcinogenicity, *Bioorganic & Medicinal Chemistry*, 2005, 13, 2477-2488.
- González MP, Morales AH, Cabrera MA, Quantitative structure-activity relationship to predict toxicological properties of benzene derivative compounds. *Bioorganic & Medicinal Chemistry*, 2005, 13, 1775-1781.
- Morales AH, Cabrera MA, Combes RD, González MP. Quantitative structure activity relationship for the computational prediction of nitrocompounds carcinogenicity. *Toxicology*. 2006, 220, 51 – 62.
- Morales AH, Duchowicz PR, Cabrera MA, Castro EA, Cordeiro N, González MP. Application of the replacement method as a novel variable selection strategy in QSAR. 1. Carcinogenic potential. *Chemometrics and Intelligent Laboratory Systems* 2006, 81, 180–187.
- Morales AH, Cabrera MA, González MP. A Radial Distribution Function approach to predict rodent carcinogenicity. *Journal of Molecular Modeling* 2006, 19, 1-12.
- Cardenas, C. et al. Model of the Universe including Dark Energy accounted for by both a Quintessence Field and a (negative) Cosmological Constant. *Physical Review D*, 67, 083501 (2003).
- Cardenas, C. et al. Thick Brane Worlds Arising From Pure Geometry. *Nuclear Physics B*643 (2002) 187-200.
- Comments on the paper astro-ph/0103335 by C Rubano and P Scudellaro. *General Relativity and Gravitation*, 34 (2002) 1877-1885.
- Cardenas, C. et al. Brans-Dicke-type theories and avoidance of the cosmological singularity”, *Physical Review D*62 (2000) 044042.
- Humberto González-Díaz, Maykel Cruz-Monteagudo, Reinaldo Molina, Esvieta Tenorio and Eugenio Uriarte. Predicting multiple drugs side effects with a general drug-target interaction thermodynamic Markov model. *Bioorganic & Medicinal Chemistry*. **2005**, 13, 1119-1129.
- Humberto González-Díaz, Maykel Cruz-Monteagudo, Dolores Viña, Lourdes Santana, Eugenio Uriarte and Erik De Clercq. QSAR for anti-RNA-virus activity, synthesis, and assay of anti-RSV carbonucleosides given an unify representation of spectral moments, quadratic, and topologic indices. *Bioorganic & Medicinal Chemistry Letters*. **2005**, 15, 1651-1657.
- Maykel Cruz-Monteagudo, Humberto González-Díaz. Unified drug-target interaction thermodynamic Markov model using stochastic entropies to predict multiple drugs side effects. *European Journal of Medicinal Chemistry*. **2005**, 40, 1030-1041.
- Santos Marcelo, M.; et al. Necesidades de información sobre farmacovigilancia en profesionales de la salud de la Atención Primaria. Rev Cub Farm **2004**, 38, 535-541.
- Santos Marcelo, M.; et al. Desarrollo de la Atención Farmacéutica en pacientes geriátricos de un área de salud. Rev Cub Farm. **2004**, 38 542-548.

### Accepted Papers

- Marrero-Ponce, Y.; Torrens, F. Bond-Based Global and Local (Bond and Bond-Type) Quadratic Indices and Their Applications to Computer-Aided Molecular Design. 1.

QSPR Studies of Octane Isomers. *J. Comput. Aided Mol. Des.* Accepted for publication.

Marrero-Ponce, Y.; Khan, M. T. H.; Casañola-Martin, G. M.; Ather, A.; Sultankhodzhaev, M. N.; Torrens, F. Atom-Based 2D Quadratic Indices in Drug Discovery of Novel Tyrosinase Inhibitors. Results of *in silico* Studies Supported by Experimental Results. *QSAR Comb. Sci.* Accepted for publication.

Alvarez-Ginarte, Y.; Crespo-Otero, R.; Marrero-Ponce, Y.; Padrón-García, A.; Montero-Cabrera, L. A.; Ruiz-García, J. A.; Torrens, F. Quantitative Structure-Activity Relationship and Diversity Analysis of the 4,5 $\alpha$ -dihydrotestosterone Steroid Family: Computational Molecular Models To Test The Anabolic/Androgenic Receptor. *QSAR Comb. Sci.* Accepted for publication.

Marrero-Ponce, Y.; Torrens, F., Torres, L. Novel 2D TOMOCOMD-CARDD Descriptors: Atom-based Stochastic and non-Stochastic Bilinear Indices and their QSPR Applications. *Molecules*. Submitted for publication.

**Last updated on April 10, 2006**

**© 2006 CAMD-BIR Unit. All rights reserved**