

SUBJECT INDEX

- Absorption capacity
 - marine, mathematical models 279–300
 - sea 298
- Accidents, marine polluting 17–34, 460
 - causes 20, 21
 - numbers of 21
 - prevention 460, 461
 - remedial action 23, 831
- Adriatic Sea 186
 - ambient velocity along coastline 270
 - bacteriological quality 270
 - sewage treatment compared with marine outfall 263–277
- Advanced Wastewater Treatment
 - coastal water discharges 220
 - cost 222
 - Plan and Review Program, US 219
 - San Jose 220
- Aesthetics 263
 - and microbiology of coastal waters 124
- Agitation and oil dispersion 38
- Agriculture
 - effects of 481
 - Mediterranean 764
 - in Spanish littoral 763
- Aircraft and coastal pollution monitoring 687–693
- Albufera Lake
 - analysis 476–478
 - biological interest 524, 525
 - contamination, evolutionary aspects 523–541
 - diatoms in 473–480
 - discharges into 526–528
 - legal limits 528–531, 539, 540
 - ecological disturbance 525
 - map 474, 532–535
 - sampling points 475
- Alkyl lead
 - analysis in sea water 49–64
 - coastal pollution 54
 - damaging effects 501
 - in Otranto Channel 63
 - amenity simulation model, results 63
- Amelioration, littoral water 280
- Amenity considerations in coastal areas 263
 - land and sea, protection of 789, 790
 - and outfall design 272
 - preservation in littoral 788
- Ammonium
 - diurnal variation in 835
 - in Emilia-Romagna coastal sediments 190
 - in interstitial waters 82
 - Nile 85
- Anasca* sp 165, 169
 - on leaves 177, 181
 - on rhizomes 178, 182
- Anzio Bottaccio, surface currents 160
- Anzio Capoluogo, surface currents 160
- Ascophora* sp 165, 169
 - on leaves 179, 181, 182
 - on rhizomes 180, 182
- Athens, sewage treatment and effluent disposal 225–244
 - alternative effluent outfalls 238–240
 - available sewage sites 232, 233
 - costs of systems 240, 241
 - energy and requirements 241
 - favoured method of sewage disposal 243
 - Liquid Wastes Disposal Study 225, 226
 - outfall design, construction design 245–261
 - outfall length 237, 240, 243
 - possible sewage sites 233
 - preferred treatment/outfall combination 236
 - separate systems 232
 - sewage, design for disposal in sea 230
 - sewage flows and loads 232, 234, 247, 248
 - sewage treatment schemes considered 228
 - sludge treatment 239
 - study area 227, 228, 246
- ATP
 - assay of 503
 - biomass indicator 503, 837
 - denitrification correlation 509
 - and lead in bacteria, time and temperature effects 505
 - organolead measurement 501–512
- Bacteria
 - Adriatic Sea 270
 - ATP measurement of activity 502
 - Barcelona waters 637
 - Bay of Naples 615–632
 - coliform *see under* coliforms
 - decay in Mediterranean 775
 - denitrifying, effect of lead 504–508
 - disappearance of 292
 - enteric, beach contamination 453
 - indicators 624, 775
 - lagoon effluent 719

- laws of decrease 294
- lead accumulation 509, 510
- monitoring in Tyrrhenian Sea 131, 132
- in mussels and water quality 571–577
- and oxygen deficit 623
- parameters, importance 296
- pathogenic fecal 387, 452
- pollution by 129
 - in Bay of Naples 619–621
- rate of die-off 153, 159
- in shellfish 533–577
- survivors, calculation of 293
- Bacteriological standards, seawater discharges 434, 445–449
- Ballast water
 - discharge, control of 461
- Ballast water treatment 67–78, 457–460
 - analysis of treated 69
 - design development 463–472
 - discharge, design principles 68
 - at Mediterranean ports 462
 - Naples 617
 - oil in solution 75
 - purification plant 71, 72
 - requirements 462
 - stations, oil recovery 468
 - tilted plate separator 72, 73
 - treatment plant layout 70
- Barcelona
 - bacteriological studies 637
 - currents 635
 - effect of treatment plant on coastal pollution 633–638
 - macrofauna 636
 - marine sediments 635
 - sampling stations 638
 - seasonal thermal effects 634
 - zooplankton 636, 637
- Barrages and oil pollution 29–31
- Bar screen 656
- Bathing areas
 - definition 545, 546
 - sampling points 546
 - supervision 543, 545
- Bathing
 - EEC water standards 369–382
 - effect of Tiber 206
 - risks and sewage 844
- Bathing water 369–382
 - analysis, use of 547
 - EEC quality requirements 382, 551, 852
 - French coastal standards 543–552
 - microbial requirements 720–722
 - quality requirements 547, 549, 550
 - quality standard variation 550
 - sample variation 543
 - sanitary surveillance 548, 552
 - standards, Naples 618
- Beach
 - enteric contamination 453
 - oil treatment 469
- Belt press 680
- Benthic population
 - animal mortality, 1975 185
 - degradation 144
 - effect of construction 143
 - effect of port installations 137–144
 - Marseilles, pre-1964 138
 - 1972 140
 - 1975 142
 - mercury in 97–108
 - pollution and 594, 595, 818, 856
 - seabed off Procchio 166
 - and sewage 156, 157, 163–184, 747
 - Tiber mouth 204, 205
- Biocenotic population
 - R.Tiber mouth 205
 - unaffected by sewage 176
- Biodegradability 28
- Brest
 - deballastage installations 463–472
 - storage and treatment at 470
- Bromine [⁸²Br] tracer 345
 - injection of 353
 - measurement 353
- Bryozoa
 - and environmental assessment 174
 - in *Posidonia* beds 169
 - Cheilostomata 170–173
 - and sewage 163, 164
- Cadmium 740
 - in Rhône sediments 95
 - toxicity 203
- California, water quality standard 123, 124
- Cannes
 - long sea outfall 808
 - physicochemical sewage treatment 409
 - sewage plants at 410
- Carbon
 - absorption treatment 416
 - organic, in sediments 92
- Cavtat accident 49–64
 - heavy metals and alkyl lead 57
 - sampling cruises 57
 - sampling points 58
- Cederwall formula and initial dilution 329
- Centre for Documentation and Research on Accidental Pollution 18
- Cheilostomata in *Posidonia* beds, Procchio 170–173
- Chemical standards 445–449
- Chlorination requirements 386
- Chlorination values, break point 451
- Chlorine
 - disinfection results 387, 388
 - ozone comparison 391
 - secondary effluent treatment 383–391
- Chlorophyll *a*, biomass estimate 202
- Ciotat Bay, absorptive capacity 297
- Clarifier, centre drive 658
- Clarifloater performance test 669, 670
- Coagulants 26–28
- Coast
 - contamination bulk 453, 454

- contamination calculation 311
- discharge 441–454
- marine sewage studies 145–162
- Mediterranean, pollution and land use 771–780
- Spanish, environment conditions 759
- stabilization and restoration 423
- Coastal areas
 - aesthetic qualities 123
 - interdisciplinary study, Barcelona 633
 - management, benefits from 685–687
 - management methods 787
 - management objectives 782–785
- Coastal population, occupational activities 767–769
- Coastal resorts, wastewater treatment 723–730
- Coastal waste treatment 211–223
 - American experience 211
- Coastal waters
 - advanced wastewater treatment 220
 - ailments of coastal recreation 119–124
 - eutrophication in Italian 185–192
 - French, options for 281
 - indicator organisms 121
 - microbiological assessment 121
 - nursery grounds 214
 - nutrient concentrations 206
 - quality and Tyrrhenian sea 129–136
 - Spain, quantities of 119–127
- Coastal zone management plan 771
 - US 218
- Cobalt in Rhône sediments 96
- Coliforms 775
 - die-off rate 154
 - disinfection 612
 - EEC standards 839
 - fecal 230
 - Bay of Naples 623, 627, 629
 - reduction and treatment in Adriatic 272, 273
 - seawater distribution 133
 - T₉₀ values 155
- Colimetric analysis 154
- Collecting pond 466
- Construction, effects on benthic population 143
- Contact Coagulation–Ultra High Rate Filter System
 - 645–652
 - advantages 646
 - Cleveland Test results 647
 - cross section 651
 - flow diagram 645
 - and marine pollution control 651–653
- Cooling water disposal, new method 419–426
- Copepoda, effects of dodecyl benzene sulphonate 109–117
- Copper in Rhône sediments 94, 476, 477
- Costa del Sol
 - sanitation scheme 345, 347
 - sewage treatment 345–367
 - wastewater treatment 827
- Cote d'Azur, sediments 79–87
- Crustacea and Tiber mouth 204, 206
- Current 635
 - Motril coast 582
 - survey, Tay estuary 374, 375
 - tide and wind-induced 372, 375, 379
- Current velocity, float measurements of 152
- DBS *see* dodecyl benzene sulphonate
- Deballastage *see* ballast water
- Denitrification, lead accumulation and 506
- Detergents
 - in marine sediments 749, 820
 - toxic components 109–117
- Diatoms
 - effect of contamination 473, 479
 - in Lake Albufera 478, 479
- Die-off, bacteria 153, 154
- Diffuser 149
 - angled jets 329
 - design of 249, 250
 - installation 257, 259–261
 - multiple jet, behaviour 323, 329
 - orifice and dilution 288
 - shafts 259
 - single jet 323
 - submarine, initial dilution 321–337
 - tunnel outfall 271
- Diffusion
 - horizontal 308
 - models 301
 - nozzle diameter 330–336
 - sea outfalls 437
 - turbulent 289
- Dilution
 - calculation of initial 305, 306
 - conditions required 321
 - experimental apparatus 324
 - factor calculation 347, 359
 - initial 349
 - and salinity 327, 328
 - and submarine diffusers 321–337
 - jet plume study 322
 - by marine transport 352
 - and nozzle diameter 331–361
- Dinoflagellates in Emilia-Romagna coastal waters 189
- Discharge
 - control of 499
 - load calculation 441, 442
- Disinfection
 - and coliforms 612
 - cost of 240
 - operating conditions 388
 - and organic pollutants 389, 390
 - wastewater, by ozone 383–391
- Dispersants 26, 27
 - concentration and effects 41–48
 - and oil spillages 35–48
- Dispersion
 - factors affecting 359
 - model 350
 - parameters 358, 359
 - study, Tay Estuary 375, 376
 - surface pollutants 821
- Dispersion plume profile 324
- Dispersion test apparatus 325
- Dodecyl benzene sulphonate (DBS)
 - effect on copepods 109–117
 - low salinity and toxicity 115
 - mortality effects 110, 112
 - in seawater 111
 - seawater interaction 116

- Ear infections 124, 126
 Ecosystem, marine, effect of R.Tiber 193–209
 Eddy diffusion coefficients
 equations for determination 340–343
 Messina 343
 and natural tracers 339–344
 EEC bacterial standards 721, 722
 EEC bathing water standards 369–282, 551, 630, 852
 coliforms 839
 criticisms of 370
 Effluent
 French quality requirements 719, 720
 quality criteria 642, 643
 Effluent disposal
 Athens 225–244
 ozonated 385
 Emilia-Romagna
 eutrophication in coastal waters 185–192
 localization 186
 nutrient loads 189–191
 phytoplankton 188, 189
 wastewater treatment plants 192
 Emulsion breaking compounds 26
 Energy absorbing dyke construction 421
 Enteric disease
 incidence, Valencia 452
 and shellfish, Naples 553
 Environment, degradation of 137
 Environmental Impact Statement (US) 219
 Epidemiological survey, Spanish coastal waters 119–121
 methods used 122, 123
 Escambia Bay salinity profile 214
Escherichia coli
 seawater distribution 133
 in shellfish 553
 value as indicator 852, 853
 virus correlation in seawater 135
 Estuary, assimilative capacity 213
 European Space Agency pollution monitoring 691
 Eutrophication, Italian coastal waters 185–192
 Eye infections 124, 126
- Fats, removal 661, 662
 Fauna
 aquatic, lead in 62
 benthic, mercury in 97–108
 Fertilizers 495, 586
 Fibreglass pipes 468
 Filter press plant 679
 Filtration through water-repellant 465
 Fine screen 656
 Fischer and Brooks Diagram 329, 337
 Fish 263
 nursery grounds 214
 organochlorines in 496
 Fishing yields, Tiber mouth 206
 Float and drogue tracking 372, 373
 Floatability forces 290
 Float measurement 152
 Flocculation 408, 412
 and flotation 414
- Flotation 414
 -clarification unit 658–660, 667
 experience with 671
 dissolved air 660–662
 pressurization methods 663, 664
 industrial waste 656
 Flow meter 325
 Flow velocity
 fluctuating, treatment of 414
 variation of 355–357
 Fluidized bed furnace 682
 Fresh water, R.Tiber discharge 194
 France, sewage capital investment 811, 812
- Granulometry, marine sediments 91
 Gravity grit chamber and rake classifier 657
 Grease, removal 661
- Halogenated compounds from chlorine disinfection 383
 Heavy metals 439, 740 *see also* lead, mercury *etc*
 animal effects 502
 in Mediterranean 432
 in Rhône 90
 in sea water 56
 in surface sediments 89–96
 Hexachlorobenzene in water samples 203
 Honolulu, Sand Island Treatment Plant 665–672
 clarifloater performance tests 669, 670
 cost of 670
 flotation performance 668, 669
 flow sheet 668
 outfall design 666, 667
 waste dilution: submergence 667
 Hydrocarbons 439
 Mediterranean pollution 22
 residue reception installations 455–463
 feasibility study 455, 456
 solubility of light 76, 77
- Impurity
 coastal, calculation of 311
 distribution, calculation of 317
 Incineration plant, Cannes 410
 Inclined screens 399, 402
 Indicator organisms 137
 bacterial in seawater 134, 230
 variability 121, 122
 Industrial waste 587
 treatment results 613
 Industry, Mediterranean 765, 766
 Infra-red image 692
 Insecticides 587
 International cooperation 823–828
 Interstitial substances
 nitrates and ammonium in 82, 84, 85
 seasonal variation 80, 84
 in surface sediments 79–87
 surfactants and phosphates in 81, 83
 vertical distribution of nutrients 86
 Iron 476

- Japan 840
- Jet discharge
 - angled 329
 - multiple 323, 329
 - single 323
 - in thermically stratified water 279
- Lagoon, Mediterranean
 - area calculations, summer 705
 - area-depth relationship 707
 - coastal, treatment of 695–722
 - dimensioning 702–708
 - effluent composition 718
 - eutrophication 792, 793
 - evaporation losses 717
 - French interest 698
 - management, Languedoc-Roussillon 781–794
 - organic loading 718
 - selection of 697
 - size for tertiary treatment 706
 - treatment
 - advantages 708
 - and climate 716, 717
 - operational requirements 713–716
 - and population size 709, 710
 - and soil permeability 717
 - topography integration 711
- Lagooning
 - disadvantages 712
 - natural, and tertiary treatment 702, 703
- Languedoc
 - lagoon management 781–794
 - lagoon treatment 695
- Lead 740, 837 *see also* alkyl lead
 - in aquatic fauna 62
 - bacterial accumulation 509, 510
 - concentration on sea bottom 52
 - and denitrifying bacteria 504–508
 - in marine sediments 59–62, 93
 - in seawater 53
 - simulation test method 53
 - toxicant interaction 505
 - toxicity enhancement 510
- Legislation, French 600
- Lime 469
- Littoral, French
 - activities in 798, 799
 - character of 796, 797
 - domestic pollution 815, 816
 - impact of discharge 803–806
 - pollution 795–822
 - pollution load 799–803, 815
 - pollution reduction 809–811
 - preservation and development 793, 794
 - thermal stratification in 797, 798
- la Manga 492
- Marbella, outfall pollutants 318
- Marine sediments, lead determination 59–62
- Marine treatment works 276
- Marine water classification 394
- Mar Menor
 - agricultural activity and 481, 493
 - agricultural chemicals 495
 - bird life, paucity 489
 - climate 483
 - ecosystem changes, 1976 496, 497
 - enrichment causes 484, 485
 - environment degradation 487–500
 - causes till 1976 491
 - and human activity 492, 494
 - and motorized marine transport 493, 499
 - prevention 498
 - fauna 486, 487
 - fishing industry 493
 - flora and vegetation 486
 - lagoon formation 482, 483
 - lagoon silting 494
 - Mediterranean water in 497, 498
 - organic pollutant build-up 495
 - pollution control 499
 - population density 490, 491
 - position 482
 - property development in 481, 493
 - salt marshes 490
 - stable environment 488
- Marseilles
 - deballastage facilities 463–472
 - domestic and industrial pollution 750–752, 807, 808, 815, 816
 - effect on benthos 747, 818
 - map 822
 - polluted zones 746, 806, 807
- Marseilles, harbour and industries
 - effect on benthic organisms 137–144
- Marseilles sewage treatment study 731–755
 - discharge volume and composition 739–741
 - industrial waste 741
 - marine ecosystem protection 736–738
 - microbial effects of discharges 738, 739
 - sewage and sludge disposal 733, 743, 744, 753
 - treatment plant siting 734, 742, 745, 753
 - Urban Plan, 1959 732, 733
 - wastewater treatment 741–755
- Mathematical models and marine absorption
 - capacity 279–300
- Mediterranean Action Plan 824, 825
- Mediterranean
 - beach surveillance 552
 - climate and load 696, 697
 - countries polluting 431
 - discharge conditions 435
 - discharges 654
 - French, treatment 403–417
 - hydrocarbon reception residues 455–462
 - lagoon treatment, coastal 695–722
 - oil transport in 456
 - pollution
 - 1965 to 1973 817
 - cause and remedy 427–440
 - coastal and land use 771–780
 - French coast and littoral 795–822
 - population density 428, 429, 456
 - thermocline effects 380
 - tourism in 456

- US experience and 222
 - and US problems 654
 - wastewater treatment problems 415
 - water characteristics 225
 - and effluent disposal 229, 230
- Mercury
 - in benthic fauna 97–105
 - French Mediterrean coast 97–108
 - in marine sediments 748, 819
 - natural impact 104
 - in organisms 836
 - removal of 850
 - in Rhône sediments 95
 - sewage source 97, 105
 - toxicity due to 203
- Messina, Straits of, eddy diffusion 343, 344
- Metal flow in R.Tiber 197
- Methyl mercury: mercury balance 98
- Microbiology
 - guidelines and standards 857
 - Naples shellfish 553–577
- Model, two-dimensional radial symmetry 345, 346
 - adaptability 362
- Mulluscs, river mouth 204, 206
- Morbidity and coastal waters 124, 126
- Motril coast
 - analysis, physico-chemical 587, 588
 - bacterial contamination 583–585
 - bacteriology 589
 - benthic contamination 585
 - chemical contamination 586, 587
 - ecosanitary study 579–596
 - horizontal and vertical dispersion 589, 590
 - plankton, pollution effects 590–592
 - river pollution 586
 - sampling points and discharge 581–585
 - sanitation improvements 595, 596
 - sea currents 582, 583
 - sewage pollution 587
 - study area 580, 581
- Multiple hearth furnace 682
- Municipalities, sanitation responsibility 825, 826
- Mussels
 - bacteria in and water quality 571–577
 - market samples 576, 577
- Mycoses and sea water 124, 126

- Naples, Bay of
 - bacterial water quality 615–632
 - ballast water treatment 617
 - bathing water standards 618, 619
 - catchment areas 616
 - coliform 623
 - indicator organisms 624–631
 - pollution sources 616, 617
 - population 615
 - shellfish pollution monitoring 553–577
 - water survey results 620–622
- Nekton, Tiber mouth 204
- Nettuno, surface currents 161

- Nice
 - ammonium in interstitial waters 85
 - treatment plants 416
- Nickel in Rhône sediments 96
- Nitrates in interstitial waters 82, 84
- Nitrites in interstitial waters 84
- Nitrogen loads
 - inorganic and R.Tiber 200
 - in Italian coastal waters 189, 190
 - sources 191
- Nose infections 124, 126
- Nutrients
 - distribution in Cannes area 85
 - in interstitial waters 86
 - limits to 230
 - load in R.Tiber 197, 100–201
 - temperature, salinity, chlorophyll and 201

- OECD working group 758
- Oil
 - beach and sediment, treatment 469
 - determination in sea water 36
 - dispersing power 38
 - dispersion by agitation 38, 39
 - dissolved in ballast water 75
 - lime treatment 469
 - recovery 468
 - removal 661
 - removal from ballast water 67–78
 - removal processes, inadequacy 464
- separator, primary 465
 - slick detection 690, 691
 - transport and discharge, Mediterranean 456, 457
- Oil spillages 17–34
 - barrages and 29–31
 - degradation of 35–48
 - dispersants and 35–48
- Organic enrichment 137
- Organic load, R.Tiber 197
- Organochlorines 496
- Organohalogens
 - ozone reduction 391
 - volatile 390
- Organolead, toxicity measurement 501–512
- Orthophosphate and R.Tiber mouth 200
- Otranto Channel, alkyl lead pollution 63
- Outfalls
 - and bathing waters 272
 - construction methods 253–256
 - construction and shipping safety 260
 - Costa del Sol sanctioned 348
 - costs 260
 - deep-sea polyethylene 685, 686
 - design 379
 - design for Greater Athens 237, 240, 243, 245–261
 - diffuser installation 257, 259–261
 - dilution requirement, marine 779
 - efficiency of submarine 604, 605
 - emotive topic 275
 - head and flow relationship 249

- hydraulic characteristics 248, 249
- interruption consequences 275
- long sea
 - advantages 276, 845
 - effects of 808, 809
 - siting 345, 437
- marine compared with treatment 263–277, 600–612
- marine and EEC bathing water standards 369–382
- orifice distance and deep discharges 307
- positioning requirements 268, 269
- proposed for Athens, section of 256
- route and construction 254–256
- routes 250–253
- and seawater composition 778
- site and coastline 371, 372, 374, 375
- submarine 253
- predicting effect 301–320
- tunnel, diffuser outfall 271
- tunnelling 254, 257, 258
- Oxygen
 - deficit and bacteria 623
 - dissolved, measurement 148–152
 - primary settlement systems 725, 726
 - primary main uptake 726, 727
 - sewage requirement 729
 - sewage solubility 726
 - sewer injection 724
- Oyster, plankton in 838
- Ozonation
 - economical method 386
 - in Japan 856
 - organohalogen reduction 391
- Ozone
 - chlorine comparison 391
 - disinfection results 387
 - pilot treatment plant 384
 - wastewater disinfection 383–391
- Pensacola Bay
 - current speed 215
 - tidal cycle 215
- Pesticides 495, 586
- Petroleum
 - amount lost at sea 21
 - crude, dispersion of 35–48
 - transport problems 440
- PMMA *see* polymethylmethacrylatephenols 439
- Phosphates in interstitial waters 81, 83, 84
- Phosphorus load
 - cost of lime removal 240
 - in Italian marine basins 187, 189, 190
 - R.Tiber mouth 201
 - sources 191
- Physico-chemical processes 403–417
- Phytoplankton
 - distribution in Tiber mouth 202
 - effect of sewage 157, 158
 - in Emilia-Romagna coastal waters 188
 - normal density 158
- Plankton
 - in oysters 838
 - pollution effects 590–592
- Plume characteristics 302, 327
 - movement and dilution of 376
- Plume, dye simulation 377
- Political action, value of collaborative 440
- Po river, effects on surface water 186, 187
- Pollutants
 - calculation of initial dilution 319
 - discharge, US permit system 217
 - evaluation of effects 433, 434
 - Lake Albufera discharge 473
 - Marbella 318
 - microorganic and disinfectants 390
 - organic 430, 495, 638
 - effect of disinfection 389
 - quantification 598, 599
 - side-effect reduction in 254
- Pollution
 - alkyl lead 49–64
 - and benthos 594, 595
 - coastal 185–192, 193–209, 641, 642
 - control 499
 - elimination 597
 - evaluation by simulation studies 50
 - heavy metal 89–96
 - industrial wastewater 17–34
 - land, protective measures 30, 31
 - marine accidents 17–34
 - marine, control 651–653
 - Mediterranean 22
 - 1965, 1973 817
 - causes and remedies 429–440
 - sources 432
 - mercury 97–108
 - microbiological 119–126, 129–136, 145–162, 619–621
 - monitoring by satellite and aircraft 687–692
 - natural sources 17–34
 - pelagic, Naples 617
 - preventative measures 22, 23
 - and public health 593, 594
 - recuperation 28, 29
 - recovery, products and 25, 26
 - residue treatment 33
 - rivers 24, 586
 - sand, washing and oil 31
- Polychlorinated biphenyls, toxicity 203, 204
- Polyethylene outfall pipes 685, 686
 - immersion depths 686
 - lining 685
- Polymers, cationic and sewage flocculation 408
- Port installations and benthic communities 137–144
- Posidonia oceanica* and sewage 164–184
- Preventative measures
 - land pollution 23
 - marine pollution 22, 23
- Procchio
 - bryozoa in *posidonia* beds 167–169
 - posidonia* beds 167–169
 - submarine sewage outfall 169
- Public health
 - and pollution 593, 594
 - and seawater 119–125
- Purification plant for ballast water 71–73
- Purification requirements and urbanization 603

- Rawn, Bowerman and Brooks Diagram 337
 Re-afforestation 754, 755
 Receiving water capacity, calculation methods 282
 Recreationalists
 ailments in coastal waters 119–127
 morbidity 124
 'Relative Dispersion' method 313
 advantages 314
 model application 315
 Remote sensing 854
 coastal pollution 678–692
 high-flying aircraft 688
 instruments 688
 Residue treatment 33
 Rhône
 metal load discharged to sea 90
 mouth sediments 89–96
 Rive pollution *see also* Tiber, Rhône and Po
 legislation 440
 sampling 833
 transport 430

 Sabaudia, surface currents 162
 Salinity
 coastal water changes 344
 and eddy diffusion changes 339–344
 low and *Tisbe* sp mortality 115
 measurement 148, 327
 profile, Escambia Bay 214
 profile, R. Tiber mouth 201
 and *Tisbe* sp mortality in DBS 112, 113
 as tracer, advantages 344
 Sand, washing of oil-polluted 31
 Sant' Anastasio, surface currents 161
 Satellite
 coastal pollution monitoring 678–692
 data interpretation 690
 data reception 690
 operational meteorological 681
 operational weather 689
 polar orbiting 689
 Seasat A 689
 Screening 398, 399
 Scum 230
 Sea
 bottom, lead concentration 52
 self-purification capacity 600, 780, 840, 847, 848
 Seawater
 aesthetic qualities 125
 alkyl lead analysis in 49–64
 bacterial die-off 159
 California water quality standard 123, 124
 characteristics 37
 crude oil determination 36
 discharge standards 434, 435
 dodecyl benzene sulphonate in 111, 116
 heavy metals 56
 lead in 53, 55, 63
 liberation of dissolved substances 80
 and public health 119, 125, 126
 quality 123–125
 sewage sampling 148
 X-ray spectrum 519, 520

 Sedimentation and outfall length 225
 Sediments, marine
 Barcelona 635
 granulometry 91
 lead in 63
 mercury in 748
 oil, treatment 467, 469
 Sediments, surface
 cadmium 94
 cobalt 96
 copper 94
 heavy metals 89–96
 interstitial substances 79–86
 lead in 93
 mercury 94
 nickel 96
 organic carbon 92
 sulphides 92
 zinc 94
 Sewage *see also* outfalls, treatment
 analysis 148
 bacteria 159
 and benthos 163–184
 and biocenotic population 176
 biological marine studies 156
 dilution of discharges 286
 discharge entrapment 150
 disposal
 design objectives 230, 231
 land-based machinery 225, 226
 and water characteristics 225
 flow, Athens 247, 248
 French legislation 600
 inland works, reliability 274, 275
 consequences of interruption 275
 marine dilution and purification 269, 270
 marine outfall studies 145–162
 marine water disposal 279–300, 393–402
 mercury, sources in 97–105
 oxygen requirement 729, 730
 oxygen solubility 726
 and phytoplankton 157–159
 sea disposal methods 597–612
 seawater dilution 152, 153
 septicity 407
 site condition and purification 602, 603
 submarine diffuser dilution 321–337
 toxic components 114
 Sewage treatment
 advanced primary for ocean discharge 653–683
 area requirement and sea disposal 607
 Athens 225–244
 biological 406, 412, 413
 carbon absorption 416
 coastal waste 211–223
 Costa del Sol 345–367
 costs 660
 degree and effluent quality 265
 degrees 395
 EEC standards 371
 efficiency 601, 602
 environmental effects 274
 laws US 212
 vs marine discharge 731–755

- Marseilles 731–755
 outfalls
 comparison 263–277
 long and short 237–240
 mediterranean 403–417
 preferred 236
 and Yugoslav coastal protection 263
 physico-chemical 407, 411–413, 416, 436, 437, 611
 plant, Barcelona 633–637
 camouflage 405
 Cannes 410
 prior to sea discharge 437, 639–652
 to confined waters 777
 requirements 843
 processes 643–652
 discussion of 235, 236, 394, 395
 new system 644–652
 purification degree 609, 610, 613
 Sand Island, Honolulu 731–755
 tanker ballast water 67–78
 and thermocline 841
 and tourism 436
 S. Felice Circeo, surface currents 162
 Shellfish
 analysis 554–556
 culture 554
 fecal bacteria 555
 low cost protein 553
 microbial analysis 556
 microbial data
 statistical analysis 559–566
 and water quality 558, 567–577
 microbial requirements 720–722
 microbiological contamination 553–572
 Sidi Kerir, oil removal from ballast water at 67–78
 Skin infections 124, 126
 Sludge
 anaerobic digestion 675–677
 tank for 676
 belt press 680
 combustion 678
 dewatering of raw and digested 677, 678
 disposal, Marseilles 73, 734–736
 emergency storage 267, 268
 energy recovery 682
 filter press plant 679
 fluidised bed furnace 681
 gravity thickener 673, 674
 handling and disposal 673–682
 multiple hearth furnace 682
 use 754
 wet land disposal 674
 Sludge treatment and disposal 239
 energy and land needed 241
 Solids
 collection 617
 disposal 605
 floating 230, 346
 elimination of 346, 393, 397
 oil-rich, treatment 467
 reduction of suspended 401
 screening and maceration 396, 397
 suspended and water transparency 151
 Sorensen's index 175
 Spain
 coastal conditions 757–769
 coastal water quality 119–127, 441–454, 633–637
 epidemiology of 120
 study results 77, 78, 120
 land use 828
 littoral agriculture 763, 764
 littoral geography 760, 761
 littoral industry 765
 littoral population 761–763
 National Sanitation Plan 826, 827
 OECD study group 758, 759
 outfall legislation 303
 sanitary infrastructure 826
 sea discharge legislation 393
 situation in 823–828
 tourism growth 766, 825
 treatment plant requirement 827, 828
 waste water regulations 774
Streptococcus spp, fecal
 Bay of Naples 625, 628
 seawater distribution 133–135
 Suez Canal
 closure and Mediterranean tanker traffic 18
 Sulphides in surface sediments 92
 Surface currents 160–162
 Surfactants in interstitial waters 81, 83
 Surveillance, French Coastal Waters 548, 552

 Tankers
 ballast water treatment 67–78, 457–460
 cleaning procedure 467
 cleaning water treatment 466
 collisions 20
 grounding 20
 sea discharge 19
 treatment of bottoms 470
 Tay Estuary Research Centre 373
 Temperature profile, R. Tiber mouth 201
 Thermal stratification 279, 283, 285, 797
 Thermocline 380
 sewage trapping 841
 Tiber River
 coastal sampling stations 196
 drifter routes 198
 and fishing yields 206
 freshwater discharges 194
 and marine ecosystems 193–209
 nutrient, metal and organic flow 197, 199
 Tides, weak and sampling 834
 Tilted plate separation, tanker ballast water 72, 73
Tisbe bulbisetosa
 effect of dodecyl benzene sulphonate 109–117
 mortality and salinity 112, 113
 Toma, wharf and mooring extension 420
 Torrey Canyon pollution 19
 Tourism
 French coasts 544
 influence of 404, 825
 and sewage treatment 436
 Spain 766

- Toxicity
 - detergents 109–114
 - discharge, limits to 230
 - non-degradables 849
 - organolead 501–512
 - scale 28
 - sewage 114
 - Tiber mouth 203
- Trace elements
 - analysis in marine organisms 521, 522
 - X-ray spectroscopic analysis 513–522
- Tracers
 - bacteriological 846
 - dispersion data 379
 - dye 377
 - natural 329–344
 - radioactive 345–367
 - movement of 351
- Transparency 187
 - suspended solids indicator 151
- Turbulent diffusion 289
- Tyrrhenian Sea
 - coastal water quality 129–136
 - monitored area 130
- Urbanization and purification requirements 603
- US
 - coastal pollution 654
 - Public Law 92–50 (1972) 212
 - treatment legislation 653
- Valencia
 - coastal discharges 441–454
 - enteric disease 452
 - sampling points 443, 444
 - sampling results 449–451
 - lake diatoms 473–480
- Vallauris, physico-chemical treatment 411
- Virus
 - coastal water pollution 129
 - monitoring in Tyrrhenian Sea 131
 - in seawater, *E.coli* correlation 135
- Waste water
 - discharge to rivers and sea 773, 774
- low and high oil content 466
- Spanish regulations 774
- treatment
 - coastal resorts 723–730
 - Costa del Sol 827
 - facility planning process 216, 217
 - French Mediterranean coast 403–417
 - industrial 394, 395
 - Marseilles 741–755
 - oxygen requirement 727, 728
 - plant at Emilia-Romagna 192
 - secondary and advances 221
 - using ocean outfalls 221
- Water *see also* bathing
 - intake costs 419–426
 - littoral, amelioration 280
 - non-stratified, discharge 309
 - quality objectives, Athens 247
 - quality standards 217
 - receiving, reactions 599
 - surface, discharge dilution 286
 - temperature variation 287
 - thermally stratified, jet dispersal 279, 283
- WHO, Mediterranean Action Plan 119
- Wind
 - components 378
 - and currents 372, 375
 - windrose 378
- X-ray fluorescence analyser 514–516
 - minimum detection limit 516–518
 - sample preparation 518, 519
- X-ray spectroscopy, trace element analysis 513–522
- Yugoslavia
 - compliance with criteria 266
 - long sea outfalls 845
 - sewage treatment works, impression of 268
 - sludge storage in emergency 267, 268
 - standards for recipient waters 264
 - treatment work sites 265, 266
- Zinc 476, 477
 - in Rhône sediments 94
- Zooplankton 636