

Supporting Information

Attempted Synthesis of Spongidines by a Radical Cascade Terminating onto a Pyridine Ring


Miguel A. González, and Sonia Molina-Navarro*


Departamento de Química Orgánica, Universidad de Valencia, Dr. Moliner 50, 46100 Burjassot,
Valencia, Spain


miguel.a.gonzalez@uv.es


Copies of ^1H NMR and ^{13}C NMR spectra for compounds **6**, **10-15** are included:


- ^1H NMR spectrum of 10	S2
- ^{13}C NMR spectrum of 10	S3
- ^1H NMR spectrum of 11	S4
- ^{13}C NMR spectrum of 11	S5
- ^1H NMR spectrum of 12	S6
- ^{13}C NMR spectrum of 12	S7
- ^1H NMR spectrum of 6	S8
- ^{13}C NMR spectrum of 6	S9
- ^1H NMR spectrum of 13	S10
- ^{13}C NMR spectrum of 13	S11
- ^1H NMR spectrum of 14	S12
- ^{13}C NMR spectrum of 14	S13
- ^1H NMR spectrum of 15	S14
- ^{13}C NMR spectrum of 15	S15


















do-B3-2





δ , 300MHz, CDCl_3














MAC-B-32-1

15, 300MHz, CDCl₃

