

REFERENCES

- Abelleira Martínez, O. (2010) Invasion by native tree species prevents biotic homogenization in novel forests of Puerto Rico. *Plant Ecology* **211**, 49–64.
- Abraham, K.F., Jefferies, R.L. and Alisauskas, R.T. (2005) The dynamics of landscape change and snow geese in mid-continent North America. *Global Change Biology* **11**, 841–55.
- Acacio, V., Holmgren, M., Jansen, P.A. and Schrotter, O. (2007) Multiple recruitment limitation causes arrested succession in mediterranean cork oak systems. *Ecosystems* **10**, 1220–30.
- Achermann, B. and Bobbink, R. (eds.) (2003) *Empirical Critical Loads for Nitrogen*. Proceedings of the expert workshop held at Bern, Switzerland, 11–13 November 2002. Swiss Agency for the Environment, Forests and Landscape (SAEFL), Bern.
- Adams, C.R. and Galatowitsch, S.M. (2005) *Phalaris arundinacea* (reed canary grass): rapid growth and growth pattern in conditions approximating newly restored wetlands. *Ecoscience* **12**, 569–73
- Adeel, Z., Safriel, U., Niemeijer, D. and White, R. (2005) *Ecosystems and Human Well-Being: Desertification Synthesis*. World Resources Institute, Washington, DC.
- Adema, E.B., Grootjans, A.P., Petersen, J. and Grijpstra, J. (2002) Alternative stable states in a wet calcareous dune slack in the Netherlands. *Journal of Vegetation Science* **13**, 107–14.
- Agarwal, A. and Narain, S. (eds.) (1997) *Dying Wisdom: Rise, Fall and Potential of India's Traditional Water Harvesting Systems*. Center for Science and the Environment, New Delhi.
- Aide, T.M., Zimmerman, J.K., Pascarella, J.B. et al. (2000) Forest regeneration in a chronosequence of tropical abandoned pastures: implications for restoration ecology. *Restoration Ecology* **8**, 328–38.
- Alexander, S., Nelson, C., Aronson, J. et al. (2011) Opportunities and challenges for ecological restoration within REDD+. *Restoration Ecology* **19**, 683–9.
- Allen, E.B., Cox, R.D., Tennant, T., Kee, S.N. and Deutschman, D.H. (2005) Landscape restoration in southern California forlands: response of abandoned farmland to invasive annual grass control. *Israel Journal of Plant Sciences* **53**, 237–45.
- Allen, J.R.L. (2000) Morphodynamics of Holocene salt marshes: a review sketch from the Atlantic and southern North Sea coasts of Europe. *Quaternary Science Review* **19**, 1155–231.
- Allen, M.F. (1988) Below-ground structure: a key to reconstructing a productive arid ecosystem. In: *The Reconstruction of Disturbed Arid Lands* (ed. E.B. Allen), pp. 113–35. Westview Press, Boulder, CO.
- Allen, M.F., Allen, E.B. and Gomez-Pompa, A. (2005) Effects of mycorrhizae and nontarget organisms on restoration of a seasonal tropical forest in Quintana Roo, Mexico: factors limiting tree establishment. *Restoration Ecology* **13**, 325–33.
- Allendorf, F.W., England, P.R., Luikart, G., Ritchie, P.A. and Ryman, N. (2008) Genetic effects of harvest on wild animal populations. *Trends in Ecology & Evolution* **23**, 327–37.
- Alloza, J.A. (2003) Análisis de repoblaciones forestales en la comunidad valenciana: desarrollo de criterios y procedimientos de evaluación. PhD thesis, Universidad Politécnica de Valencia.
- Almendinger, J.E. and Leete, J.H. (1998) Regional and local hydrogeology of calcareous fens in the Minnesota River Basin, USA. *Wetlands* **18**, 184–202.
- Altieri, A.H., Silliman, B.R. and Bertness, M.D. (2007) Hierarchical organization via a facilitation cascade in intertidal cordgrass bed communities. *The American Naturalist* **169**, 195–206.
- Altman, B. and Hagar, J. (2007) *Rainforest Birds: A Land Manager's Guide to Breeding Bird Habitat in Young Conifer Forests in the Pacific Northwest*. Scientific Investigations Report 2006-5304. US Geological Survey, Washington, DC.
- Andersen, E., Baldock, D., Bennett, H. et al. (2003) Developing a high nature value indicator. Report for the European Environment Agency, Copenhagen. <http://eea.eionet.europa.eu/Public/irc/enviowindows/hnv/library>.
- Anderson, A.N. (1993) Ants as indicators of restoration success at a uranium mine in tropical Australia. *Restoration Ecology* **1**, 156–67.

- Anderson, N.J., Jeppesen, E. and Søndergaard, M. (2005) Ecological effects of reduced nutrient loading (oligotrophication) on lakes: an introduction. *Freshwater Biology* **50**, 1589–93.
- Andresen, H., Bakker, J.P., Brongers, M. *et al.* (1990) Long-term changes of salt marsh communities by cattle grazing. *Vegetatio* **89**, 137–48.
- Anonymous (2003) Map of the natural vegetation of Europe: scale 1:2,500,000 (comp. and rev. U. Bohn, G. Gollub and C. Hettwer). Federal Agency for Nature Conservation, Bonn.
- Antonovics, J., Thrall, P.H. and Jarosz, A.M. (1997) Genetics and spatial ecology of species interactions: the *Silene-Ustilago* system. In: *Spatial Ecology: The Role of Space in Population Dynamics and Interspecific Interactions* (ed. D. Tilman and P. Kareiva), pp. 158–84. Princeton University Press, Princeton.
- Apostol, D. and Sinclair, M. (eds.) (2006) *Restoring the Pacific Northwest: The Art and Science of Ecological Restoration in Cascadia*. Island Press, Washington, DC.
- Aradottir, A.L. and Johannsson, M.H. (2006) Ecological restoration with site-specific species in Iceland. In: *Soil Bioremediation: Ecological Restoration with Site-specific Plant and Seed Material* (ed. B. Krautzer and E. Hacker), pp. 175–9. Conference Proceedings, HBLFA Raumberg-Gumpenstein, Irnding.
- Arenson, L.U. (2002) Unstable alpine permafrost: a potentially important natural hazard – variations of geotechnical behaviour with time and temperature. PhD dissertation, Swiss Federal Institute of Technology, Zürich.
- Armentano, T.V. and Menges, E.S. (1986) Patterns of change in the carbon balance of organic soil-wetlands of the temperate zone. *Journal of Ecology* **74**, 755–74.
- Armesto, J.J., Arroyo, M.T.K. and Hinojosa, L.F. (2007) The Mediterranean environment of central Chile. In: *The Physical Geography of South America* (ed. T.T. Veblen, K.R. Young, and A.R. Orme), pp. 184–98. Oxford University Press, Oxford.
- Armesto, J.J., Bustamante-Sánchez, M.A., Díaz, M.F. *et al.* (2009) Fire disturbance regimes, ecosystems recovery and restoration strategies in Mediterranean and temperate regions of Chile. In: *Fire Effects on Soils and Restoration Strategies* (ed. A. Cerdà and P.R. Robichaud), pp. 537–67. Science Publishers, Enfield, NH.
- Arno, S.F. (1996) The concept: restoring ecological structure and process in Ponderosa pine forests. In: *The Use of Fire in Forest Restoration* (ed. C. Hardy and S.F. Arno.), pp. 37–8. Proceedings of the annual meeting of the Society for Ecological Restoration USDA Forest Service. Gen. Tech. Report INT-GTR-341. US Forest Service, Washington, DC.
- Arno, S.F. and Fiedler, C.E. (2005) *Mimicking Nature's Fire: Restoring Fire-Prone Forests in the West*. Island Press, Washington, DC.
- Aronson, J. (2010) Eco-restoration: a global perspective. In: *Opportunities for Ecological Restoration* (ed. L. Finch, J. Hunt and G. Tebbut), pp. 5–12. Occasional paper no. 4. Borders Forest Trust, Ancrum, Jedburgh.
- Aronson, J. (2011) Sustainability science demands that we define our terms across diverse disciplines. Editorial *Landscape Ecology* **26**, 457–60.
- Aronson, J. and Le Floc'h, E. (1996) Vital landscape attributes: missing tools for restoration ecology. *Restoration Ecology* **4**, 377–87.
- Aronson, J., Le Floc'h, E. and Ovalle, C. (2002) Semi-arid woodlands and desert fringes. In: *Handbook of Ecological Restoration*, vol. 2 (ed. M. Perrow and A. Davy), pp. 466–85. Cambridge University Press, Cambridge.
- Aronson, J., Blignaut, J.N., Milton, J. and Clewell, A.F. (2006) Natural capital: the limiting factor. *Ecological Engineering* **28**, 1–5.
- Aronson, J., Milton, S.J. and Blignaut, J.N. (2007a) Restoring natural capital: definitions and rationale. In: *Restoring Natural Capital: Science, Business, and Practice* (ed. J. Aronson, S.J. Milton and J.N. Blignaut), pp. 3–8. Island Press, Washington, DC.
- Aronson, J., Milton, S.J. and Blignaut, J.N. (2007b) *Restoring Natural Capital: Science, Business, and Practice*. Island Press, Washington, DC.
- Aronson, J., Pereira, J.S. and Pausas, J.G. (eds.) (2009) *Cork Oak Woodlands on the Edge*. Island Press, Washington, DC.
- Aronson, J., Blignaut, J., de Groot, R.S. *et al.* (2010) The road to sustainability must bridge three great divides. *Annals of the New York Academy of Sciences* **1185** (special issue, Ecological Economics Reviews), 225–36.
- Aronson, J., Brancalion, P.H.S., Durigan, G. *et al.* (2011) What role should government regulation play in ecological restoration: ongoing debate in São Paulo State, Brazil. *Restoration Ecology* **19**, 690–5.
- Aronson, J., Murcia, C., Balaguer, L. *et al.* (unpubl. MS). Leak plugging and clog removal: useful metaphors for restorationists.
- Ashton, P.M.S., Gamage, S., Gunatilleke, I.A.U.N. and Gunatilleke, C.V.S. (1998) Using Caribbean pine to establish a mixed plantation: testing effects of pine canopy removal on plantings of rain forest tree species. *Forest Ecology and Management* **106**, 211–22.
- Askew, A.P., Corker, D., Hodkinson, D.J. and Thompson, K. (1997) A new apparatus to measure the rate of fall of seeds. *Functional Ecology* **11**, 121–5.
- Asner, G.P., Rudel, T.K., Aide, T.M. *et al.* (2009) A contemporary assessment of change in humid tropical forests. *Conservation Biology* **23**, 1386–95.
- Auld, J.R. and Relyea, R.A. (2010) Inbreeding depression in adaptive plasticity under predation risk in a freshwater snail. *Biology Letters* **6**, 222–4.
- Baeten, L., Hermy, M. and Verheyen, K. (2009) Environmental limitation contributes to the differential colonization capacity of two forest herbs. *Journal of Vegetation Science* **20**, 209–23.

- Baez, S. and Collins, S.L. (2008) Shrub invasion decreases diversity and alters community stability in northern Chihuahuan desert plant communities. *PLoS ONE* **3**, e2332.
- Bagley, S. (1998) *The Road-Ripper's Guide to Wildland Road Removal*. Wildland Center for Preventing Roads, Missoula, MT. <http://www.wildlandsepr.org/road-rippers-guide-wildland-road-removal>
- Bailey, M.M. and M.T. Kinnison (2010) Habitat-mediated size selection in endangered Atlantic salmon fry: selection restoration assessment. *Evolutionary Applications* **3**, 352–62.
- Bailey, R.G. (1996) *Ecosystem Geography*. Springer-Verlag, New York.
- Bainbridge, D.A. (1985) Ecological education: time for a new approach. *Bulletin of the Ecological Society of America* **66**, 461–2.
- Bainbridge, D.A. (2006) Adding ecological considerations to 'environmental' accounting. *Bulletin of the Ecological Society of America* **8**, 335–40.
- Bainbridge, D.A. (2007a) *A Guide for Desert and Dryland Restoration: New Hope for Arid Lands*. Island Press, Washington, DC.
- Bainbridge, D.A. (2007b) Sustainable land use systems for arid lands: research needs for the next twenty-five years. *Annals of the Arid Zone* **46**, 1–28.
- Bainbridge, D.A. (2009) *Rebuilding the American Economy*. Rio Redondo Press, San Diego. <http://www.sustainabilityleader.org>
- Bain, D. and French, K. (2009) Impacts on a threatened bird population of removals for translocation. *Wildlife Research* **36**, 516–21.
- Bakker, J., van Rijswijk, M.E.C., Weissing, F.J. and Bijlsma, R. (2010) Consequences of fragmentation for the ability to adapt to novel environments in experimental *Drosophila* metapopulations. *Conservation Genetics* **11**, 435–48.
- Bakker, J.P. (1985) The impact of grazing on plant communities, plant populations and soil conditions on salt marshes. *Plant Ecology* **62**, 391–8.
- Bakker, J.P. (1989) *Nature Management by Grazing and Cutting*. Kluwer Academic Publishers, Dordrecht.
- Bakker, J.P. and Berendse, F. (1999) Constraints in the restoration of ecological diversity in grassland and heathland communities. *Trends in Ecology & Evolution* **14**, 63–8.
- Bakker, J.P. and Piersma, T. (2006) Restoration of intertidal flats and tidal salt marshes. In: *Restoration Ecology: The New Frontier* (ed. J. van Andel and J. Aronson), pp. 174–92. Blackwell Publishing, Oxford.
- Bakker, J.P., Bakker, E.S., Rosén, E. *et al.* (1996a) Soil seed bank composition along a gradient from dry alvar grassland to *Juniperus* scrub. *Journal of Vegetation Science* **7**, 165–76.
- Bakker, J.P., Poschlod, P., Strykstra, R.J. *et al.* (1996b) Seed banks and seed dispersal: important topics in restoration ecology. *Acta Botanica Neerlandica* **45**, 461–90.
- Bakker, J.P., Elzinga, J.A. and de Vries, Y. (2002a) Effects of long-term cutting in a grassland system: possibilities for restoration of plant communities on nutrient-poor soils. *Applied Vegetation Science* **5**, 107–20.
- Bakker, J.P., Esselink, P., Dijkema, K.S. *et al.* (2002b) Restoration of salt marshes. *Hydrobiologia* **478**, 29–51.
- Bakker, J.P., Bos, D. and de Vries, Y. (2003) To graze or not to graze: that is the question. In: *Proceedings of the 10th International Scientific Wadden Sea Symposium* (ed. K. Essink, M. van Leeuwe, A. Kellermann and W. Wolff), pp. 67–88. Ministry of Agriculture, Nature Management and Fisheries, The Hague, and Department of Marine Biology, University of Groningen, the Netherlands.
- Bakker, J.P., Bouma, T.J. and van Wijnen, H.J. (2005) Interactions between microorganisms and intertidal plant communities. In: *Interactions between Macro- and Microorganisms in Marine Sediments* (ed. K. Kristensen, J.E. Kostka and R.R. Haese), pp. 179–98. Coastal and Estuarine Studies 60. American Geophysical Union, Washington, DC.
- Barbo, J.W. and James, W.F. (1998) Effects of submerged aquatic macrophytes on nutrient dynamics, sedimentation, and resuspension. In: *The Structuring Role of Submersed Macrophytes in Lakes* (ed. E. Jeppesen, M. Søndergaard and K. Christoffersen), pp. 197–217. Springer, Heidelberg.
- Barrett, R.D.H. and Schluter, D. (2008) Adaptation from standing genetic variation. *Trends in Ecology & Evolution* **23**, 38–44.
- Bartelink, H.H. (1999) Growth and management of mixed-species stands. In: *Management of Mixed-Species Forest: Silviculture and Economics* (ed. A.F.M. Olsthoorn, H.H. Bartelink, J.J. Gardiner *et al.*), pp. 186–90. IBN Scientific Contributions 15. IBN-DLO, Wageningen.
- Bartholdy, J. (1997) The backbarrier sediments of the Skallingen Peninsula, Denmark. *Geografisk Tidsskrift* **97**, 11–32.
- Bartomeus, I., Vila, M. and Steffan-Dewenter, I. (2010) Combined effects of *Impatiens glandulifera* invasion and landscape structure on native plant pollination. *Journal of Ecology* **98**, 440–50.
- Barton, N. and Partridge, L. (2000) Limits to natural selection. *Bioessays* **22**, 1075–84.
- Bascompte, J. (2010) Structure and dynamics of ecological networks. *Science* **329**, 765–6.
- Bascompte, J., Possingham, H. and Roughgarden, J. (2002) Patchy populations in stochastic environments: critical number of patches for persistence. *The American Naturalist* **159**, 128–37.
- Bascompte, J., Jordano, P., Melian, C.J. and Olesen, J.M. (2003) The nested assembly of plant-animal mutualistic networks. *Proceedings of the National Academy of Sciences USA* **100**, 9383–7.
- Bastin, G.N., Ludwig, J.A. and Richardson, K. (2010) Coded T-mark continuums: a graphical method for reporting rangeland monitoring data. *The Rangeland Journal* **32**, 145–53.
- Bautista, S. and Alloza, J. (2009) Evaluation of forest restoration projects. In: *Land Restoration to Combat Desertification*

- (ed. S. Bautista, J. Aronson and V.R. Vallejo), pp. 47–72. CEAM, Valencia.
- Bautista, S., Robichaud, P.R. and Bladé, C. (2009) Post-fire mulching. In: *Fire Effects on Soils and Restoration Strategies* (ed. A. Cerdà and P.R. Robichaud), pp. 353–72. Science Publishers, Enfield, NH.
- Becerra, P. and Bustamante, R.O. (2009) The effect of herbivory on seedling survival of the invasive exotic species *Pinus radiata* and *Eucalyptus globulus* in a Mediterranean ecosystem of central Chile. *Forest Ecology and Management* **256**, 1573–8.
- Behre, K.E. (1995) Die Entstehung und Entwicklung der Natur- und Kulturlandschaft der ostfriesischen Halbinsel. In: *Ostfriesland – Geschichte und Gestalt einer Kulturlandschaft* (ed. K.E. Behre and H. van Lengen), pp. 5–37. Ostfriesische Landschaft, Aurich.
- Behre, K.E. (2008) *Landschaftsgeschichte Norddeutschlands – Umwelt und Siedlung von der Steinzeit bis zur Gegenwart*. Wacholtz, Neumünster.
- Behrendt, H. (1997) Detection of anthropogenic trends in time series of riverine load using windows of discharge and long-term means. In: *Identification of Statistical Methods for Temporal Trends*, ICES/OSPAR workshop, Annex 5, Copenhagen, pp. 20–9.
- Bekessy, S.A. and Wintle, B.A. (2008) Using carbon investment to grow the biodiversity bank. *Conservation Biology* **22**, 510–13.
- Bekker, R.M. (2009) 20 jaar ontgronden voor natuur op zandgronden. *De Levende Natuur* **110**, 9–15 (with English summary).
- Bekker, R.M., Verweij, G.L., Smith, R.E.N. *et al.* (1997) Soil seed banks in European grasslands: does land use affect regeneration perspectives? *Journal of Applied Ecology* **34**, 1293–310.
- Bekker, R.M., Strykstra, R.J., Schaminée, J.H.J. and Hennekens, S.M. (2002) Zaadvoorraad en herintroductie: achtergronden, spectra van plantengemeenschappen en voorbeelden uit de praktijk. *Stratiotes* **24**, 27–48 (with English summary).
- Beklioglu, M., Altinayar, G. and Tan, C.O. (2001) Role of water level fluctuations, nutrients and fish in determining the macrophyte dominated clear water states in five Turkish shallow lakes. In: *Shallow Lake Wetlands: Ecology, Eutrophication and Restoration*, International Workshop, Ankara, 28–30 October.
- Bellot, J., Ortíz de Urbina, J.M., Bonet, A. and Sánchez, J.R. (2002) The effects of treeselters on the growth of *Quercus coccifera* L. seedlings in a semiarid environment. *Forestry* **75**, 89–106.
- Beltman, B., van den Broek, T. and Barendregt, A. (2001) Rehabilitation of acidified and eutrophied fens in The Netherlands: effects of hydrologic manipulation and liming. *Ecological Engineering* **17**, 21–32.
- Beninca, E., Huisman, J., Heerkloss, R. *et al.* (2008) Chaos in a long-term experiment with a plankton community. *Nature* **451**, 822–6.
- Benito, G., Baker, V.R. and Gregory, K.J. (1998) *Palaeohydrology and Environmental Changes*. John Wiley & Sons Ltd, Chichester.
- Benndorf, J., Böing, W., Koop, J. and Neubauer, I. (2002) Top-down control of phytoplankton: the role of time scale, lake depth and trophic state. *Freshwater Biology* **47**, 2282–95.
- Berger, S. and Walther, G.-R. (2007) Immergrüne Laubgehölze – Indikatoren des Klimawandels? *Berichte der Reinhold-Tüxen-Gesellschaft* **19**, 44–59.
- Bergerud, A.T. and Mercer, W.E. (1989) Caribou introductions in eastern North America. *Wildlife Society Bulletin* **17**, 111–20.
- Bergoffen, W.W. (1976) *100 Years of Federal Forestry*. Agriculture Information Bulletin No. 402. US Forest Service, Washington, DC.
- Bernhardt, E.S., Palmer, M.A., Allan, J.D. *et al.* (2005) Synthesizing US River Restoration Efforts. *Science* **308**, 636–7.
- Bertness, M.D. (1999) *The Ecology of Atlantic Shorelines*. Sinauer, Sunderland, MA.
- Bertness, M.D., Trussell, G.C., Ewanchuk, P.J. and Silliman, B.R. (2002) Do alternate stable community states exist in the Gulf of Maine rocky intertidal zone? *Ecology* **83**, 3434–48.
- Bertness, M.D., Silliman, B.R. and Holdredge, C. (2009) Shoreline development and the future of New England salt marsh landscapes. In: *Human Impacts on Salt Marshes* (ed. B.R. Silliman, E.D. Grosholz and M.D. Bertness), pp. 137–48. University of California Press, Berkeley.
- Bertram, B.C.R. (1988) Re-introducing scimitar-horned oryx into Tunisia. In: *Conservation and Biology of Desert Antelopes* (ed. A. Dixon and D. Jones), pp. 136–45. Christopher Helm, London.
- Beschta, R.L. and Ripple, W.J. (2009) Large predators and trophic cascades in terrestrial ecosystems of the western United States. *Biological Conservation* **142**, 2401–14.
- Beyers, J.L. (2009) Non-native and native seeding. In: *Fire Effects on Soils and Restoration Strategies* (ed. A. Cerdà and P.R. Robichaud), pp. 321–36. Science Publishers, Enfield, NH.
- Bich, J.P. (1988) The feasibility of river otter reintroduction in Northern Utah. MSc thesis, Utah State University, Logan.
- Signal, E.M. and McCracken, D.I. (1996) Low-intensity farming systems in the conservation of the countryside. *Journal of Applied Ecology* **33**, 413–24.
- Bijlsma, R. and Loeschcke, V. (2005) Environmental stress, adaptation and evolution: an overview. *Journal of Evolutionary Biology* **18**, 744–9.
- Billings, W.D. (1973) Arctic and alpine vegetations: similarities, differences, and susceptibility to disturbance. *BioScience* **23**, 697–704.
- Bjork, S. (1972) Ecosystem studies in connection with the restoration of lakes. *Verhandlungen Internationale Vereinigung für theoretische und angewandte Limnologie* **18**, 379–87.

- Blanchfield, P.J., Paterson, M.J., Shearer, J.A. and Schindler, D.W. (2009) Johnson and Vallentyne's legacy: 40 years of aquatic research at the Experimental Lakes Area. *Canadian Journal of Fisheries and Aquatic Sciences* **66**, 1831–6.
- Blankenship, K., Smith, J., Shlisky, A. and Swaty, R. (2009) Assessing fire and biodiversity conservation for the conterminous United States. In: *Proceedings of the Third International Symposium on Fire Economics, Planning, and Policy: Common Problems and Approaches* (ed. A. González-Cabán), pp. 343–56. Gen. Tech. Report PSW-GTR-227. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA.
- Blignaut, J.N. and J. Aronson (2008) Getting serious about maintaining biodiversity. *Conservation Letters* **1**, 12–17.
- Blignaut, J.N., Aronson, J., Woodworth, P., Desal, N. and Clewell, A.F. (2007) Restoring natural capital: a reflection on ethics. In: *Restoring Natural Capital: Science, Business, and Practice* (ed. J. Aronson, S.J. Milton and J.N. Blignaut), pp. 9–16. Island Press, Washington, DC.
- Blom, B., Sunderland, T. and Murdiyarso, D. (2010) Getting REDD to work locally: lessons learned from integrated conservation and development projects. *Environmental Science & Policy* **13**, 164–72.
- Blondel, J. and Aronson, J. (1999) *Biology and Wildlife of the Mediterranean Region*. Oxford University Press, Oxford.
- Blondel, J., Aronson, J., Bodiou, J.Y. and Bœuf, G. (2010) *The Mediterranean Basin: Biological Diversity in Space and Time*. Oxford University Press, Oxford.
- Bobbink, R., Hornung, M. and Roelofs, J.G.M. (1998) The effects of air-borne nitrogen pollutants on species diversity in natural and semi-natural European vegetation. *Journal of Ecology* **86**, 717–38.
- Bobbink, R., Hicks, K., Galloway, J. *et al.* (2010) Global assessment of nitrogen deposition effects on terrestrial plant diversity: a synthesis. *Ecological Applications* **20**, 30–59.
- Boedeltje, G., Bakker, J.P., ten Brinke, A., van Groenendael, J.M. and Soesbergen, M. (2004) Dispersal phenology of hydrochorous plants in relation to discharge, seed release time and buoyancy of seeds: the flood pulse concept supported. *Journal of Ecology* **92**, 786–96.
- Boers, P., van der Does, J., Quaak, M. *et al.* (1992) Fixation of phosphorus in lake-sediments using iron (III) chloride – experiences, expectations. *Hydrobiologia* **233**, 211–12.
- Boley, J.D., Drew, A.P. and Andrus, R.E. (2009) Effects of active pasture, teak (*Tectona grandis*) and mixed native plantations on soil chemistry in Costa Rica. *Forest Ecology and Management* **257**, 2254–61.
- Bond, W.J. and Keeley, J.E. (2005) Fire as a global 'herbivore': the ecology and evolution of flammable ecosystems. *Trends in Ecology & Evolution* **20**, 387–94.
- Bongers, F., Poorter, L., Hawthorne, W.D. and Shell, D. (2009) The intermediate disturbance hypothesis applies to tropical forests, but disturbance contributes little to tree diversity. *Ecology Letters* **12**, 798–805.
- Bonn, S. and Poschod, P. (1998) *Ausbreitungsbiologie der Pflanzen Mitteleuropas*. Quelle und Meyer Verlag, Wiesbaden.
- Bonnicksen, T.M., Kat Anderson, M., Lewis, H.T., Kay, C.E., and Knudson, R. (1999) Native American influences on the development of forest ecosystems. In: *Ecological Stewardship: A Common Reference for Ecosystem Management*, vol. 2 (ed. R.C. Szaro, N.C. Johnson, W.T. Sexton and A.J. Malk), pp. 439–70. Elsevier, Oxford.
- Boorman, L.A. (1999) Salt marshes: present functioning and future change. *Mangroves and Salt Marshes* **3**, 227–41.
- Bork, H.R., Bork, H., Dalchow, C. *et al.* (1998) *Landschaftsentwicklung in Mitteleuropa*. Klett-Perthes, Gotha.
- Born, W., Rauschmayer, F. and Bräuer, I. (2005) Economic evaluation of biological invasions – a survey. *Ecological Economics* **55**, 321–36.
- Borvall, L., Ebenman, B. and Jonsson, T. (2000) Bio-diversity lessons, the risk of cascading extinction in model food webs. *Ecology Letters* **3**, 131–6.
- Bos, D. (2002) Grazing in coastal grasslands – Brent geese and facilitation by herbivory. PhD dissertation, University of Groningen.
- Bos, D., Bakker, J.P., de Vries, Y. and van Lieshout, S. (2002) Long-term vegetation changes in experimentally grazed and ungrazed back-barrier marshes in the Wadden Sea. *Applied Vegetation Science* **5**, 45–54.
- Bos, D., Loonen, M.J.M.E., Stock, M. *et al.* (2005) Utilisation of Wadden Sea salt marshes by geese in relation to livestock grazing. *Journal for Nature Conservation* **13**, 1–15.
- Bosch, J., González, A.M.M., Rodrigo, A. and Navarro, D. (2009) Plant-pollinator networks: adding the pollinator's perspective. *Ecology Letters* **12**, 409–19.
- Bossuyt, B. and Hermý, M. (2003) The potential of soil seed banks in the restoration of grassland and heathland communities. *Belgian Journal of Botany* **136**, 23–34.
- Bossuyt, B. (2007) Genetic rescue in an isolated metapopulation of a naturally fragmented plant species, *Parnassia palustris*. *Conservation Biology* **21**, 832–41.
- Botkin, D.B. (1990) *Discordant Harmonies: A New Ecology for the Twenty-first Century*. Oxford University Press, Oxford.
- Bourn, N.A.D. and Thomas, J.A. (2002) The challenge of conserving grassland insects at the margins of their range in Europe. *Biological Conservation* **104**, 285–92.
- Bouzat, J.L., Johnson, J.A., Toepfer, J.E. *et al.* (2009) Beyond the beneficial effects of translocations as an effective tool for the genetic restoration of isolated populations. *Conservation Genetics* **10**, 191–201.
- Bowen, M.E., McAlpine, C.A., House, A.P.N. and Smith, G.C. (2007) Regrowth forests on abandoned agricultural land: a review of their habitat values for recovering forest fauna. *Biological Conservation* **140**, 273–96.
- Bowers, J.E. (1997) Demographic patterns of *Ferocactus cylindraceus* in relation to substrate age and grazing history. *Plant Ecology* **133**, 37–48.
- Boyd, R. (1999) *Indians, Fire, and the Land in the Pacific Northwest*. Oregon State University Press, Corvallis.

- Bradbury, D.E. (1981) The physical geography of the Mediterranean lands. In: *Mediterranean-type Shrublands* (ed. F. di Castri, D.W. Goodall and R.L. Specht), pp. 53–62. Elsevier, Amsterdam.
- Bradley, B.A. and Wilcove, D.S. (2009) When invasive plants disappear: transformative restoration possibilities in the western United States resulting from climate change. *Restoration Ecology* **17**, 715–21.
- Bradshaw, A.D. (1983) The reconstruction of ecosystems. *Journal of Applied Ecology* **20**, 1–17.
- Bradshaw, A.D. (2002) Introduction and philosophy. In: *Handbook of Ecological Restoration*, vol. 1 (ed. M.R. Perrow and A.J. Davey), pp. 3–9. Cambridge University Press, Cambridge.
- Brand, E.S. and Jax, K. (2007) Focusing the meaning(s) of resilience: resilience as a descriptive concept and a boundary object. *Ecology and Society* **12**, 23. <http://www.ecologyandsociety.org/vol12/iss1/art23/>
- Brang, P., Schönenberger, W. and Fischer, A. (2004) Reforestation in central Europe: lessons from inter-disciplinary field experiments. *Forest Snow and Landscape Research* **78**, 53–70.
- Bridle, J.R. and Vines, T.H. (2007) Limits to evolution at range margins: when and why does adaptation fail? *Trends in Ecology & Evolution* **22**, 140–7.
- Bright, P.W. and Morris, P.A. (1994) Animal translocation for conservation: performance of dormice in relation to release methods, origin and season. *Journal of Applied Ecology* **31**, 699–708.
- Brinson, M.M. (1993) *A Hydrogeomorphic Classification for Wetlands*. Technical Report WRP-DE-4. US Army Corps of Engineers, Vicksburg, MS.
- Britton, A.J., Pakeman, R.J., Carye, P.D. and Marrs, R.H. (2001) Impacts of climate, management and nitrogen deposition on the dynamics of lowland heathland. *Journal of Vegetation Science* **12**, 797–806.
- Briske, D.D., Fuhlendorf, S.D. and Smeins, F.E. (2006) A unified framework for assessment and application of ecological thresholds. *Rangeland Ecology & Management* **59**, 225–36.
- Broadhurst, L.M., Lowe, A., Coates, D.J. *et al.* (2008) Seed supply for broadscale restoration: maximizing evolutionary potential. *Evolutionary Applications* **1**, 587–97.
- Brooker, R.W., Maestre, F.T., Callaway, R.M. *et al.* (2008) Facilitation in plant communities: the past, the present, and the future. *Journal of Ecology* **96**, 18–34.
- Brookes, A. (1984) *Recommendations Bearing on the Sinuosity of Danish Stream Channels*, Technical report no. 6. Freshwater Laboratory, Danish Environmental Protection Agency, Copenhagen.
- Brookes, A. (1988) *Channelized Rivers Perspectives for Environmental Management*. John Wiley & Sons Ltd, Chichester.
- Brooks, M.L., D'Antonio, C.M., Richardson, D.M. *et al.* (2004) Effects of invasive alien plants on fire regimes. *BioScience* **54**, 677–88.
- Brown, B.J., Mitchell, R.J. and Graham, S.A. (2002) Competition for pollination between an invasive species (purple loosestrife) and a native congener. *Ecology* **83**, 2328–36.
- Brown, L.R. (2001) *Eco-Economy: Building an Economy for the Earth*. W.W. Norton, New York.
- Brown, L.R. (2005) Building an eco-economy. In: *Earth from Above* (ed. Y. Arthus-Bertrand), pp. 9–12. Thames and Hudson, London.
- Brown, M.L. (2010) Limiting corrupt incentives in a global REDD regime. *Ecology Law Quarterly* **37**, 237–67.
- Brundtland Commission (1987) *Our Common Future*. Commission on Environment and Development. Oxford University Press, Oxford.
- Bruno, J.F., Stachowicz, J.J. and Bertness, M.D. (2003) Inclusion of facilitation into ecological theory. *Trends in Ecology & Evolution* **18**, 119–25.
- Brunsdon, D. and Thornes, J.B. (1979) Landscape sensitivity and change. *Transactions of the Institute of British Geographers New Series* **4**, 463–84.
- Bullock, J.M. (1998) Community translocation in Britain: setting objectives and measuring consequences. *Biological Conservation* **84**, 199–214.
- Bullock, J.M. and Clarke, R.T. (2000) Long distance seed dispersal by wind: measuring and modelling the tail of the curve. *Oecologia* **124**, 506–21.
- Bullock, J.M., Aronson, J., Rey Benayas, J.M., Pywell, R. and Newton, A. (2011) Restoration of ecosystem services and biodiversity. *Trends in Ecology & Evolution* **26**, 541–49.
- Bungart, R., Bens, O. and Hüttel, R.F. (2001) Bioenergy production and lignite mine reclamation: the need for future lasting landuse systems. In: *First World Conference on Biomass for Energy and Industry* (ed. S. Kyritsis, A.A. Beenackers and P. Helm *et al.*), pp. 593–6. James and James, London.
- Burney, D.A. and Burney, L.P. (2007) Paleoeecology and 'intersitu' restoration on Kaua'i, Hawai'i. *Frontiers in Ecology and the Environment* **5**, 483–90.
- Burns, R.M. and Honkala, B.H. (1990) *Silvics of North America: 1. Conifers; 2. Hardwoods*. Agriculture Handbook 654, vol. 2. US Forest Service, Washington, DC.
- Butterfield, R.P. (1995) Promoting biodiversity: advances in evaluating native species for reforestation. *Forest Ecology and Management* **75**, 111–21.
- Cabin, R.J. (2011) *Intelligent Tinkering: Bridging the Gap between Science and Practice*. Island Press, Washington, DC.
- Cachón de Mesa, J. (2001) In-stream flows in Spain. In: *River Restoration in Europe – Practical Approaches* (ed. H.J. Nijland and M.J.R. Cals), pp. 281–7. Proceedings of the 2000 River Restoration Conference, RIZA, Wageningen.
- Cairns Jr., J. (1988) Restoration ecology: the new frontier. In: *Rehabilitating Damaged Ecosystems* (ed. J. Cairns Jr.), pp. 1–11. CRC Press, Boca Raton, FL.
- Cairns Jr. J. and Heckman, J.R. (1996) Restoration ecology: the state of an emerging field. *Annual Review of Energy and the Environment* **21**, 167–89.

- Callaway, J.C. and Zedler, J.B. (2009) Conserving the diverse marshes of the Pacific Coast. In: *Human Impacts on Salt Marshes* (ed. B.R. Silliman, E.D. Grosholz and M.D. Bertness), pp. 285–307. University of California Press, Berkeley.
- Callaway, R.M., Thelen, G.C., Rodriguez, A. and Holben, W.E. (2004) Soil biota and exotic plant invasion. *Nature* **427**, 731–3.
- Callow, P. and Petts, G.E. (1992) *The Rivers Handbook*, vol. 1. Blackwell Scientific Publications, Oxford.
- Calmon, M., Brancalion, P.H.S., Paese, A. *et al.* (2011) Emerging threats and opportunities for biodiversity conservation and ecological restoration in the Atlantic Forest of Brazil. *Restoration Ecology* **19**, 154–8.
- Campbell, A. and Siepen, G. (1994) *Landcare: Communities Shaping the Future and the Land*. Allen and Unwin, St. Leonards.
- Caraco, N.F., Cole, J.J. and Likens, G.E. (1989) Evidence for sulphate-controlled phosphorus release from sediments of aquatic systems. *Nature* **341**, 156–8.
- Carey, A.B. (2003) Restoration of landscape function: reserves or active management? *Forestry* **76**, 221–30.
- Carey, A.B., Thysell, D.R. and Brodie, A.W. (1999) *The Forest Ecosystem Study: background, rationale, implementation, baseline conditions, and silvicultural assessment*. Gen. Tech. Report PNW-GTR-457. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR.
- Cargill, S.M. and Chapin III, F.S. (1987) Application of successional theory to tundra restoration: a review. *Arctic and Alpine Research* **19**, 366–72.
- Carignan, V. and Villard, M.-A. (2002) Selecting indicator species to monitor ecological integrity: a review. *Environmental Monitoring and Assessment* **78**, 45–61.
- Carpenter, F.L., Mayorga, S.P., Quintero, E.G. and Schroeder, M. (2001) Land-use and erosion of a Costa Rican ultisol affect soil chemistry, mycorrhizal fungi and early regeneration. *Forest Ecology and Management* **144**, 1–17.
- Carpenter, F.L., Nichols, J.D., Pratt, R.T. and Young, K.C. (2004) Methods of facilitating reforestation of tropical degraded land with the native timber tree, *Terminalia amazonia*. *Forest Ecology and Management* **202**, 281–91.
- Carpenter, S.R. and Kitchell, J.F. (1992) Trophic cascade and biomanipulation interface of research and management: a reply to the comment by De Melo *et al.* *Limnology and Oceanography* **37**, 208–13.
- Carpenter, S.R., Kitchell, J.F. and Hodgson, J.R. (1985) Cascading trophic interactions and lake productivity. *BioScience* **35**, 634–9.
- Carr, D.E. and Eubanks, M.D. (2002) Inbreeding alters resistance to insect herbivory and host plant quality in *Mimulus guttatus* (Scrophulariaceae). *Evolution* **56**, 22–30.
- Carroll, L. (1871) *Through the Looking-Glass*. MacMillan, New York.
- Carroll, M.J., Anderson, B.J., Brereton, T.M. *et al.* (2009) Climate change and translocations: the potential to re-establish two regionally-extinct butterfly species in Britain. *Biological Conservation* **142**, 2114–21.
- Castro, J., Zamora, R., Hódar, J.A. and Gómez, J.M. (2002) The use of shrubs as nurse plants: a new technique for afforestation in Mediterranean mountains. *Restoration Ecology* **10**, 297–305.
- Cavender-Bares, J., Kozak, K.H., Fine, P.V.A. and Kembel, S.W. (2009) The merging of community ecology and phylogenetic biology. *Ecology Letters* **12**, 693–715.
- Celentano, D., Zahawi, R.A., Finegan, B. *et al.* (2011) Litterfall dynamics under different tropical forest restoration strategies. *Biotropica* **43**, 279–87.
- Centro Italiano per la Riqualficaxione Fluviale (CIRF) (2001) *Manuale di Riqualficazione Fluviale – Le Esperienze Pioniere della Rinaturalizzazione in Europa*, Centro Italiano per la Riqualficazione Fluviale, Mazzanti Editori, Venice.
- Cernusca, A., Tappeiner, U., Bahn, M. *et al.* (1996) ECOMONT: ecological effects of land use changes on European terrestrial mountain ecosystems. *Pirineos* **147–8**, 145–72.
- Chambers, R. (1995) Shortcut and participatory methods for gaining social information for projects. In: *Putting People First: Sociological Variables in Rural Development – a World Bank Publication* (ed. M.M. Cernea), pp. 515–37. Oxford University Press, Oxford.
- Chambers, R., Saxena, N.C. and Shah, T. (1991) *To the Hands of the Poor: Water and Trees*. Intermediate Technology Publications, London.
- Chapin, F.S. III and Chapin, M.C. (1980) Revegetation of an arctic disturbed site by site-specific tundra species. *Journal of Applied Ecology* **17**, 449–59.
- Chapin, F.S. III, Callaghan, T.V., Bergeron, Y. *et al.* (2004) Global change and the boreal forest: thresholds, shifting states or gradual change? *Ambio* **33**, 361–5.
- Chapin, F.S. III, Lovcraft, A.L., Zavaleta, E.S. *et al.* (2006) Policy strategies to address sustainability of Alaskan boreal forests in response to directionally changing climate. *Proceedings of the National Academy of Science* **7**, 16637–43.
- Chapin, F.S. III, Randerson, J.T., McGuire, A.D., Foley, J.A. and Field, C.B. (2008) Changing feedbacks in the climate-biosphere system. *Frontiers in Ecology and the Environment* **6**, 313–20.
- Chapin, F.S. III, Kofinas, G.P. and Folke, C. (eds.) (2009) *Principles of Ecosystem Stewardship: Resilience-based Natural Resource Management in a Changing World*. Springer, New York.
- Charalambidou, I. and Santamaria, L. (2002) Waterbirds as endozoochorous dispersers of aquatic organisms: a review of experimental evidence. *Acta Oecologia* **23**, 165–76.
- Chave, P. (2001) *The EU Framework Directive: an introduction*. IWA Publishing, Cornwall.
- Chazdon, R.L. (2003) Tropical forest recovery: legacies of human impact and natural disturbances. *Perspectives in Plant Ecology, Evolution and Systematics* **6**, 51–71.
- Chazdon, R.L., Harvey, C.A., Komar, O. *et al.* (2009a) Beyond reserves: a research agenda for conserving biodiversity in tropical cultural landscapes. *Biotropica* **41**, 141–53.

- Chazdon, R.L., Peres, C.A., Dent, D. *et al.* (2009b) The potential for species conservation in tropical secondary forests. *Conservation Biology* **23**, 1406–17.
- Chen, C.G., Fischer, A., Herrmann, W. and Yang, P.H. (2007) *Flora of the Loess Plateau in Central China – a Field Guide*. IHW-Verlag, Eching near München.
- Chirino, E., Vilagrosa, A., Cortina, J. *et al.* (2009) Ecological restoration in degraded drylands: the need to improve the seedling quality and site conditions in the field. In: *Forest Management* (ed. S.P. Grossberg), pp. 85–158. Nova Science Publishers, New York.
- Choi, Y.D., Temperton, V.M., Allen, E.B. *et al.* (2008) Ecological restoration for future sustainability in a changing environment. *Ecoscience* **15**, 53–64.
- Claridge, F.B. and Mirza, A.M. (1981) Erosion control along transportation routes in northern climates. *Arctic* **34**, 147–57.
- Clark, C.J., Poulsen, J.R., Levey, D.J. and Osenberg, C.W. (2007) Are plant populations seed limited? A critique and meta-analysis of seed addition experiments. *The American Naturalist* **170**, 128–42.
- Clark, C.M. and Tilman, D. (2008) Loss of plant species after chronic low-level nitrogen deposition to prairie grasslands. *Nature* **45**, 712–5.
- Clark, W.C. and Dickson, N.M. (2003) Sustainability science: the emerging research program. *Proceedings of the National Academy of Sciences USA* **100**, 8059–61.
- Clewell, A.F. and Aronson, J. (2006) Motivations for the restoration of ecosystems. *Conservation Biology* **20**, 420–8.
- Clewell, A.F. and Aronson, J. (2007) *Ecological Restoration: Principles, Values, and Structure of an Emerging Profession*. Island Press, Washington DC.
- Clewell, A.F. and McDonald, T. (2009) Relevance of natural recovery to ecological restoration. *Ecological Restoration* **27**, 122–4.
- Codd, G.A. (2000) Cyanobacterial toxins, the perception of water quality, and the prioritisation of eutrophication control. *Ecological Engineering* **16**, 51–60.
- Cohen, A.L., Singhakumara, B.M.P. and Ashton, P.M.S. (1995) Releasing rain forest succession: a case study in the *Dicranopteris linearis* fernlands of Sri Lanka. *Restoration Ecology* **3**, 261–70.
- Cole, D. and Yung, L. (eds.) (2010) *Beyond Naturalness: Rethinking Park and Wilderness Stewardship in an Era of Rapid Change*. Island Press, Washington, DC.
- Cole, R.J. (2010) Social and environmental impacts of payments for environmental services for agroforestry on small-scale farms, southern Costa Rica. *International Journal of Sustainable Development & World Ecology* **17**, 208–16.
- Cole, R.J., Keene, C., Zahawi, R.A. and Holl, K.D. (2011) Direct seeding of late successional trees to restore tropical montane forest. *Forest Ecology and Management* **261**, 1590–8.
- Collinge, S.K. and Ray, C. (2009) Transient patterns in the assembly of vernal pool plant communities. *Ecology* **90**, 3313–23.
- Collins, S.L. (1992) Fire frequency and community heterogeneity in tallgrass prairie vegetation. *Ecology* **73**, 2001–6.
- Comín, F.A. (ed.) (2010) *Ecological Restoration: A Global Challenge*. Cambridge University Press, Cambridge.
- Commission Internationale pour La Protection des Alpes (CIPRA) (2004) *Künstliche Beschneigung im Alpenraum: Ein Hintergrundbericht*. Internationale Alpenschutz-kommission, Schaan, Fürstentum Liechtenstein.
- Commission for Environmental Cooperation Working Group. (2006) Ecological Regions of North America (Level I–II). GIS data. CEC, Montreal.
- Committee on Science and Technology (2005) *Promoting Traditional Knowledge*. UNCCD, Bonn. www.unccd.int/publicinfo/publications/docs/traditional_knowledge.pdf
- CONFEST (2007) The Storm Kyrill and its effect on European forests. *European Forest Institute* (Joensuu, Finland) **80**, 745–7.
- Connell, J.H. (1978) Diversity in tropical rainforests and coral reefs. *Science* **199**, 1302–10.
- Connell, J.H. and Slatyer, R.O. (1977) Mechanisms of succession in natural communities and their role in community stability and organization. *The American Naturalist* **111**, 1119–44.
- Conner, J.K. (2003) Artificial selection: A powerful tool for ecologists. *Ecology* **84**, 1650–60.
- Constán-Nava, S., Bonet, A., Pastor, E. and Lledo, M.J. (2010) Long-term control of the invasive tree *Ailanthus altissima*: insights from Mediterranean protected forests. *Forest Ecology and Management* **260**, 1058–64.
- Cook, W.M., Lane, K.T., Foster, B.L. and Holt, R.D. (2002) Island theory, matrix effects and species richness patterns in habitat fragments. *Ecology Letters* **5**, 619–23.
- Cooke, A.S. and Oldham, R.S. (1995) Establishment of populations of the common frog, *Rana temporaria*, and common toad, *Bufo bufo*, in a newly created reserve following translocation. *Herpetological Journal* **5**, 173–80.
- Cooke, G.D., Welch, E.B., Peterson, S.A. and Newroth, P.R. (2005) *Restoration and Management of Lakes and Reservoirs*, 3rd edn. Lewis Publishers, Ann Arbor.
- Coops, H. and Hosper, S.H. (2002) Water-level management as a tool for the restoration of shallow lakes in the Netherlands. *Lake and Reservoir Management* **18**, 292–7.
- Copien, J.H. (1942) Untitled. *Zeitschrift für Forst- und Jagdwesen* **74**, 43–77, 81.
- Corbin, J.D., D’Antonio, C. and Bainbridge, S.J. (2004) Tipping the balance in the restoration of native plants. In *Experimental Approaches in Conservation Biology* (ed. M.S. Gordon and S.M. Bartol), pp. 154–79, University of California Press, Berkeley.
- Coronato, A., Roig, C., Collado, L. and Roig, F. (2006) Geomorphological emplacement and vegetational characteristics of Fuegian peatlands, southernmost Argentina,

- South America. In: *Peatlands: Evolution and Records of Environmental and Climate Changes* (ed. P. Martini, A. Martínez Cortizas and W. Chesworth), pp. 111–29. Elsevier, Amsterdam.
- Cortina, J. and Vallejo, V.R. (1999) Restoration of Mediterranean ecosystems. In: *Perspectives in Ecology* (ed. A. Farina), pp. 479–90. Backhuys, Leiden.
- Cortina, J., Peñuelas, J.L., Puértolas, J., Vilagrosa, A., and Savé, R. (eds.) (2006) *Calidad de planta forestal para la restauración en ambientes Mediterráneos: Estado actual de conocimientos*. Organismo Autónomo Parques Nacionales. Ministerio de Medio Ambiente, Madrid.
- Cortina, J., Amat, B., Castillo, V., Fuentes, D., Maestre, F.T., Padilla, F.M. and Rojof, L. (2011) The restoration of semi-arid ecosystems in the Iberian southeast. *Journal of Arid Environments* **75**, 1377–84.
- Costa, C.S.B., Iribarne, O.O. and Farina, J.M. (2009) Human impacts and threats to the conservation of South American salt marshes. In: *Human Impacts on Salt Marshes* (ed. B.R. Silliman, E.D. Grosholz and M.D. Bertness), pp. 357–9. University of California Press, Berkeley.
- Costanza, R. and Daly, H.E. (1992) Natural capital and sustainable development. *Conservation Biology* **6**, 37–46.
- Costanza, R., Norton, B.G. and Haskell, B.D. (eds.) (1992) *Ecosystem Health: New Goals for Environmental Management*. Island Press, Washington, DC.
- Costanza, R., Erickson, J., Fligger, K. et al. (2004) Estimates of the Genuine Progress Indicator (GPI) for Vermont, Chittenden County and Burlington, from 1950 to 2000. *Ecological Economics* **51**, 139–55.
- Costanza, R., Mitsch, W.J. and Day Jr., J.W. (2006) Creating a sustainable and desirable New Orleans. *Ecological Engineering* **26**, 317–20.
- Coulson, S.J., Bullock, J.M., Stevenson, M.J. and Pywell, R.F. (2001) Colonization of grassland by sown species: dispersal versus microsite limitation in responses to management. *Journal of Applied Ecology* **38**, 204–16.
- Couwenberg, J., Dommain, R. and Joosten, H. (2010) Greenhouse gas fluxes from tropical peatlands in South-East Asia. *Global Change Biology* **16**, 1715–32.
- Cowling, R.M., Richardson, D.M. and Pierce, S.M. (eds.) (1997) *Vegetation of Southern Africa*. Cambridge University Press, Cambridge.
- Cox, R.D. and Allen, E.B. (2008) Composition of soil seed banks in southern California coastal sage scrub and adjacent exotic grassland. *Plant Ecology* **198**, 37–46.
- Cramer, V.A. and Hobbs, R.J. (2002) Ecological consequences of altered hydrological regimes in fragmented ecosystems in southern Australia: impacts and possible management responses. *Austral Ecology* **27**, 546–64.
- Craven, D., Hall, J. and Verjans, J.M. (2009) Impacts of herbicide application and mechanical cleanings on growth and mortality of two timber species in *Saccharum spontaneum* grasslands of the Panama Canal watershed. *Restoration Ecology* **17**, 751–61.
- Cremieux, L., Bischoff, A., Smilauerova, M. et al. (2008) Potential contribution of natural enemies to patterns of local adaptation in plants. *New Phytologist* **180**, 524–33.
- Critchley, W. (2010) *More People, More Trees: Environmental Recovery in Africa*. Practical Action Publishing, Warwickshire.
- Crnokrak, P. and Roff, D.A. (1999) Inbreeding depression in the wild. *Heredity* **83**, 260–70.
- Crowe, A. and Parker, W.H. (2008) Using portfolio theory to guide reforestation and restoration under climate change scenarios. *Climate Change* **89**, 355–70.
- Crutsinger, G.M., Collins, M.D., Fordyce, J.A. et al. (2006) Plant genotypic diversity predicts community structure and governs an ecosystem process. *Science* **313**, 966–8.
- Crutzen, P.J. (2002) Geology of mankind. *Nature* **415**, 23.
- Cusack, D. and Montagnini, F. (2004) The role of native species plantations in recovery of understory woody diversity in degraded pasturelands of Costa Rica. *Forest Ecology and Management* **188**, 1–15.
- Daily, G.C. (ed.) (1997) *Nature's Services*. Island Press, Washington, DC.
- Daily, G.C., Ehrlich, P.R. and Sánchez-Azofeifa, G.A. (2001) Countryside biogeography: use of human-dominated habitats by the avifauna of southern Costa Rica. *Ecological Applications* **11**, 1.
- Dale, V.H. and Beyeler, S.C. (2001) Challenges in the development and use of ecological indicators. *Ecological Indicators* **1**, 3–10.
- Dale, V.H., Joyce, L.A., McNulty, S. et al. (2001) Climate change and forest disturbances. *BioScience* **51**, 723–34.
- Daly, H.E. (1990) Toward some operational principles of sustainable development. *Ecological Economics* **2**, 1–6.
- Daly, H.E. and Farley, J. (2010) *Ecological Economics: Principles and Applications*, 2nd edn. Island Press, Washington, DC.
- D'Antonio, C.M. and Kark, S. (2002) Impacts and extent of biotic invasions in terrestrial ecosystems. *Trends in Ecology & Evolution* **17**, 202–4.
- D'Antonio, C.M. and Chambers, J.C. (2006) Using ecological theory to manage or restore ecosystems affected by invasive plant species. In: *Foundations of Restoration Ecology* (ed. D.A. Falk, M.A. Palmer and J.B. Zedler), pp. 260–79. Island Press, Washington, DC.
- D'Antonio, C.M., Tunison, J.T. and Loh, R.K. (2000) Variation in the impact of exotic grasses on native plant composition in relation to fire across an elevation gradient in Hawaii. *Australian Journal of Ecology* **25**, 507–22.
- Danvid, M. and Nilsson, C. (1997) Seed floating ability and distribution of alpine plants along a northern Swedish river. *Journal of Vegetation Science* **8**, 271–6.
- Darby, S. and Sear, D. (2008) *River Restoration: Managing the Uncertainty in Restoring Physical Habitat*. John Wiley & Sons Ltd, Chichester.
- Davies, B.E. (1997) Deficiencies and toxicities of trace elements and micronutrients in tropical soils: limitations of

- knowledge and future research needs. *Environmental Toxicology and Chemistry* **16**, 75–83.
- Davis, M.A. (2003) Biotic globalization: does competition from introduced species threaten biodiversity? *BioScience* **53**, 481–9.
- Davis, M.A., Grime, J.P. and Thompson, K. (2000) Fluctuating resources in plant communities: a general theory of invasibility. *Journal of Ecology* **88**, 528–34.
- Davis, M.A., Chew, M.K., Hobbs, R.J., *et al.* (2011) Don't judge species on their origins. *Nature* **474**, 153–4.
- Davy, A.J., Bakker, J.P. and Figueroa, M.E. (2009) Human modification of European salt marshes. In: *Human Impacts on Salt Marshes* (ed. B.R. Silliman, E.D. Grosholz and M.D. Bertness), pp. 311–35. University of California Press, Berkeley.
- DeAngelis, D.L. (1992) *Dynamics of Nutrient Cycling and Food Webs*. Chapman & Hall, London.
- de Deyn, G.B., Raaijmakers, C.E., Zoomer, R.H. *et al.* (2003) Soil invertebrate fauna enhances grassland succession and diversity. *Nature* **422**, 711–3.
- de Groot, R.S. (2010) Ecosystem services provided by nature to human society. In: *Aux Origins de l'Environnement* (ed. P.-H. Gouyon and H. Leriche), pp. 160–78. Fayard, Paris.
- de Groot, R.S., Wilson, M.A. and Boumans, R.M.J. (2002) A typology for the classification, description and valuation of ecosystem functions, goods and services. *Ecological Economics* **41**, 393–408.
- de Groot, R.S., Fisher, B., Christie, M. *et al.* (2010) Integrating the ecological and economic dimensions in biodiversity and ecosystem service valuation. In: *The Economics of Ecosystems and Biodiversity: Ecological and Economic Foundations* (ed. P. Kumar), pp. 9–40. Earthscan, London.
- de Groot, R.S., Blignaut, J., Aronson, J. van der Ploeg, S., Elmqvist, T. and Farley (unpubl. MS). Restoration pays: evidence from the field.
- de Jong, G. (1995) Phenotypic plasticity as a product of selection in a variable environment. *The American Naturalist* **145**, 493–512.
- Delcourt, P.A. and Delcourt, H.R. (1983) Late-Quaternary vegetational dynamics and community stability reconsidered. *Quaternary Research* **19**, 265–71.
- de Leeuw, J., de Munck, W., Olf, H. and Bakker, J.P. (1993) Does zonation reflect the succession of salt marsh vegetation? A comparison of an estuarine and a coastal bar island marsh in the Netherlands. *Acta Botanica Neerlandica* **42**, 435–45.
- de Leeuw, J., de Jong, D.J., Apon, L.P. *et al.* (1994) The response of salt marsh vegetation to tidal reduction caused by the Oosterschelde storm surge-barrier. *Hydrobiologia* **282/283**, 335–53.
- de Mazancourt, C., Johnson, E. and Barraclough, T.G. (2008) Biodiversity inhibits species' evolutionary responses to changing environments. *Ecology Letters* **11**, 380–8.
- Densmore, R.V. and Holmes, K.W. (1987) Assisted revegetation in Denali National Park, Alaska, USA. *Arctic and Alpine Research* **19**, 544–8.
- Dent, D.H. and Wright, S.J. (2009) The future of tropical species in secondary forests: a quantitative review. *Biological Conservation* **142**, 2833–43.
- Denton, J.S., Hitchings, S.P., Beebee, T.J.C. and Gent, A. (1997) A recovery program for the natterjack toad (*Bufo calamita*) in Britain. *Conservation Biology* **11**, 1329–38.
- Department for the Environment, Food and Rural Affairs (DEFRA) (2002) *Directing the Flow: Priorities for Future Water Policy*. DEFRA publication PB 7510. DEFRA, London.
- Department for the Environment, Food and Rural Affairs (DEFRA) (2005) *Making Space for Water*. DEFRA, London.
- Depner, D. (2011) Ethiopia: lessons for the past to guide development for the future. *Johnny Ipil-Seed News* **19**, 5–7.
- Derak, M. (2010) Evaluación de las acciones de restauración ecológica y de los servicios ecosistémicos en ámbitos semi-áridos. MSc thesis, IAMZ and Universidad de Lleida.
- de Ruiter, P.C., Neutel, A.M. and Moore, J.C. (1995) Energetics, patterns of interaction strengths, and stability in real ecosystems. *Science* **269**, 1257–60.
- Derrickson, S.R. and Carpenter, J.W. (1983) Techniques for reintroducing cranes to the wild. Annual Proceedings of the American Association of Zoo Veterinarians 1983, 148–52.
- Deshaies, A., Bourdreau, S. and Harper, K.A. (2009) Assisted revegetation in a subarctic environment: effects of fertilization on the performance of three indigenous plant species. *Arctic, Antarctic and Alpine Research* **41**, 434–41.
- Diamond, J.M. (1975) Assembly of species communities. In: *Ecology and Evolution of Communities* (ed. M.L. Cody and J.M. Diamond), pp. 342–444. Harvard University Press, Cambridge, MA.
- Diamond, J.M. (2005) *Collapse: How Societies Choose to Fail or Succeed*. Penguin Group, New York.
- Díaz-Balteiro, L. and Romero, C. (2008) Making forestry decisions with multiple criteria: a review and an assessment. *Forest Ecology and Management* **255**, 3222–41.
- Diemer, M. and Prock, S. (1993) Estimates of alpine seed bank size in two central European and one Scandinavian subarctic plant communities. *Arctic and Alpine Research* **25**, 194–200.
- Diez, J.M., Dickie, I., Edwards, G. *et al.* (2010) Negative soil feedbacks accumulate over time for non-native plant species. *Ecology Letters* **13**, 803–9.
- Dijkema, K.S. (1984) *Salt Marshes in Europe*. Council of Europe, Strasbourg.
- Dijkema, K.S. (1987) Changes in salt-marsh area in the Netherlands Wadden Sea after 1600. In: *Vegetation between Land and Sea* (ed. A.H.L. Huiskes, C.W.P.M. Blom and J. Rozema), pp. 42–9. Junk, Dordrecht.
- Dijkema, K.S. (1990) Salt and brackish marshes around the Baltic Sea and adjacent parts of the North Sea: their

- development and management. *Biological Conservation* **51**, 191–209.
- Dijkema, K.S. (1997) Impact prognosis for salt marshes from subsidence by gas extraction in the Wadden Sea. *Journal of Coastal Research* **13**, 1294–304.
- Dionisio Pires, L.M., Jonker, R.R., van Donk, E. and Laarbroek, H.J. (2004) Selective grazing by adults and larvae of zebra mussel (*Dreissena polymorpha*): application of flow cytometry in natural seston. *Freshwater Biology* **49**, 116–26.
- Dionisio Pires, L.M., Ibelings, B.W. and van Donk, E. (2010) Zebra mussels as a potential tool in the restoration of eutrophic shallow lakes, dominated by toxic cyanobacteria. In: *The Zebra Mussel in Europe* (ed. G. van der Velde, S. Rajagopal and A. bij de Vaate), pp. 331–42. Backhuys Publishers, Leiden.
- DiVittorio, C.T., Corbin, J.D. and D'Antonio, C.M. (2007) Spatial and temporal patterns of seed dispersal: an important determinant of grassland invasion. *Ecological Applications* **17**, 311–6.
- Dixon, K.W. (2009) Pollination and restoration. *Science* **325**, 571–3.
- Dobie, P. (2001) *Poverty and the Drylands*. Drylands Development Centre, UNDP, Nairobi.
- Dobson, A. and Crawley, M. (1994) Pathogens and the structure of plant communities. *Trends in Ecology & Evolution* **9**, 393–8.
- Dobson, A.P., Bradshaw, A.D. and Baker, A.J.M. (1997) Hopes for the future: restoration ecology and conservation biology. *Science* **277**, 515–22.
- Dodd, C.K. and Seigel, R.A. (1991) Relocation, repatriation, and translocation of amphibians and reptiles – are they conservation strategies that work? *Herpetologica* **47**, 336–50.
- Dölle, M., Bernhardt-Römermann, M., Parth, A. and Schmidt, W. (2008) Changes in life history trait composition during undisturbed old-field succession. *Flora – Morphology, Distribution, Functional Ecology of Plants* **203**, 508–22.
- Downs, P. and Thorne, C. (1998) Design principles and suitability testing for rehabilitation in a flood defence channel: the River Idle, Nottinghamshire, UK. *Aquatic Conservation: Marine and Freshwater Ecosystems* **8**, 17–38.
- Dudley, N. (2005) Identifying and using reference landscapes for restoration. In: *Forest Restoration in Landscapes: Beyond Planting Trees*. (ed. S. Mansourian, D. Vallauri and N. Dudley), pp. 109–14. Springer, New York.
- Dugan, P.C., Durst, P.B., Ganz, D.J. and McKenzie, P.J. (2003) *Advancing Assisted Natural Regeneration (ANR) in Asia and the Pacific*. Food and Agriculture Organization of the United Nations, Bangkok.
- Durance, I. and Ormerod, S.J. (2008) Trends in water quality and discharge confound long-term warming effects on river macro-invertebrates. *Freshwater Biology* **54**, 388–405.
- Dye, P., Moses, G., Vilakazi, P. *et al.* (2001) Comparative water use of wattle thickets and indigenous plant communities at riparian sites in the Western Cape and KwaZulu-Natal. *Water SA* **27**, 529–38.
- Edmands, S. (2007) Between a rock and a hard place: evaluating the relative risks of inbreeding and outbreeding for conservation and management. *Molecular Ecology* **16**, 463–75.
- Egan, D. and Howell, E. (2001) *The Historical Ecology Handbook: A Restorationist's Guide to Reference Ecosystems*. Island Press, Washington, DC.
- Egemose, S., Reitzel, K., Andersen, F.O. and Flindt, M.R. (2010) Chemical lake restoration products: sediment stability and phosphorus dynamics. *Environmental Science & Technology* **44**, 985–91.
- Ehleringer, J.R., Nagler, P.L., Hultine, K.R., Dennison, P.E. and Glenn, E.P. (2009) Remote monitoring of tamarisk defoliation and evapotranspiration following saltcedar leaf beetle attack. *Remote Sensing of Environment* **113**, 1462–72.
- Ehrenfeld, J.G. (2003) Effects of exotic plant invasions on soil nutrient cycling processes. *Ecosystems* **6**, 503–23.
- Ehrenfeld, J.G., Kourtev, P. and Huang, W. (2001) Changes in soil functions following invasions of exotic understorey plants in deciduous forests. *Ecological Applications* **11**, 1287–1300.
- Ellenberg, H. (1986) *Vegetation Mitteleuropas mit den Alpen in ökologischer Sicht*. Eugen Ulmer Verlag, Stuttgart.
- Ellenberg, H. and Leuschner, C. (2010) *Vegetation Mitteleuropas mit den Alpen*. Eugen Ulmer Verlag, Stuttgart.
- Ellenberg, H., Weber, H.E., Düll, R. *et al.* (1991) *Zeigerwerte von Pflanzen in Mitteleuropa*. Verlag Erich Goltze, Göttingen.
- Elliott, S., Navakitbumrung, P., Kuarak, C. *et al.* (2003) Selecting framework tree species for restoring seasonally dry tropical forests in northern Thailand based on field performances. *Forest Ecology and Management* **184**, 177–91.
- Ellis, E.C. and Ramankutty, N. (2008) Putting people in the map: anthropogenic biomes of the world. *Frontiers in Ecology and the Environment* **6**, 439–47.
- Ellis, E.C., Klein Goldewijk, K., Siebert, S., Lightman, D. and Ramankutty, N. (2010) Anthropogenic transformation of the biomes, 1700 to 2000. *Global Ecology and Biogeography* **19**, 589–606.
- Ellis, J.E. and Swift, D.M. (1988) Stability of African pastoral ecosystems: alternate paradigms and implications for development. *Journal of Range Management* **41**, 450–9.
- Ellison, A.M., Bank, M.S., Clinton, B.D. *et al.* (2005) Loss of foundation species: consequences for the structure and dynamics of forested ecosystems. *Frontiers in Ecology and the Environment* **3**, 479–86.
- Elmqvist, T., Folke, C., Nyström, M. *et al.* (2003) Response diversity, ecosystem change, and resilience. *Frontiers in Ecology and the Environment* **1**, 488–94.
- Elmqvist, T.E., Setälä, H., Handel, S., van der Ploeg, S., Aronson, J., Bignaut, J. and de Groot, R. (unpubl. MS). Benefits of restoring ecosystem services in cities.

- Elzinga, J.A., Turin, H., van Damme, J.M.M. and Biere, A. (2005) Plant population size and isolation affect herbivory of *Silene latifolia* by the specialist herbivore *Hadena bicurvis* and parasitism of the herbivore by parasitoids. *Oecologia* **144**, 416–26.
- Elzinga, J.A., van Nouhuys, S., van Leeuwen, D.J. and Biere, A. (2007) Distribution and colonisation ability of three parasitoids and their herbivorous host in a fragmented landscape. *Basic and Applied Ecology* **8**, 75–88.
- England, J., Skinner, K.S. and Carter, M.G. (2008) Monitoring river restoration and the Water Framework Directive. *Water and Environment Journal* **22**, 227–34.
- Ens, E.J., French, K. and Bremner, J.B. (2009) Evidence for allelopathy as a mechanism of community composition change by an invasive exotic shrub, *Chrysanthemoides monilifera* ssp. *rotundata*. *Plant and Soil* **316**, 125–37.
- Environment Agency (2010) *Working with Natural Processes to Manage Flood and Coastal Erosion Risk*. Rio House, Bristol.
- Erchinger, H.F., Coldewey, H-G., Frank, U. et al. (1994) *Erosionsfestigkeit von Hellern*. Staatliches Amt für Insel- und Küstenschutz, Norden.
- Eriksson, M.O.G., Henrikson, L., Nilsson, I-B. et al. (1980) Predator–prey relations important for biotic changes in acidified lakes. *Ambio* **9**, 248–9.
- Esler, K.J., Holmes, P.M., Richardson, D.M. and Witkowski, E.T.F. (2008) Riparian vegetation management in landscapes invaded by alien plants: insights from South Africa. *South African Journal of Botany* **74**, 397–400.
- Esselink, P. (2000) Nature management of coastal salt marshes: interactions between anthropogenic influences and natural dynamics. PhD thesis, University of Groningen.
- Esselink, P., Dijkema, K.S., Reents, S. and Hageman, G. (1998) Vertical accretion and profile changes in man-made tidal marshes in the Dollard Estuary in the Netherlands. *Journal of Coastal Research* **14**, 570–82.
- Esselink, P., Petersen, J., Arens, S. et al. (2009) *Salt Marshes*. Thematic Report No. 8. In: *Wadden Sea Quality Status Report 2009* (ed. H. Marencic and J. de Vlas). Wadden Sea Ecosystems No. 25. Common Wadden Sea secretariat, Trilateral Monitoring and Assessment Group, Wilhelmshaven.
- Eswaran, H., Reich, P. and Beinroth, F. (2001) Global desertification tension zones. In: *Sustaining the Global Farm* (ed. D.E. Stott, R.H. Mohtar and G.C. Steinhardt), pp. 24–8. Purdue University, 10th International Soil Cons Org Meeting, May 24–29, 1999. <http://topsoil.nserl.purdue.edu/nserlwebold/isco99/pdf/ISCODisc/SustainingTheGlobalFarm/P227-Eswaran.pdf> access 4/19/10
- Etterson, J.R. (2004) Evolutionary potential of *Chamaecrista fasciculata* in relation to climate change. 1. Clinal patterns of selection along an environmental gradient in the great plains. *Evolution* **58**, 1446–58.
- European Commission (EC) (1992a) Habitats Directive 92/43/EEC. European Communities Council Directive of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora. *Official Journal of the European Communities* L206, 7–50. <http://ec.europa.eu>
- European Commission (EC) (1992b) Council Regulation (EEC) No 2080/92 of 30 June 1992 instituting a community aid scheme for forestry measures in agriculture. *Official Journal of the European Communities* **L215**, 96–9. <http://ec.europa.eu>
- European Commission (EC) (2000) Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000, establishing a framework for the Community action in the field of water policy. *Official Journal of the European Communities* **L327**, 1–73. <http://ec.europa.eu>
- European Nature Information System (EUNIS) (2006) *European Nature Information System: Database v2*. European Centre on Biological Diversity, Paris. <http://eunis.eea.europa.eu/sites-habitats.jsp>
- European Union (2000) Establishing a framework for community action in the field of water policy. Directive of the European parliament and of the Council 2000/60/EC. <http://ec.europa.eu>
- Evenari, M., Shanan, L. and Tadmor, N.H. (1982) *The Negev: The Challenge of a Desert*. Harvard University Press, Cambridge, MA.
- Ewel, J.J. and Putz, F.E. (2004) A place for alien species in ecosystem restoration. *Frontiers in Ecology and the Environment* **2**, 354–60.
- Fagan, K.C., Pywell, R.F., Bullock, J.M. and Marrs, R.H. (2010) The seed bank of English lowland calcareous grasslands along a restoration chronosequence. *Plant Ecology* **208**, 199–211.
- Falk, D.A., Millar, C.I. and Olwell, M. (eds.) (1996) *Restoring Diversity: Strategies for Reintroduction of Endangered Plants*. Island Press, Washington, DC.
- Falk, D.A., Richards, C.M., Montalvo, A.M. and Knapp, E.E. (2006) Population and ecological genetics in restoration ecology. In: *Foundations of Restoration Ecology* (ed. D.A. Falk, M.A. Palmer and J.B. Zedler), pp. 14–41. Island Press, Washington, DC.
- Farber, S.C., Costanza, R. and Wilson, M.A. (2002) Economic and ecological concepts for valuing ecosystem services. *Ecological Economics* **41**, 375–92.
- Farley, J. and Brown Gaddis, E.J. (2007) Restoring natural capital: an ecological economics assessment. In: *Restoring Natural Capital: Science, Business, and Practice* (ed. J. Aronson, S.J. Milton and J.N. Blignaut), pp. 17–27. Island Press, Washington, DC.
- Federal Interagency Stream Restoration Working Group (FISRWG) (1998) *Stream Corridor Restoration: Principles, Processes, and Practices*. GPO Item No. 0120-A; SuDocs No. A 57.6/2:EN3/PT.653. FISRWG, Washington, DC.
- Felger, R.S. and Moser, M.B. (1985) *People of the Desert and the Sea*. University of Arizona Press, Tucson.
- Fell, P.E., Warren, R.S. and Niering, W.A. (2000) Restoration of salt and brackish tidelands in southern New England. In:

- Concepts and Controversies in Tidal Marsh Ecology* (ed. M.P. Weinstein and D.A. Kreeger), pp. 845–58. Kluwer Academic Publishers, Dordrecht.
- Fenster, C.B. and Galloway, L.F. (2000) Inbreeding and outbreeding depression in natural populations of *Chamaecrista fasciculata* (Fabaceae). *Conservation Biology* **14**, 1406–12.
- Fettweis, U., Bens, O. and Hüttl, R.F. (2005) Accumulation and properties of soil organic carbon at reclaimed sites in the Lusatian lignite mining district afforested with *Pinus* sp. *Geoderma* **129**, 81–91.
- Filippi, O. and Aronson, J. (2011a) Plantes invasives en région méditerranéenne : quelles restrictions d'utilisation préconiser pour les jardins et les espaces verts? *Ecologia Mediterranea* **36**, 31–54.
- Filippi, O. and Aronson, J. (2011b) Useful but potentially invasive plants in the Mediterranean region: what restrictions should be placed on their use in gardens? *BGjournal* **8**, 27–31.
- Firn, J., House, A.P.N. and Buckley, Y.M. (2010) Alternative states models provide an effective framework for invasive species control and restoration of native communities. *Journal of Applied Ecology* **47**, 96–105.
- Fischer, A. (1997) Vegetation dynamics in European beech forests. *Annali di Botanica* **55**, 59–76.
- Fischer, A. (ed.) (1998) *Die Entwicklung von Wald-Biozönosen nach Sturmwurf*. Ecomed-Verlagsgesellschaft, Landsberg.
- Fischer, A. (1999) Floristical changes in Central European forest ecosystems during the past decades as an expression of changing site conditions. In: *Causes and Consequences of Accelerating Tree Growth in Europe* (ed. T. Karjalainen, H. Spiecker and O. Laroussinie), pp. 53–64. Proceedings of the European Forest Institute, vol. 27. European Forest Institute, Joensuu.
- Fischer, A. and Fischer, H.S. (2009) 25 Jahre Vegetationsentwicklung nach Sturmwurf. Eine Dauerbeobachtungsstudie im Bayerischen Wald. *Forstarchiv* **80**, 163–72.
- Fischer, A., Lindner, M., Abs, C. and Lasch, P. (2002) Vegetation dynamics in central European forest ecosystems (near natural as well as managed) after storm events. *Folia Geobotanica* **37**, 17–32.
- Fischer, A., Schmitt, U., Chen, C.G. and Ammer, U. (2006) Ecological restoration and soil erosion control on the north-western China Loess Plateau. In: *The Loess Plateau in Central China: Ecological Restoration and Management* (ed. A. Fischer, K.G. Saxena and R. Li), pp. 78–97. ERSEC – Ecological Book Series 3. Tsinghua University Press and Springer, New York.
- Fischer, A., Herrmann, W., Abs, C., Chen, C.G. and Liu Yi (2007) Reforestation in the Central Chinese Loess Plateau: focus on natural site conditions and native species. *Progress in Hydro Sciences and Engineering* **5**, 233–42.
- Fischer, H. (1998) Acker-Erstaufforstungen: Bestandesbegründung, Wachstum und Ökologie an Fallbeispielen. PhD thesis, University of Göttingen.
- Fischer, H. (1999) Begleitwuchsregulierung mittels Hilfspflanzendecken: mögliche Negativeffekte einer waldbaulichen Konzeption für Acker-Erstaufforstungen. *Forstarchiv* **70**, 207–18.
- Fischer, H. and Wagner, S. (2009) Silvicultural responses to predicted climate change scenarios. *Westnik – Journal of Forest Ecology and Forest Management* **2**, 12–23.
- Fischer, H., Bens, O. and Hüttl, R.F. (2002) Veränderung von Humusform, -vorrat und -verteilung im Zuge von Waldumbaumaßnahmen im Nordwestdeutschen Tiefland. *Forstwissenschaftliches Centralblatt* **121**, 322–34.
- Fischer, J., Peterson, G.D., Gardner, T.A. et al. (2009) Integrating resilience thinking and optimisation for conservation. *Trends in Ecology & Evolution* **24**, 549–54.
- Fisher, J.L., Veneklaas, E.J., Lambers, H. and Loneragan, W.A. (2006) Enhanced soil and leaf nutrient status of a Western Australian *Banksia* woodland community invaded by *Ehrharta calycina* and *Pelargonium capitatum*. *Plant and Soil* **284**, 253–64.
- Fisher, R.A. (1930) *The Genetical Theory of Natural Selection*. Clarendon Press, Oxford.
- Fitzpatrick, M.C. and Hargrove, W.W. (2009) The projection of species distribution models and the problem of non-analog climate. *Biodiversity Conservation* **18**, 2255–61.
- Fleming, N.C. (ed.) (2004) *Submerged Prehistoric Archaeology of the North Sea: Research Priorities and Collaboration with Industry*. CBA Research Report 141. English Heritage/Council for British Archaeology, York.
- Florentine, S.K. and Westbrooke, M.E. (2004) Evaluation of alternative approaches to rainforest restoration on abandoned pasturelands in tropical North Queensland, Australia. *Land Degradation and Development* **15**, 1–13.
- Florineth, F. (1992) Hochlagenbegründung in Südtirol. *Rasen-Turf-Gazon* **3**.
- Folke, C., Carpenter, S., Walker, B. et al. (2004) Regime shifts, resilience, and biodiversity in ecosystem management. *Annual Review of Ecology, Evolution and Systematics* **35**, 557–81.
- Food and Agricultural Organization (FAO) (2001a) *Global Ecological Zoning for the Global Forest Resources Assessment 2000: Final Report*. Forest Resources Assessment WP 56. FAO, Rome.
- Food and Agricultural Organization (FAO) (2001b) *Global Forest Resources Assessment 2000: Main Report*. FAO Forestry Paper 140. FAO, Rome.
- Food and Agricultural Organization (FAO) (2001c) *State of the World's Forests 2001*. FAO, Rome.
- Food and Agricultural Organization (FAO) (2010) *Global Forest Resources Assessment 2010: Main Report*. FAO, Rome.
- Forbes, B.C. and Jefferies, R.L. (1999) Revegetation of disturbed Arctic sites: constraints and applications. *Biological Conservation* **88**, 15–24.
- Forest Ecosystem Management Assessment Team (FEMAT) (1993) *Forest Ecosystem Management: an Ecological,*

- Economic and Social Assessment*. Department of Agriculture, Portland, OR.
- Forman, R.T.T. (1997) *Land Mosaics: The Ecology of Landscapes and Regions*. Cambridge University Press, Cambridge.
- Forman, R.T.T. and Gordon, M. (1986) *Landscape Ecology*. John Wiley & Sons, Inc., New York.
- Frankham, R. (2005) Genetics and extinction. *Biological Conservation* **126**, 131–40.
- Frankham, R. (2010) Challenges and opportunities of genetic approaches to biological conservation. *Biological Conservation* **143**, 1919–27.
- Frankham, R., Ballou, J.D. and Briscoe, D.A. (2005) *Introduction to Conservation Genetics*, 2nd edn. Cambridge University Press, Cambridge.
- Franklin, J., Syphard, A.D., He, H.S. and Mladenoff, D.J. (2005) Altered fire regimes affect landscape patterns of plant succession in the foothills and mountains of southern California. *Ecosystems* **8**, 885–98.
- Franklin, J.F. and Dyrness, C.T. (1988) *Natural Vegetation of Oregon and Washington*. Oregon State University Press, Corvallis.
- Franklin, J.F., Norris, L.A., Logan, A., Berg, D.R. and Smith, G.R. (1999) The history of DEMO: an experiment in regeneration harvest of northwestern forest ecosystems. *Northwest Science* **73**, 3–11.
- Franklin, J.F., Spies, T.A., van Pelt, R. *et al.* (2002) Disturbances and structural development of natural forest ecosystems with silvicultural implications, using Douglas-fir forests as an example. *Forest Ecology and Management* **155**, 399–423.
- Freckleton, R.P., Hulme, P., Giller, P. and Kerby, G. (2005) The changing face of applied ecology. *Journal of Applied Ecology* **42**, 1–3.
- Frouz, J., van Diggelen, R., Pižl, V. *et al.* (2009) The effect of topsoil removal in restored heathland on soil fauna, topsoil microstructure and cellulose decomposition – implications for ecosystem restoration. *Biodiversity and Conservation* **18**, 3963–78.
- Fryxell, J.M. (1991) Forage quality and aggregation by large herbivores. *The American Naturalist* **138**, 478–98.
- Fuentes, D., Valdecantos, A. and Vallejo, V.R. (2004) Plantación de *Pinus halepensis* Mill. y *Quercus ilex* subsp. *ballota* (Desf) Samp. en condiciones mediterráneas secas utilizando microcuencas. *Cuadernos de la Sociedad Española de Ciencias Forestales* **17**, 157–61.
- Fulé, P.Z. (2008) Does it make sense to restore wildland fire in changing climate? *Restoration Ecology* **16**, 526–31.
- Funk, J.L., Cleland, E.E., Suding, K.N. and Zavaleta, E.S. (2008) Restoration through reassembly: plant traits and invasion resistance. *Trends in Ecology & Evolution* **23**, 695–703.
- Futuyma, D.J. (2005) *Evolution*. Sinauer Associates, Sunderland, MA.
- Gaertner, M., Den Breeyen, A., Hui, C. and Richardson, D.M. (2009) Impacts of alien plant invasions on species richness in Mediterranean-type ecosystems: a meta-analysis. *Progress in Physical Geography* **33**, 319–38.
- Galatowitsch, S.M. (2009) Carbon offsets as ecological restorations. *Restoration Ecology* **17**, 563–70.
- Galatowitsch, S.M., Anderson, N.O. and Ascher, P.D. (1999) Invasiveness in wetland plants in temperate North America. *Wetlands* **19**, 733–55.
- Gandon, S. and Michalakis, Y. (2002) Local adaptation, evolutionary potential and host-parasite coevolution: interactions between migration, mutation, population size and generation time. *Journal of Evolutionary Biology* **15**, 451–62.
- Ganopolski, A. and Rahmsdorf, S. (2001) Simulation of rapid glacial climate changes in a coupled climate model. *Nature* **409**, 153–8.
- García-Serrano, H., Sans, F.X. and Escarre, J. (2007) Interspecific competition between alien and native congeneric species. *Acta Oecologica* **31**, 69–78.
- Gardner, R.H., Forester, J.D. and Plotnick, R.E. (2007) Determining pattern-process relationships in heterogeneous landscapes. In: *Key Topics in Landscape Ecology* (ed. J. Wu and R.J. Hobbs), pp. 92–114. Cambridge University Press, Cambridge.
- Garnier, A., Pivard, S. and Lecomte, J. (2008) Measuring and modelling anthropogenic secondary seed dispersal along roadverges for feral oilseed rape. *Basic and Applied Ecology* **9**, 533–41.
- Gasso, N., Sol, D., Pino, J. *et al.* (2009) Exploring species attributes and site characteristics to assess plant invasions in Spain. *Diversity and Distributions* **15**, 50–8.
- Gea-Izquierdo, G., Martínez Pastur, G., Cellini, J.M. and Lencinas, M.V. (2004) Forty years of silvicultural management in southern *Nothofagus pumilio* primary forests. *Forest Ecology and Management* **201**, 335–47.
- Geist, H.J. and Lambin, E.F. (2002) Proximate causes and underlying driving forces of tropical deforestation. *BioScience* **52**, 143–50.
- Gerhold, P., Pärtel, M., Tackenberg, O. *et al.* (2011) Phylogenetically poor plant communities receive more alien species, which more easily coexist with natives. *The American Naturalist* **177**, 668–80.
- Gerwin, W., Schaaf, W., Biemelt, D. *et al.* (2009) The artificial catchment ‘Chicken Creek’ (Lusatia, Germany) – a landscape laboratory for interdisciplinary studies of initial ecosystem development. *Ecological Engineering* **35**, 1786–96.
- Ghalambor, C.K., McKay, J.K., Carroll, S.P. and Reznick, D.N. (2007) Adaptive versus non-adaptive phenotypic plasticity and the potential for contemporary adaptation in new environments. *Functional Ecology* **21**, 394–407.
- Gillespie, I.G. and Allen, E.B. (2004) Fire and competition in a southern California grassland: impacts on the rare forb *Erodium macrophyllum*. *Journal of Applied Ecology* **41**, 643–52.
- Gimingham, C.H. (1992) *The Lowland Heathland Management Book*. English Nature, Peterborough.
- Gioria, M. and Osborne, B. (2009) Assessing the impact of plant invasions on soil seed bank communities: use of

- univariate and multivariate statistical approaches. *Journal of Vegetation Science* **20**, 547–56.
- Gitay, H., Suárez, A., Watson, H.T. and Dokken, D.J. (eds.) (2002) *Climate Change and Biodiversity*. IPCC Technical Paper V. IPCC, Geneva.
- Glaser, P.H. (1992) Raised bogs in eastern North America: regional controls on species richness and floristic assemblages. *Journal of Ecology* **80**, 535–54.
- Glaser, P.H., Siegel, D.I., Romanowicz, E.A. and Shen, Y.P. (1997) Regional linkages between raised bogs and the climate, groundwater, and landscape features of northwestern Minnesota. *Journal of Ecology* **85**, 3–16.
- Glaser, P.H., Siegel, D.I., Reeve, A.S., Janssens, J.A. and Janecky, D.R. (2004) Tectonic drivers for vegetation patterning and landscape evolution in the Albany River region of the Hudson Bay Lowlands. *Journal of Ecology* **92**, 1054–70.
- Glenn, E., Stafford Smith, M. and Squires, V. (1998) On our failure to control desertification: implications for global change issues, and a research agenda for the future. *Environmental Science & Policy* **1**, 71–8.
- Gliwicz, Z.M. (2005) Food web interactions: why are they reluctant to be manipulated? *Verhandlungen Internationale Vereinigung für theoretische und angewandte Limnologie* **29**, 73–88.
- Goddart, L., Mason, S.J., Zebiak, S.E. *et al.* (2001) Current approaches to seasonal-to-interannual climate predictions. *International Journal of Climatology* **21**, 1111–52.
- Godefroid, S., Piazz, C., Rossi, G. *et al.* (2011) How successful are plant species reintroductions? *Biological Conservation* **144**, 672–82.
- Goldenfeld, N. and Woese, C. (2007) Biology's next revolution. *Nature* **445**, 369.
- Golley, F.B. (1995) Reaching a landmark. *Landscape Ecology* **10**, 3–4.
- Golley, F.B. (1996) *A History of the Ecosystem Concept in Ecology: More than the Sum of the Parts*. Yale University Press, New Haven, CT.
- Gómez, J.M., Hódar, J.A., Zamora, R., Castro, J. and García, D. (2001) Ungulate damage on Scots pines in Mediterranean environments: effects of association with shrubs. *Canadian Journal of Botany* **79**, 739–46.
- Gomez-Aparicio, L. (2009) The role of plant interactions in the restoration of degraded ecosystems: a meta-analysis across life-forms and ecosystems. *Journal of Ecology* **97**, 1202–14.
- Gómez-Pompa, A. and Bainbridge, D.A. (1995) Tropical forestry as if people mattered. In: *Tropical Forests: Management and Ecology* (ed. A. Lugo and C. Lowe), pp. 408–22. Springer-Verlag, New York.
- Gonzalez, A. and Loreau, M. (2009) The causes and consequences of compensatory dynamics in ecological communities. *Annual Review of Ecology, Evolution and Systematics* **40**, 393–414.
- Gooden, B., French, K. and Turner, P.J. (2009) Invasion and management of a woody plant, *Lantana camara* L., alters vegetation diversity within wet sclerophyll forest in south-eastern Australia. *Forest Ecology and Management* **257**, 960–7.
- Goosem, S.P. and Tucker, N.I.J. (1995) *Repairing the Rainforest: Theory and Practice of Rainforest Re-establishment in North Queensland's Wet Tropics*. Wet Tropics Management Authority, Cairns.
- Gordon, D.R. (1998) Effects of invasive, non-indigenous plant species on ecosystem processes: lessons from Florida. *Ecological Applications* **8**, 975–89.
- Gossow, H. and Honsig-Erlenburg, P. (1986) Management problems with reintroduced lynx in Austria. In: *Cats of the World: Biology, Conservation and Management* (ed. S.D. Miller and D.D. Everett), pp. 77–83. National Wildlife Federation, Washington, DC.
- Gottschlich, H. (2008) Einsatz und Produktion von standortgerechten Rollboden zur Rekultivierung von Hochlagen unter besonderer Berücksichtigung von pflanzensoziologischen Erhebungen. Master thesis, University of Vienna.
- Grabherr, G. and Hohengartner, H. (1989) Die 'Junggärtnermethode' – eine neue Methode zur Renaturierung hochalpiner Robodenflächen mit autochthonem Pflanzgut. *Die Bodenkultur* **40**, 85–94.
- Graiss, W., Krautzer, B. and Pötsch, E. (2005) Evaluation of seed mixtures for montane pastures. *Grassland Science in Europe* **10**, 182–5.
- Grant, R. (2008) *God's Middle Finger*. Simon and Schuster, New York.
- Gray, A.J. and Mogg, R.J. (2001) Climate impacts on pioneer saltmarsh plants. *Climate Research* **18**, 105–12.
- Gray, D.H. and Sotir, R.B. (1996) *Biotechnical and Soil Bioengineering Slope Stabilization: A Practical Guide for Erosion Control*. Wiley Interscience Publication, New York.
- Green, M., Alerstam, T., Clausen, P., Drent, R. and Ebbsing, R.S. (2002) Dark-bellied Brent Geese *Branta bernicla bernicla*, as recorded by satellite telemetry, do not minimize flight distance during spring migration. *Ibis* **144**, 106–21.
- Gregory, K.J. (1997) *Fluvial Geomorphology of Great Britain*. Chapman and Hall, London.
- Gregory, K.J. and Lewin, J. (1987) Conclusion: palaeohydrological synthesis and application. In: *Palaeohydrology in Practice* (ed. K.J. Gregory, J. Lewin and J.B. Thornes), pp. 341–360. John Wiley & Sons Ltd, Chichester.
- Greischar, M.A. and Koskella, B. (2007) A synthesis of experimental work on parasite local adaptation. *Ecology Letters* **10**, 418–34.
- Griffith, B., Scott, J.M., Carpenter, J.W. and Reed, C. (1989) Translocation as a species conservation tool: status and strategy. *Science* **245**, 477–80.
- Grimbacher, P.S. and Catterall, C.P. (2007) How much do site age, habitat structure and spatial isolation influence the restoration of rainforest beetle species assemblages? *Biological Conservation* **135**, 107–18.
- Grime, J.P. (1979) *Plant Strategies and Vegetation Processes*. John Wiley & Sons Ltd, Chichester.

- Griscom, H.P., Griscom, B.W. and Ashton, M.S. (2009) Forest regeneration from pasture in the dry tropics of Panama: effects of cattle, exotic grass, and forested riparia. *Restoration Ecology* **17**, 117–26.
- Groffman, P., Baron, J., Blett, T. *et al.* (2006) Ecological thresholds: the key to successful environmental management or an important concept with no practical application? *Ecosystems* **9**, 1–13.
- Groombridge, J.J., Jones, C.G., Bruford, M.W. and Nichols, R.A. (2000) Conservation biology – ‘Ghost’ alleles of the Mauritius kestrel. *Nature* **403**, 616.
- Grootjans, A.P., Schipper, P.C. and van der Windt, H.J. (1985) Influence of drainage on N-mineralization and vegetation response in wet meadows. I: *Calthion palustris* stands. *Acta Oecologica* **6**, 403–17.
- Grootjans, A.P., van Wirdum, G., Kemmers, R.H. and van Diggelen, R. (1996) Ecohydrology in The Netherlands: principles of an application-driven interdisciplinary. *Acta Botanica Neerlandica* **45**, 491–516.
- Grootjans, A.P., Alserda, A., Bekker, R.M. *et al.* (2005) Calcareous spring mires in Slovakia; Jewels in the Crown of the Mire Kingdom. In: *Mires, from Siberia to Tierra del Fuego* (ed. G.M. Steiner). *Stapfia* **85**, 97–115.
- Grootjans, A.P., Adema, E.B., Bleuten, W. *et al.* (2006) Hydrological landscape settings of base-rich fen mires and fen meadows: an overview. *Applied Vegetation Science* **9**, 175–84.
- Grundling, P.L. and Grobler, R. (2005) Peatlands and mires of South Africa. In: *Mires, from Siberia to Tierra del Fuego* (ed. G.M. Steiner). *Stapfia* **85**, 379–96.
- Grünig, A. (ed.) (1994) *Mires and Man: Mire Conservation in a Densely Populated Country: The Swiss Experience*. Swiss Federal Institute for Forest, Snow and Landscape Research, Birmensdorf.
- Guichard, F., Halpin, P.M., Allison, G.W., Lubchenko, J. and Menge, B.A. (2003) Mussel disturbance dynamics: signatures of oceanographic forcing from local interactions. *The American Naturalist* **161**, 889–904.
- Gulati, R.D. (1989) Structure and feeding activities of zooplankton community in Lake Zwemlust, in the two years after biomanipulation. *Aquatic Ecology* **23**, 35–48.
- Gulati, R.D. (1990) Zooplankton structure in the Loosdrecht lakes in relation to trophic status and recent restoration measures. *Hydrobiologia* **191**, 173–88.
- Gulati, R.D. and van Donk, E. (2002) Lakes in the Netherlands, their origin, eutrophication and restoration: state-of-the-art-review. *Hydrobiologia* **478**, 73–106.
- Gulati, R.D., Dionisio Pires, L.M. and van Donk E. (2008) Lake restoration studies: failures, bottlenecks and prospects of new ecotechnological measures. *Limnologia* **38**, 233–47.
- Gunderson, L.H. (2000) Ecological resilience – in theory and application. *Annual Review of Ecology and Systematics* **31**, 425–39.
- Haberl, H., Winiwarter, V., Andersson, K. *et al.* (2006) From LTER to LTSER: conceptualizing the socioeconomic dimension of long-term socioecological research. *Ecology and Society* **11**, 13.
- Hairton, N.G., Smith, F.E. and Slobodkin, L.B. (1960) Community structure, population control and competition. *The American Naturalist* **94**, 425.
- Halaham, R. (2000) *Species Alert! Natura 2000: a Last Chance for European Biodiversity*. WWF-UK.
- Hall, D.J., Threlkeld, S.T., Burns, C.W. and Crowley, P.H. (1976) The size-efficiency hypothesis and the size structure of zooplankton communities. *Annual Review of Ecology and Systematics* **7**, 177–208.
- Hallsworth, E.G. (1987) *Anatomy, Physiology and Psychology of Soil Erosion*. John Wiley and Sons, Inc., New York.
- Halpern, B.S., Walbridge, S., Selkoe, K.A. *et al.* (2008) A global map of human impact on marine ecosystems. *Science* **319**, 948–52.
- Hamilton, N.R.S. (2001) Is local provenance important in habitat creation? A reply. *Journal of Applied Ecology* **38**, 1374–6.
- Handel, S.N. (1997) The role of plant–animal mutualism in the design and restoration of natural communities. In: *Restoration Ecology and Sustainable Development* (ed. K. Urbanska, N.R. Webb and P.J. Edwards), pp. 111–32. Cambridge University Press, Cambridge.
- Hansen, H.O. (ed.) (1996) *River Restoration – Danish Experiences and Examples*. National Environmental Research Institute, Silkeborg.
- Hansen, J. and Spiecker, H. (2005) Conversion of Norway spruce (*Picea abies* [L.] Karst.) forests in Europe. In: *Restoration of Boreal and Temperate Forests* (ed. J.A. Stanturf and P. Madsen), pp. 339–47. CRC Press, Boca Raton, FL.
- Hanski, I. (1999) *Metapopulation Ecology*. Oxford University Press, Oxford.
- Hanson, M.T. and Willison, J.M. (1983) The 1978 relocation of tule elk at Fort Hunter Liggett – reasons for its failure. *Cal-Neva Wildlife: Transactions*, 43–9.
- Harcombe, P.A. (1977) The influence of fertilization on some aspects of succession in a humid tropical forest. *Ecology* **58**, 1375–83.
- Hardin, G. (1991) Paramount positions in ecological economics. In: *Ecological Economics: The Science and Management of Sustainability* (ed. R. Costanza), pp. 47–57. New York: Columbia University Press.
- Harms, R.S. and Hiebert, R.D. (2006) Vegetation response following invasive tamarisk (*Tamarix* spp.) removal and implications for riparian restoration. *Restoration Ecology* **14**, 461–72.
- Harris, J.A. (2003) Measurements of the soil microbial community for estimating the success of restoration. *European Journal of Soil Science* **54**, 801–8.
- Harris, J.A. (2009) Soil microbial ecology and restoration ecology. *Science* **325**, 573–4.
- Harris, J.A., Hobbs, R.J., Higgs, E. and Aronson, J. (2006) Ecological restoration and global climate change. *Restoration Ecology* **14**, 170–6.

- Harshman, L.G. and Hoffmann, A.A. (2000) Laboratory selection experiments using *Drosophila*: what do they really tell us? *Trends in Ecology & Evolution* **15**, 32–6.
- Harvey, C.A., Tucker, N.I.G. and Estrada, A. (2004) Live fences, isolated trees, and windbreaks: tools for conserving biodiversity in fragmented tropical landscapes. In: *Agroforestry and Biodiversity Conservation in Tropical Landscapes* (ed. G. Schroth, G.A.B. da Fonseca, C.A. Harvey *et al.*), pp. 61–289. Island Press, Washington, DC.
- Hastings, A., Byers, J.E., Crooks, J.A. *et al.* (2007) Ecosystem engineering in space and time. *Ecology Letters* **10**, 153–64.
- Hättenschwiler, S. and Vitousek, P.M. (2000) The role of polyphenols in terrestrial ecosystem nutrient cycling. *Trends in Ecology & Evolution* **15**, 238–43.
- Havens, K.E. (2002) Development and application of hydrologic restoration goals for a large subtropical lake. *Lake and Reservoir Management* **18**, 285–92.
- Hayward, M.W. and Somers, M.J. (eds.) (2009) *Reintroduction of Top-Order Predators*. Blackwell Publishing, Oxford.
- Healy, M.T. and Zedler, J.B. (2010) Set-backs in replacing *Phalaris arundinacea* monotypes with sedge meadow vegetation. *Restoration Ecology* **18**, 155–64.
- Hedrick, P. (2005) ‘Genetic restoration’: a more comprehensive perspective than ‘genetic rescue’. *Trends in Ecology & Evolution* **20**, 109.
- Hedrick, P.W. and Fredrickson, R. (2010) Genetic rescue guidelines with examples from Mexican wolves and Florida panthers. *Conservation Genetics* **11**, 615–26.
- Heer, C. and Körner, C. (2002) High elevation pioneer plants are sensitive to mineral nutrient addition. *Basic and Applied Ecology* **3**, 39–47.
- Heinsdorf, D.L. (1996) Development of forest stands in the Lusatian lignite mining district after mineral fertilization adapted to site and tree species. *Water, Air and Soil Pollution* **91**, 33–42.
- Hejda, M., Pyšek, P. and Jarosik, V. (2009) Impact of invasive plants on the species richness, diversity and composition of invaded communities. *Journal of Ecology* **97**, 393–403.
- Heleno, R., Lacerda, I., Ramos, J.A. and Memmott, J. (2010) Evaluation of restoration effectiveness: community response to the removal of alien plants. *Ecological Applications* **20**, 1191–1203.
- Heller, N.E. and Zavaleta, E.S. (2009) Biodiversity management in the face of climate change: a review of 22 years of recommendations. *Biological Conservation* **142**, 14–32.
- Hem, J.D. (1959) *Study and Interpretation of the Chemical Characteristics of Natural Waters*. Water Supply Paper, 2254. US Geological Survey, Washington, DC.
- Henriksen, A., Lien, L., Rosseland, B.O. *et al.* (1989) Lake acidification in Norway: present and predicted fish status. *Ambio* **18**, 314–21.
- Henrikson, L. and Brodin, Y-W. (1995) Liming of surface water in Sweden: a synthesis. In: *Liming of Acidified Surface Water: A Swedish Synthesis* (ed. L. Henrikson and Y-W. Brodin), pp. 1–44. Springer, Berlin.
- Herrera, C.M. (1992) Historical effects and sorting processes as explanations for contemporary ecological patterns: character syndromes in Mediterranean woody plants. *The American Naturalist* **140**, 421–46.
- Heslop-Harrison, J. (1964) Forty years of genecology. *Advances in Ecological Research* **2**, 159–247.
- Hess, G. (1996) Disease in metapopulation models: implications for conservation. *Ecology* **77**, 1617–32.
- Hessburg, P.F., Kuhlmann, E.E. and Swetnam, T.W. (2005) Examining the recent climate through the lens of ecology: inferences from temporal pattern analysis. *Ecological Applications* **15**, 440–57.
- Heter, E.W. (1950) Transplanting beavers by airplane and parachute. *Journal of Wildlife Management* **14**, 143–7.
- Heuson, R. (1929) *Praktischen Kulturvorschläge für Kippen, Bruchfelder, Dünen und Ödländerreien*. Neudamm, Berlin.
- Higgs, E.S. (1997) What is good ecological restoration? *Conservation Biology* **11**, 338–48.
- Higgs, E.S. (2003) *Nature by Design: People, Natural Process and Ecological Restoration*. MIT Press, Cambridge, MA
- Hilderbrand, R.H., Watts, A.C. and Randle, A.M. (2005) The myths of restoration ecology. *Ecology and Society* **10**(1), 19. <http://www.ecologyandsociety.org/vol10/iss1/art19/>
- Hillebrand, H. and Matthiessen, B. (2009) Biodiversity in a complex world: consolidation and progress in functional biodiversity research. *Ecology Letters* **12**, 1405–19.
- Hobbs, R.J. (2002) The ecological context: a landscape perspective. In: *Handbook of Ecological Restoration*, vol. 1 (ed. M. Perrow and A.J. Davy), pp. 22–45. Cambridge University Press, Cambridge.
- Hobbs, R.J. (2007) Managing plant populations in fragmented landscapes: restoration or gardening? *Australian Journal of Botany* **55**, 371–4.
- Hobbs, R.J. and Saunders, D.A. (1992) *Reintegration of Fragmented Landscapes: Towards Sustainable Production and Nature Conservation*. Springer, New York.
- Hobbs, R.J. and Norton, D.A. (1996) Towards a conceptual framework for restoration ecology. *Restoration Ecology* **4**, 93–110.
- Hobbs, R.J. and Mooney, H.A. (1998) Broadening the extinction debate: population deletions and additions in California and Western Australia. *Conservation Biology* **12**, 271–83.
- Hobbs, R.J. and Harris, J.A. (2001) Restoration ecology: repairing the Earth’s ecosystems in the new millennium. *Restoration Ecology* **9**, 239–46.
- Hobbs, R.J. and Cramer, V.A. (2008) Restoration ecology: interventionist approaches for restoring and maintaining ecosystem function in the face of rapid environmental change. *Annual Review of Environment and Resources* **33**, 39–61.
- Hobbs, R.J. and Richardson, D.M. (2011) Invasion ecology and restoration ecology: parallel evolution in two fields of

- endeavour. In: *Fifty Years of Invasion Ecology: The Legacy of Charles Elton* (ed. D.M. Richardson), pp. 61–69. Blackwell Publishing, Oxford.
- Hobbs, R.J., Cramer, V.A. and Kristjanson, L.J. (2003) What happens if we cannot fix it? Triage, palliative care and setting priorities in salinising landscapes. *Australian Journal of Botany* **51**, 647–53
- Hobbs, R.J., Arico, S., Aronson, J. *et al.* (2006) Novel ecosystems: theoretical and management aspects of the new ecological world order. *Global Ecology and Biogeography* **15**, 1–7.
- Hobbs, R.J., Higgs, E. and Harris, J.A. (2009) Novel ecosystems: implications for conservation and restoration. *Trends in Ecology & Evolution* **24**, 599–605.
- Hobbs, R.J., Cole, D.N., Yung, L. *et al.* (2010) Guiding concepts for park and wilderness stewardship in an era of global environmental change. *Frontiers in Ecology and the Environment* **8**, 483–90.
- Hobbs, R.J., Hallett, L.M., Ehrlich, P.R. and Mooney, H.A. (2011) Intervention ecology: applying ecological science in the 21st century. *BioScience* **61**, 442–50.
- Hochberg, M.E. and Moller, A.P. (2001) Insularity and adaptation in coupled victim–enemy associations. *Journal of Evolutionary Biology* **14**, 539–51.
- Hoegh-Guldberg, O., Hughes, L., McIntyre, S. *et al.* (2008) Assisted colonization and rapid climate change. *Science* **321**, 345–6.
- Hoeksema, J.D., Chaudhary, V.B., Gehring, C.A. *et al.* (2010) A meta-analysis of context-dependency in plant response to inoculation with mycorrhizal fungi. *Ecology Letters* **13**, 394–407.
- Holaus, K. (1997) Standortgerechte Hochlagenbegrünung unter Einbindung der Saatstärke. In: *Bericht über die Gumpenstein Samereientagung*, pp. 33–9. BAL Gumpenstein, Irnding.
- Holaus, K. and Partl, C. (1996) Verbesserung und Erhaltung der Hochlagenvegetation durch Düngungsmaßnahmen. *Der Alm- und Bergbauer* **46**, 194–207.
- Holdridge, L.R. (1947) Determination of world plant formations from simple climatic data. *Science* **105**, 367–8.
- Holdridge, L.R., Grenke, W.C., Hatheway, W.H. *et al.* (1971) *Forest Environments in Tropical Life Zones*. Pergamon Press, Oxford.
- Holl, K.D. (1998) Do bird perching structures elevate seed rain and seedling establishment in abandoned tropical pasture? *Restoration Ecology* **6**, 253–61.
- Holl, K.D. (2002) Tropical moist forest. In: *Handbook of Ecological Restoration*, vol 2 (ed. M.R. Perrow and A.J. Davy), pp. 539–58. Cambridge University Press, Cambridge.
- Holl, K.D. (2007) Old field vegetation succession in the Neotropics. In: *Old Fields* (ed. R.J. Hobbs and V.A. Cramer), pp. 93–117. Island Press, Washington, DC.
- Holl, K.D. and Quiros-Nietzen, E. (1999) The effect of rabbit herbivory on reforestation of abandoned pasture in southern Costa Rica. *Biological Conservation* **87**, 391–5.
- Holl, K.D. and Aide, T.M. (2011) When and where to actively restore ecosystems? *Forest Ecology and Management* **261**, 1558–63.
- Holl, K.D., Zahawi, R.A., Cole, R.J., Ostertag, R. and Cordell, S. (2011) Planting seedlings in plantations versus tree islands as a large-scale tropical forest restoration strategy. *Restoration Ecology* **19**, 470–9.
- Holland, E.A., Braswell, B.H., Sulzman, J. and Lamarque, J.F. (2005) Nitrogen deposition onto the United States and western Europe: synthesis of observations and models. *Ecological Applications* **15**, 38–57.
- Holling, C.S. (1973) Resilience and stability of ecological systems. *Annual Review of Ecology and Systematics* **4**, 1–23.
- Holling, C.S. (1996) Engineering resilience versus ecological resilience. In: *Engineering within Ecological Constraints* (ed. P.B. Schulze), pp. 31–44. National Academy of Engineering, National Academy Press, Washington, DC.
- Holmes, P.M. (2002) Depth distribution and composition of seed-banks in alien-invaded and uninvaded fynbos vegetation. *Australian Journal of Ecology* **27**, 110–20.
- Holmes, P.M. (2008) Optimal ground preparation treatments for restoring lowland Sand Fynbos vegetation on old fields. *South African Journal of Botany* **74**, 33–40.
- Holmes, P.M. and Cowling, R.M. (1997a) The effects of invasion by *Acacia saligna* on the guild structure and regeneration capabilities of South African fynbos shrublands. *Journal of Applied Ecology* **34**, 317–32.
- Holmes, P.M. and Cowling, R.M. (1997b) Diversity, composition and guild structure relationships between soil-stored seed banks and mature vegetation in alien plant-invaded South African fynbos shrubland. *Plant Ecology* **133**, 107–22.
- Holmes, P.M., Richardson, D.M., van Wilgen, B.W. and Gelderblom, C. (2000) Recovery of South African fynbos vegetation following alien woody plant clearing and fire: implications for restoration. *Australian Journal of Ecology* **25**, 631–9.
- Holmgren, M. and Scheffer, M. (2001) El niño as a window of opportunity for the restoration of degraded arid ecosystems. *Ecosystems* **4**, 151–9.
- Holt, R.D. and Gomulkiewicz, R. (1997) How does immigration influence local adaptation? A reexamination of a familiar paradigm. *The American Naturalist* **149**, 563–72.
- Holt, R.D., Lawton, J.H., Polis, G.A. and Martinez, N.D. (1999) Trophic rank and the species-area relationship. *Ecology* **80**, 1495–1504.
- Honnay, O., Verheyen, K., Butaye, J. *et al.* (2002) Possible effects of habitat fragmentation and climate change on the range of forest plant species. *Ecology Letters* **5**, 525–30.
- Hooper, E., Condit, R. and Legendre, P. (2002) Responses of 20 native tree species to reforestation strategies for abandoned farmland in Panama. *Ecological Applications* **12**, 1626–41.
- Hosper, S.H. (1997) Clearing lakes: an ecosystem approach to the restoration and management of shallow lakes in the Netherlands. PhD thesis, Wageningen University.

- Hosper, H. and Meijer, M.-L. (1986) Control of phosphorus loading and flushing as restoration methods for Lake Veluwe, the Netherlands. *Aquatic Ecology* **20**, 183–94.
- Howells, O. and Edwards-Jones, G. (1997) A feasibility study of reintroducing wild boar *Sus scrofa* to Scotland: are existing woodlands large enough to support minimum viable populations. *Biological Conservation* **81**, 77–89.
- Hufford, K.M. and Mazer, S.J. (2003) Plant ecotypes: genetic differentiation in the age of ecological restoration. *Trends in Ecology & Evolution* **18**, 147–55.
- Hughes, A.R., Inouye, B.D., Johnson, M.T.J., Underwood, N. and Vellend, M. (2008) Ecological consequences of genetic diversity. *Ecology Letters* **11**, 609–23.
- Huisman, J. and Weissing, F.J. (1999) Biodiversity of plankton by species oscillations and chaos. *Nature* **402**, 407–10.
- Huisman, J., Sharples, J., Stroom, J.M. *et al.* (2004) Changes in turbulent mixing shift competition for light between phytoplankton species. *Ecology* **85**, 2960–70.
- Hulme, M. (2009) *Why We Disagree about Climate Change: Understanding Controversy, Inaction and Opportunity*. Cambridge University Press, Cambridge.
- Hunter Jr., M.L. (2007) Climate change and moving species: furthering the debate on assisted colonization. *Conservation Biology* **21**, 1356–8.
- Huntley, B. (1988) European post-glacial vegetation history: a new perspective. In: *Acta XIX Congressus Internationalis Ornithologici* (ed. H. Quellet), vol. 1, pp. 1061–77. National Museum of Natural Sciences, Ottawa.
- Huston, M. and Smith, T. (1987) Plant succession: life history and competition. *The American Naturalist* **130**, 168–98.
- Hüttl, R.F. and Weber, E. (2001) Forest ecosystem development in post-mining landscapes: a case study of Lusatian lignite district. *Naturwissenschaften* **88**, 322–9.
- Ibelings, B.W., Portielje, R., Lammens, E.H.R.R. *et al.* (2007) Resilience of alternative stable states during the recovery of shallow lakes from eutrophication: Lake Veluwe as a case study. *Ecosystems* **10**, 4–16.
- Inderjit and van der Putten, W.H. (2010) Impacts of soil microbial communities on exotic plant invasions. *Trends in Ecology & Evolution* **25**, 512–9.
- Ingram, H.A.P. (1983) Hydrology. In: *Mires: Swamp, Bog, Fen, and Moor. Ecosystems of the World* (ed. A.J.P. Gore), pp. 67–158. Vol. 4A, General Studies. Elsevier, Amsterdam.
- Institut pour le Developpement Forestier (IDF) (2001) *Evaluation du système d'aide communautaire pour les mesures forestières en agriculture du Reglement 2080/92*. Final report. Institut pour le Developpement Forestier, Paris.
- Intergovernmental Panel on Climate Change (IPCC) (2007a) *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* (ed. S. Solomon *et al.*). Cambridge University Press, Cambridge.
- Intergovernmental Panel on Climate Change (IPCC) (2007b) *Summary for Policymakers*. A report of Working Group I of the Intergovernmental Panel on Climate Change. IPCC, Geneva.
- International Union for the Conservation of Nature (IUCN) (1998) *Guidelines for Re-introductions*. IUCN/SSC Re-introduction Specialist Group. International Union for the Conservation of Nature, Cambridge. <http://www.iucnssc.org/downloads.html>
- Isbell, F.I., Polley, H.W. and Wilsey, B.J. (2009) Biodiversity, productivity and the temporal stability of productivity: patterns and processes. *Ecology Letters* **12**, 443–51.
- Jackson, L.L., Lopoukhine, N. and Hillyard, D. (1995) Ecological restoration: a definition and comments. *Restoration Ecology* **3**, 71–5.
- Jackson, S.T. and Overpeck, J.T. (2000) Responses of plant populations and communities to environmental changes of the late Quaternary. *Paleobiology* **26**, 194–220.
- Jackson, S.T. and Hobbs, R.J. (2009) Ecological restoration in the light of ecological history. *Science* **325**, 567–9.
- Jackson, S.T. and Sax, D.F. (2010) Balancing biodiversity in a changing environment: extinction debt, immigration credit and species turnover. *Trends in Ecology & Evolution* **25**, 153–60.
- Jackson, S.T., Betancourt, J.L., Booth, R.K. and Gray, S.T. (2009) Ecology and the ratchet of events: climate variability, niche dimensions, and species distributions. *Proceedings of the National Academy of Sciences USA* **106** (Suppl. 2), 19685–92.
- Jäger, H., Kowarik, I. and Tye, A. (2009) Destruction without extinction: long-term impacts of an invasive tree species on Galapagos highland vegetation. *Journal of Ecology* **97**, 1252–63.
- James, D., Fooks, L.G. and Preston, J.R. (1983) Success of wild-trapped compared to captivity-raised birds in restoring wild turkey populations to northwestern Arkansas. *Proceedings of the Arkansas Academy of Science* **37**, 38–41.
- Jansen, A.J.M., Fresco, L.F.M., Grootjans, A.P. and Jalink, M.H. (2004) Effects of restoration measures on plant communities of wet heathland ecosystems. *Applied Vegetation Science* **7**, 243–52.
- Janssen, W. and Goldsworthy, P. (1996) Multidisciplinary research for natural resource management: conceptual and practical implications. *Agricultural Systems* **51**, 259–79.
- Janssens, F., Peeters, A.A., Tallwin, J.R.B. *et al.* (1998) Relationship between soil chemical factors and grassland diversity. *Plant and Soil* **202**, 69–78.
- Janzen, D.H. (1998) Gardenification of wildland nature and the human footprint. *Science* **279**, 1312–3.
- Janzen, D.H. (2002) Tropical dry forest: Area de Conservación Guanacaste, northwestern Costa Rica. In: *Handbook of Ecological Restoration*, vol. 2 (ed. M.R. Perrow and A.J. Davy), pp. 559–83. Cambridge University Press, Cambridge.
- Jefferies, R.L. (1999) Herbivores, nutrients and trophic cascades in terrestrial environments. In: *Herbivores: Between*

- Plants and Predators* (ed. H. Olf, V.K. Brown and R.H. Drent), pp. 301–30. Blackwell Science, Oxford.
- Jefferies, R.L. and Rockwell, R.F. (2002) Foraging geese, vegetation loss and soil degradation in an Arctic salt marsh. *Applied Vegetation Science* **5**, 7–16.
- Jeppesen, E. and Sammalkorpi, I. (2002) Lakes. In: *Handbook of Ecological Restoration: Restoration in Practice*, vol. 2 (ed. M.R. Perrow and A.J. Davy), pp. 297–324. Cambridge University Press, Cambridge.
- Jeppesen, E., Jensen, J.P., Søndergaard, M. and Lauridsen, T. (1999) Trophic dynamics in turbid and clear-water lakes with special emphasis on the role of zooplankton for water clarity. *Hydrobiologia* **408–409**, 217–31.
- Jeppesen, E., Søndergaard, M., Lauridsen, T.L. *et al.* (2007a) Danish and other European experiences in managing shallow lakes. *Lake and Reservoir Management* **23**, 439–51.
- Jeppesen, E., Meerhoff, M., Jacobsen, B.A. *et al.* (2007b) Restoration of shallow lakes by nutrient control and biomanipulation: the successful strategy varies with lake size and climate. *Hydrobiologia* **581**, 269–85.
- Johansson, M.E., Nilsson, C. and Nilsson, E. (1996) Do rivers function as corridors for plant dispersal? *Journal of Vegetation Science* **7**, 593–8.
- Johnson, J.E., Pardew, M.G. and Lyttle, M.M. (1993) Predator recognition and avoidance by larval razorback sucker and northern hog sucker. *Transactions of the American Fisheries Society* **122**, 1139–45.
- Johnson, K.G., Allen, M.S. and Havens, K.E. (2007) A review of littoral vegetation, fisheries, and wildlife responses to hydrologic variation at Lake Okeechobee. *Wetlands* **27**, 110–26.
- Johnson, L. and van Cleve, K. (1976) *Revegetation in Arctic and Subarctic North America: A Literature Review*. CRREL Report 76-15. US Army Cold Regions Research and Engineering Laboratory, Hannover.
- Johnson, S.D. and Steiner, K.E. (2000) Generalization versus specialization in plant pollination systems. *Trends in Ecology & Evolution* **15**, 140–3.
- Johnson, W.E., Onorato, D.P., Roelke, M.E. *et al.* (2010) Genetic restoration of the Florida panther. *Science* **329**, 1641–5.
- Johnston, B.C. (2005) *Report on Vegetation Monitoring 2000–2003, Upper South Platte Watershed Protection and Restoration Program*. March 1. On file with the Pike and San Isabel National Forests.
- Johnstone, J.F. and Chapin, F.S. (2003) Non-equilibrium succession dynamics indicate continued northern migration of lodgepole pine. *Global Change Biology* **9**, 1401–9.
- Jones, C.G., Lawton, J.H. and Shachak, M. (1994) Organisms as ecosystem engineers. *Oikos* **69**, 373–86.
- Jones, C.G., Heck, W., Lewis, R.E. *et al.* (1995) The restoration of the Mauritius Kestrel *Falco punctatus* population. *Ibis* **137** (Suppl. 1), 173–80.
- Jones, F.A., Peterson, C.J. and Haines, B.L. (2003) Seed predation in neotropical pre-montane pastures: site, distance, and species effects. *Biotropica* **35**, 219–25.
- Jones, L., Angus, S., Cooper, A. *et al.* (2011) Coastal Margin Habitats. In: *UK National Ecosystem Assessment*, 47 pages. Centre for Ecology and Hydrology, UNEP-WCMC, Cambridge. <http://uknea.unep-wcmc.org>
- Jones, M.L.M., Wallace, H.L., Norris, D. *et al.* (2004) Changes in vegetation and soil characteristics in coastal sand dunes along a gradient of atmospheric nitrogen deposition. *Plant Biology* **6**, 598–605.
- Jones, M.J.M., Sowerby, A., Williams, D.J. and Jones, R.E. (2008) Factors controlling soil development in sand dunes: evidence from a coastal dune soil chronosequence. *Plant and Soil* **307**, 219–34.
- Jones, T.A. and Monaco, T.A. (2009) A role for assisted evolution in designing native plant materials for domesticated landscapes. *Frontiers in Ecology and the Environment* **7**, 541–7.
- Jongejans, E. and Schippers, P. (1999) Modeling seed dispersal by wind in herbaceous species. *Oikos* **87**, 362–72.
- Jongepierova, I. (2008) *Louky Bilych Karpaty: Grasslands of the White Carpathian Mountains* (in Czech and English). ZO CSOP Bile Karpaty (Veseli nad Moravou).
- Jongepierova, I., Mitchley, J. and Tzanopoulos, J. (2007) A field experiment to recreate species-rich hay meadows using regional seed mixtures. *Biological Conservation* **139**, 297–305.
- Jonker, R.M., Eichhorn, G., van Langevelde, F. and Bauer, S. (2010) Predation danger can explain changes in timing of migration: The case of the Barnacle Goose. *PLoS ONE* **5**, e11369.
- Joosten, H. (1993) Denken wie ein Hochmoor: Hydrologische Selbstregulation von Hochmooren und deren Bedeutung für Wiedervernässung und Restauration. *Telma* **23**, 95–115.
- Joosten, H. (2009a) Human impacts: farming, fire, forestry and fuel. In: *The Wetlands Handbook* (ed. E. Maltby and T. Barker), pp. 689–718. Blackwell Publishing, Oxford.
- Joosten, H. (2009b) *The Global Peatland CO₂ Picture: Peatland Status and Drainage-related Emissions in all Countries of the World*. Wetlands International, Ede.
- Joosten, H. and Clarke, D. (2002) *Wise Use of Peatlands*. International Mire Conservation Group, International Peat Society, Jyväskylä.
- Jump, A.S. and Penuelas, J. (2005) Running to stand still: adaptation and the response of plants to rapid climate change. *Ecology Letters* **8**, 1010–20.
- Kadlec, R.H. (2009) Everglades and Agriculture in South Florida. In: *The Wetlands Handbook* (ed. E. Maltby and T. Barker), pp. 961–82. Blackwell Publishing, Oxford.
- Kahmen, S., Poschold, P. and Schreiber, K.F. (2002) Conservation management of calcareous grasslands: changes in plant species composition and the response of plant func-

- tional traits during 24 years. *Biological Conservation* **104**, 319–28.
- Kalchreuter, H. and Wagner, W. (1982) Preliminary results of reintroduction programs of Blackgrouse (*Lyrurus tetrrix*) and Capercaillie (*Tetrao urogallus*) in southern Germany (Frg). In: *Proceedings of the Second International Symposium on Grouse, March 1981* (ed. T.W.I. Lovel), pp. 202–3. World Pheasant Association, Exning.
- Kardol, P., Bezemer, T.M. and van der Putten, W.H. (2008) Soil organisms and plant introduction in restoration of species-rich grassland communities. *Restoration Ecology* **17**, 258–69.
- Karle, M. and Bartholomä, A. (2008) Salt marsh sediments as natural resources for dike construction – sediment recycling in clay pits. *Senckenbergiana maritima* **38**, 83–92.
- Kasprzak, P., Benndorf, J., Mehner, T. and Koschel, R. (2002) Biomaniipulation of lake ecosystems: an introduction. *Freshwater Biology* **47**, 2277–81.
- Kasprzak, P., Benndorf, J., Gonsiorczyk, T. *et al.* (2007) Reduction of nutrient loading and biomaniipulation as tools in water quality management: longterm observations on Bautzen reservoir and Feldberger Haussee (Germany). *Lake and Reservoir Management* **23**, 410–27.
- Kates, R.W., Clark, W.C., Corell, R. *et al.* (2001) Sustainability science. *Science* **292**, 641–2.
- Katzur, J., Fischer, K., Böcker, L. *et al.* (2001) *Afforestation of Industrial Dumps Using Selected Soil Improvement Agents – New Frontiers in Reclamation: Facts & Procedures in Extractive Industry*. Milos, Greece.
- Kaufmann, M.R., Huckaby, L.S. and Gleason, P. (2000) Ponderosa pine in the Colorado Front Range: long historical fire and tree recruitment intervals and a case for landscape heterogeneity. In: *Crossing the Millennium: integrating spatial technologies and ecological principles for a new age in fire management* (ed. L.F. Neuenschwander and K.C. Ryan), pp. 153–60. Proceedings from the Joint Fire Science Conference and Workshop, Boise, Idaho, June 15–17, University of Idaho, Moscow.
- Kawecki, T.J. (2008) Adaptation to marginal habitats. *Annual Review of Ecology, Evolution and Systematics* **39**, 321–42.
- Kawecki, T.J. and Ebert, D. (2004) Conceptual issues in local adaptation. *Ecology Letters* **7**, 1225–41.
- Kearns, C.A., Inouye, D.W. and Waser, N.M. (1998) Endangered mutualisms: the conservation of plant–pollinator interactions. *Annual Review of Ecology and Systematics* **29**, 83–112.
- Keeley, J.E. (2006) Fire management impacts on invasive plants in the western United States. *Conservation Biology* **20**, 375–84.
- Keeley, J.E., Baer-Keeley, M. and Fotheringham, C.J. (2005) Alien plant dynamics following fire in Mediterranean-climate California shrublands. *Ecological Applications* **15**, 2109–25.
- Kefi, S., Rietkerk, M., Alados, C.L. *et al.* (2007) Spatial vegetation patterns and imminent desertification in Mediterranean arid ecosystems. *Nature* **449**, 213–5.
- Keith, A.R., Bailey, J.K. and Whitham, T.G. (2010) A genetic basis to community repeatability and stability. *Ecology* **91**, 3398–3406.
- Kelm, D.H., Wiesner, K.R. and von Helversen, O. (2008) Effects of artificial roosts for frugivorous bats on seed dispersal in a Neotropical forest pasture mosaic. *Conservation Biology* **22**, 733–41.
- Kettle, C.J. (2010) Ecological considerations for using dipterocarps for restoration of lowland rainforest in Southeast Asia. *Biodiversity and Conservation* **19**, 1137–51.
- Keulartz, J. (2009) European nature conservation and restoration policy: problems and perspectives. *Restoration Ecology* **17**, 446–50.
- Kiehl, K. (2010) Plant species introduction in ecological restoration: possibilities and limitations. *Basic and Applied Ecology* **11**, 281–4.
- Kiehl, K., Eischeid, I., Gettner, S. and Walter, J. (1996) The impact of different sheep grazing intensities on salt marsh vegetation in Northern Germany. *Journal of Vegetation Science* **7**, 99–106.
- Kiehl, K., Kirmer, A., Donath, T.W. *et al.* (2010) Species introduction in restoration projects – Evaluation of different techniques for the establishment of semi-natural grasslands in Central and Northwestern Europe. *Basic and Applied Ecology* **11**, 285–99.
- Kiers, E.T., Lovelock, C.E., Krueger, E.L. and Herre, E.A. (2000) Differential effects of tropical arbuscular mycorrhizal fungal inocula on root colonization and tree seedling growth: implications for tropical forest diversity. *Ecology Letters* **3**, 106–13.
- King, E.G. and Hobbs, R.J. (2006) Identifying linkages among conceptual models of ecosystem degradation and restoration: towards an integrative framework. *Restoration Ecology* **14**, 369–78.
- Kinnison, M.T. and Hendry, A.P. (2001) The pace of modern life II: from rates of contemporary microevolution to pattern and process. *Genetica* **112**, 145–64.
- Kinnison, M.T., Hendry, A.P. and Stockwell, C.A. (2007) Contemporary evolution meets conservation biology II: impediments to integration and application. *Ecological Research* **22**, 947–54.
- Kinzig, A.P., Pacala, S.W. and Tilman, D. (eds.) (2001) *The Functional Consequences of Biodiversity: Empirical Progress and Theoretical Extensions*. Princeton University Press, Princeton.
- Kirmer, A. and Tischew, S. (2006) *Handbuch naturnahe Begrünung von Rohböden*. Teubner B.G., Wiesbaden.
- Kirwan, M.L., Guntenspergen, G.R., D’Alpaos, A. *et al.* (2010) Limits on the adaptability of coastal marshes to rising sea level. *Geophysical Research Letters* **37**, L23401.
- Kitzes, J., Wackernagel, M., Loh, J. *et al.* (2008) Shrink and share: humanity’s present and future Ecological Footprint. *Philosophical Transactions of the Royal Society B: Biological Sciences* **363**, 467–75.

- Klausmeier, C.A. (1999) Regular and irregular patterns in semiarid vegetation. *Science* **284**, 1826–8.
- Klebesadel, L.J., Wilton, A.C., Taylor, R.L. and Koranda, J.J. (1964) Fall growth behavior and winter survival of *Festuca rubra* and *Poa pratensis* in Alaska as influenced by latitude of adaptation. *Crop Science* **4**, 340–1.
- Kleijn, D. and Sutherland, W.J. (2003) How effective are European agri-environment schemes in conserving and promoting biodiversity? *Journal of Applied Ecology* **40**, 949–69.
- Kleyer, M., Bekker, R.M., Knevel, I.C. *et al.* (2008) The LEDA Traitbase: a database of life-history traits of the Northwest European flora. *Journal of Ecology* **96**, 1266–74.
- Klijin, F. and Dijkman, J. (2001) *Room for the Rhine in the Netherlands*. Directorate-General of Public Works and Water Management, the Netherlands.
- Klimkowska, A., Kotowski, W., van Diggelen, R. *et al.* (2010a) Vegetation re-development after fen meadow restoration by topsoil removal and hay transfer. *Restoration Ecology* **18**, 924–33.
- Klimkowska, A., Grootjans, A.P., Kotowski, W. and van Diggelen, R. (2010b) Prospects for fen meadow restoration on severely degraded fens. *Perspectives in Plant Ecology, Evolution and Systematics* **12**, 245–55.
- Klokk, T. and Rønning, O.I. (1987) Revegetation experiments at Ny-Ålesund, Spitsbergen, Svalbard. *Arctic and Alpine Research* **19**, 549–53.
- Klötzli, F. and Walther, G-R. (1999) Recent vegetation shifts in Switzerland. In: *Recent Shifts in Vegetation Boundaries of Deciduous Forests, especially due to General Global Warming* (ed. F. Klötzli and G-R. Walther), pp. 317–31. Birkhäuser, Basel.
- Klug, B., Scharfetter-Lehrl, G. and Scharfetter, E. (2002) Effects of trampling on vegetation above the timberline in the eastern Alps, Austria. *Arctic, Antarctic and Alpine Research* **34**, 377–88.
- Knapp, A.K., Briggs, J.M., Hartnett, D.C. and Collins, S.C. (1998) *Grassland Dynamics – Long-Term Ecological Research in Tallgrass Prairie*. Oxford University Press, Oxford.
- Knighton, D. (1994) *Fluvial Forms and Process*. Arnold, Baltimore.
- Knoke, T., Stimm, B., Ammer, C. and Moog, M. (2005) Mixed forests reconsidered: a forest economics contribution on an ecological concept. *Forest Ecology and Management* **213**, 102–16.
- Knoke, T., Ammer, C., Stimm, B. and Mosandl, R. (2008) Admixing broadleaved to coniferous tree species: a review on yield, ecological stability and economics. *European Journal of Forest Research* **127**, 89–101.
- Knowlton, N. (1992) Thresholds and multiple stable states in coral reef community dynamics. *American Zoology* **33**, 674–82.
- Koerselman, W. and Verhoeven, J.T.A. (1995) Eutrophication of fen ecosystems: external and internal nutrient sources and restoration strategies. In: *Restoration of Temperate Wetlands* (ed. B.D. Wheeler, S.C. Shaw, W.J. Foyt and R.A. Robertson), pp. 91–112. John Wiley & Sons Ltd, Chichester.
- Kohler, T.A. and Matthews, M.H. (1988) Long-term Anasazi land use and forest reduction: a case study from Southwest Colorado. *American Antiquity* **53**, 537–64.
- Komers, P.E. and Curman, G.P. (2000) The effect of demographic characteristics on the success of ungulate re-introductions. *Biological Conservation* **93**, 187–93.
- Komor, S.C. (1994) Geochemistry and hydrology of a calcareous fen within the Savage Fen wetlands complex, Minnesota, USA. *Geochimica et Cosmochimica Acta* **58**, 3353–67.
- Koonce, J.F., Busch, W.D. and Czaplá, T. (1996) Restoration of Lake Erie: contribution of water quality and natural resource management. *Canadian Journal of Fisheries and Aquatic Sciences* **53** (S. 1), 105–12.
- Koska, I. and Stegmann, H. (2001) Revitalisierung eines Quellmoorkomplexes am Serbitz-Oberlauf. In: *Landschafts-ökologische Moorkunde* (ed. M. Succow and H. Joosten), pp. 50–17. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Kourtev, P.S., Ehrenfeld, J.G. and Haggblom, M. (2002) Exotic plant species alter the microbial community structure and function in the soil. *Ecology* **83**, 3152–66.
- Kramer, A.T. and Havens, K. (2009) Plant conservation genetics in a changing world. *Trends in Plant Science* **14**, 599–607.
- Krause, A.E., Frank, K.A., Mason, D.M., Ulanowicz, R.E. and Taylor, W.W. (2003) Compartments revealed in food-web structure. *Nature* **426**, 282–5.
- Krautzer, B. and Hacker, E. (2006) *Soil Bioengineering: Ecological Restoration with site-specific Plant and Seed Material*. Conference Proceedings, HBLFA Raumberg-Gumpenstein, Irdning.
- Krautzer, B. and Klug, B. (2009) Renaturierung von subalpinen und alpinen Ökosystemen. In: *Renaturierung von Ökosystemen in Mitteleuropa* (ed. S. Herbe and G. Wiegleb), pp. 208–34. Spektrum Verlag, Heidelberg.
- Krautzer, B., Parente, G., Spatz, G. *et al.* (2003) *Seed Propagation of Indigenous Species and Their Use for Restoration of Eroded Areas in the Alps*. Final report CT98–4024. BAL Gumpenstein, Irdning.
- Krautzer, B., Graiss, W., Peratoner, G. and Partl, C. (2004a) Evaluation of site-specific and commercial seed mixtures for alpine pastures. In: *Land Use Systems in Grassland-dominated Regions* (ed. A. Lüscher, *et al.*), pp. 270–2. Proceedings of the 20th General Meeting of the European Grassland Federation, Luzern, Schweiz. EGF 9. VDF Hochschulverlag, Zürich.
- Krautzer, B., Peratoner, G. and Bozzo, F. (2004b) *Site-specific Grasses and Herbs: Seed Production and Use for Restoration of Mountain Environments*. Plant Production and Protection Series No. 32. FAO, Rome.
- Krautzer, B., Wittmann, H., Peratoner, G. *et al.* (2006) *Site-specific High Zone Restoration in the Alpine Region: The Current Technological Development*. Veröffentlichung 46. Federal

- Research and Education Centre Raumberg-Gumpenstein, Irnding.
- Krautzer, B., Graiss, W., Peratoner, G., Venerus, S. and Klug, B. (2010) The influence of recultivation technique and seed mixture on erosion stability after restoration in mountain environment. *Natural Hazards*. doi:10.1007/s11069-009-9491-z.
- Krebs, C.J. (2008) *Ecology: The Experimental Analysis of Distribution and Abundance*, 6th edn. Benjamin Cummings, San Francisco.
- Kricher, J. (2009) *The Balance of Nature – Ecology's Enduring Myth*. Princeton University Press, Princeton.
- Kristensen, P. and Hansen, H.O. (eds.) (1994) *European Rivers and Lakes: Assessment of their Environmental State*. European Environment Agency, Copenhagen.
- Kueffer, C., Schumacher, E., Dietz, H., Fleischmann, K. and Edwards, P.J. (2010) Managing successional trajectories in alien-dominated, novel ecosystems by facilitating seedling regeneration: a case study. *Biological Conservation* **143**, 1792–802.
- Kuijper, D.P.J. and Bakker, J.P. (2003) Large-scale effects of a small herbivore on salt-marsh vegetation succession, a comparative study. *Journal of Coastal Conservation* **9**, 179–88.
- Kuijper, D.P.J. and Bakker, J.P. (2005) Top-down control of small herbivores on salt-marsh vegetation along a productivity gradient. *Ecology* **86**, 914–23.
- Kuiters, A.T., Kramer, K., van der Hagen, H. and Schaminée, J.H.J. (2009) Plant diversity, species turnover and shifts in functional traits in coastal dune vegetation: results from permanent plots over a 52-year period. *Journal of Vegetation Science* **20**, 1053–63.
- Kulmatiski, A., Beard, K.H. and Stark, J.M. (2006a) Exotic plant communities shift water-use timing in a shrub–steppe ecosystem. *Plant and Soil* **288**, 271–84.
- Kulmatiski, A., Beard, K.H. and Stark, J.M. (2006b) Soil history as a primary control on plant invasion in abandoned agricultural fields. *Journal of Applied Ecology* **43**, 868–76.
- Kulmatiski, A., Beard, K.H., Stevens, J.R. and Cobbold, S.M. (2008) Plant–soil feedbacks: a meta-analytical review. *Ecology Letters* **11**, 980–92.
- Kuparinen, A. and Merila, J. (2007) Detecting and managing fisheries-induced evolution. *Trends in Ecology & Evolution* **22**, 652–9.
- Küster, H. (1997) The role of farming in the postglacial expansion of beech and hornbeam in the oak woodlands of central Europe. *The Holocene* **7**, 239–42.
- Kuyper, T.W. and de Goede, R.G.M. (2005) Interactions between higher plants and soil-dwelling organisms. In: *Vegetation Ecology* (ed. E. van der Maarel), pp. 286–308. Blackwell Publishing, Oxford.
- Kwak, M.M. and Bekker, R.M. (2006) Ecology of plant reproduction: extinction risks and restoration perspectives of rare plant species. In: *Plant–Pollinator Interactions: From Specialization to Generalization* (ed. N.M. Waser and J. Ollerton), pp. 362–86. University of Chicago Press, Chicago.
- Kwak, M.M., Velterop, O. and van Andel, J. (1998) Pollen and gene flow in fragmented habitats. *Applied Vegetation Science* **1**, 37–54.
- Lamb, D., Erskine, P.D. and Parrotta, J.D. (2005) Restoration of degraded tropical forest landscapes. *Science* **310**, 1628–32.
- Lamers, L.P.M., Bobbink, R. and Roelofs, J.G.M. (2000) Natural nitrogen filter fails in raised bogs. *Global Change Biology* **6**, 583–6.
- Lamers, L.P.M., Smolders, A.J.P. and Roelofs, J.G.M. (2002) The restoration of fens in the Netherlands. *Hydrobiologia* **478**, 107–30.
- Lammens, E.H.R.R. (1999) The central role of fish in lake restoration and management. *Hydrobiologia* **396**, 191–8.
- Lammens, E.H.R.R., van Nes, E.H. and Mooij, W.M. (2002) Differences in exploitation of the bream in three shallow lake systems and their relation to water quality. *Freshwater Biology* **47**, 2435–42.
- Lancaster, B. (2008) *Rainwater Harvesting for Drylands and Beyond*. Rainsource Press, Tucson, AZ.
- Landres, P.B., Morgan, P. and Swanson, F.J. (1999) Overview of the use of natural variability concepts in managing ecological systems. *Ecological Applications* **9**, 1179–88.
- Lang, G. (1994) *Quartäre Vegetationsgeschichte Europas*. G. Fischer, Jena.
- Langlois, E., Bonis, A. and Bouzillé, J.B. (2001) The response of *Puccinellia maritima* (Huds.) Parl. to burial: a key to understanding its role in salt-marsh dynamics? *Journal of Vegetation Science* **12**, 289–97.
- Larssen, T., Cosby, B.J., Lund, E. and Wright, R.F. (2010) Modeling future acidification and fish populations in Norwegian surface waters. *Environmental Science & Technology* **44**, 5345–51.
- Lau, J.A. (2008) Beyond the ecological: biological invasions alter natural selection on a native plant species. *Ecology* **89**, 1023–31.
- Lavelle, P. (1997) Faunal activities and soil processes: adaptive strategies that determine ecosystem function. *Advances in Ecological Research* **27**, 93–132.
- Law, R. (1999) Theoretical aspects of community assembly. In: *Advanced Ecological Theory* (ed. J. McGlade), pp. 143–71. Blackwell Science, Oxford.
- Lawrence, D., Radcliff, C., Tully, K. *et al.* (2010) Untangling a decline in tropical forest resilience: constraints on the sustainability of shifting cultivation across the globe. *Biotropica* **42**, 21–30.
- Lechmere-Oertel, R.G., Kerley, G.I.H. and Cowling, R.M. (2005) Patterns and implications of transformation in semi-arid succulent thicket. *South African Journal of Arid Environments* **62**, 459–74.
- Le Cuziat, J., Lacroix, F., Roche, P. *et al.* (2005) Landscape and human influences on the distribution of the endangered

- North African houbara bustard (*Chlamydotis undulata undulata*) in Eastern Morocco. *Animal Conservation* **8**, 143–52.
- Leendertse, P.C., Roozen, A.J.M. and Rozema, J. (1997) Long-term changes (1953–1990) in the salt marsh vegetation at the Boschplaat on Terschelling in relation to sedimentation and flooding. *Plant Ecology* **132**, 49–58.
- Leger, E.A. (2008) The adaptive value of remnant native plants in invaded communities: An example from the Great Basin. *Ecological Applications* **18**, 1226–35.
- Le Houérou, H.N. (1984) Rain-use efficiency: a unifying concept. *Journal of Environmental Management* **7**, 213–47.
- Le Houérou, H.N. (2000) Restoration and rehabilitation of arid and semiarid Mediterranean ecosystems in North Africa and West Asia: a review. *Arid Soil Research and Rehabilitation* **14**, 3–14.
- Leibold, M.A., Holyoak, M., Mouquet, N. *et al.* (2004) The metacommunity concept: a framework for multiscale community ecology. *Ecology Letters* **7**, 601–13.
- Leigh, P. (2005) The ecological crisis, the human condition, and community-based restoration as an instrument for its cure. *Ethics in Science and Environmental Politics* **4**, 3–15. <http://www.int-res.com/articles/esep/2005/E60.pdf>
- Leimu, R. and Fischer, M. (2008) A meta-analysis of local adaptation in plants. *PLoS ONE* **3**, e4010.
- Leimu, R., Mutikainen, P., Koricheva, J. and Fischer, M. (2006) How general are positive relationships between plant population size, fitness and genetic variation? *Journal of Ecology* **94**, 942–52.
- Le Maitre, D.C., van Wilgen, B.W., Chapman, R.A. and McKelly, D.H. (1996) Invasive plants and water resources in the Western Cape Province, South Africa: modelling the consequences of a lack of management. *Journal of Applied Ecology* **33**, 161–72.
- Le Maitre, D.C., Gaertner, M., Marchante, E. *et al.* (2011) Impacts of invasions by Australian *Acacia* species and implications for management and restoration initiatives. *Diversity and Distributions* **17**, 1015–29.
- Lenormand, T. (2002) Gene flow and the limits to natural selection. *Trends in Ecology & Evolution* **17**, 183–9.
- Lenz, T.I., Moyle-Croft, J.L. and Facelli, J.M. (2003) Direct and indirect effects of exotic annual grasses on species composition of a South Australian grassland. *Australian Journal of Ecology* **28**, 23–32.
- Leonard, L.A., Hine, A.C. and Luther, M.E. (1995) Superficial sediment transport and deposition processes in a *Juncus roemerianus* marsh, west-central Florida. *Journal of Coastal Research* **11**, 322–36.
- Letcher, S.G. and Chazdon, R.L. (2009) Rapid recovery of biomass, species richness, and species composition in a forest chronosequence in northeastern Costa Rica. *Biotropica* **41**, 608–17.
- Levin, D.A., Francisco Ortega, J. and Jansen, R.K. (1996) Hybridization and the extinction of rare plant species. *Conservation Biology* **10**, 10–6.
- Levine, J., Brewer, S. and Bertness, M.D. (1998) Nutrient competition and plant zonation in a New England salt marsh. *Journal of Ecology* **86**, 285–92.
- Levine, J.M., Vila, M., D'Antonio, C.M. *et al.* (2003) Mechanisms underlying the impacts of exotic plant invasions. *Proceedings of the Royal Society of London Series B-Biological Sciences* **270**, 775–81.
- Levine, R.S., Yanarella, E.J., Dumreicher, H. and Broyles, T. (2010) *The Sustainable Area Budget: Beyond Sustainability Indicators*. CSC Design Studio, Lexington. http://www.cscdesignstudio.com/r_beyondsusind.html
- Levins, R. (1969) Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bulletin of the Entomological Society of America* **15**, 237–40.
- Li, R. and Fischer, A. (2006) The Loess Plateau in China: Facts & Figures, Challenges & Responses. In: *The Loess Plateau in Central China: Ecological Restoration and Management* (ed. A. Fischer, K.G. Saxena and R. Li), pp. 50–61. ERSEC – Ecological Book Series 3. Tsinghua University Press and Springer, New York.
- Lichter, J. (2000) Colonization constraints during primary succession on coastal Lake Michigan sand dunes. *Journal of Ecology* **88**, 825–89.
- Limpens, J., Berendse, F. and Klees, H. (2003) N-deposition affects N availability in interstitial water, growth of *Sphagnum* and invasion of vascular plants in bog vegetation. *New Phytologist* **157**, 339–47.
- Lindbladh, M., Brunet, J., Hannon, G. *et al.* (2007) Forest history as a basis for ecosystem restoration: a multidisciplinary case study in a south Swedish temperate landscape. *Restoration Ecology* **15**, 284–95.
- Lindell, C.A. (2008) The value of animal behavior in evaluations of restoration success. *Restoration Ecology* **16**, 197–203.
- Lindeman, R.L. (1942) The trophic-dynamic aspect of ecology. *Ecology* **23**, 399–418.
- Lindenmayer, D., Hobbs, R.J., Montague-Drake, R. *et al.* (2008) A checklist for ecological management of landscapes for conservation. *Ecology Letters* **11**, 78–91.
- Lindholm, T. and Heikkilä, R. (2005) Mires in Finland, their utilization and conservation. In: *Mires, from Siberia to Tierra del Fuego* (ed. G.M. Steiner). *Stapfia* **85**, 233–46.
- Linnell, J.D.C., Breitenmoser, U., Breitenmoser-Wursten, Odden, J. and Von Arx, M. (2009) Recovery of Eurasian lynx in Europe: what part has reintroduction played? In: *Reintroduction of Top-Order Predators* (ed. M.W. Hayward and M.J. Somers), pp. 72–91. Blackwell Publishing, Oxford.
- Loik, M.E. and Holl, K.D. (1999) Photosynthetic responses to light for rainforest seedlings planted in abandoned pasture, Costa Rica. *Restoration Ecology* **7**, 382–91.
- Lomolino, M.V. and Channell, R. (1998) Range collapse, reintroductions, and biogeographic guidelines for conservation. *Conservation Biology* **12**, 481–4.

- Loomis, J., Kent, P., Strange, L., Frausch, K. and Covich, A. (2000) Measuring the total economic value of restoring ecosystem services in an impaired river basin: results from a contingent valuation survey. *Ecological Economics* **33**, 103–117.
- Loreau, M., Naeem, S. and Inchausti, P. (eds.) (2002) *Biodiversity and Ecosystem Functioning: Synthesis and Perspectives*. Oxford University Press, Oxford.
- Lorimer, E., Oetlé, N. and Urquhart, P. (2009) Desertification and climate change: linkages, synergies and challenges. http://www.drynet.org/uploaded_files/090827_Position_Paper_TOC_Desertification_and_climate_chan.pdf access 4/19/10
- Losvik, M.H. and Austad, I. (2002) Species introduction through seeds from an old, species-rich meadow: effects of management. *Applied Vegetation Science* **5**, 185–94.
- Lowe, P., Whitman, G. and Phillipson, J. (2009) Ecology and the social sciences. *Journal of Applied Ecology* **46**, 297–305.
- Lubell, M. and Fulton, A. (2007) Local diffusion networks act as pathways to sustainable agriculture in the Sacramento River Valley. *California Agriculture* **61**, 131–7.
- Lucassen, E.C.H.E.T., Smolders, A.J.P., van de Crommenacker, J. and Roelofs, J.G.M. (2004) Effects of stagnating sulphate-rich water on the mobility of phosphorus in freshwater wetlands: a field experiment. *Archiv für Hydrobiologie* **160**, 117–31.
- Ludwig, J.A., Tongway, D.J. and Marsden, S.G. (1999) Stripes, strands or stipples: modelling the influence of three landscape banding patterns on resource capture and productivity in semi-arid woodlands, Australia. *Catena* **37**, 257–73.
- Luken, J.O. (1990) *Directing Ecological Succession*. Chapman & Hall, London.
- Lundberg, P., Ranta, E. and Kaitala, V. (2000) Species loss leads to community closure. *Ecology Letters* **3**, 465–8.
- MacArthur, R.H. and Wilson, E.O. (1967) *The Theory of Island Biogeography*. Princeton University Press, Princeton.
- MacDougall, A.S. and Turkington, R. (2005) Are invasive species the drivers or passengers of change in degraded ecosystems? *Ecology* **86**, 42–55.
- MacDougall, A.S., Wilson, S.D. and Bakker, J.D. (2008) Climatic variability alters the outcome of long-term community assembly. *Journal of Ecology* **96**, 346–54.
- MacDougall, A.S., Gilbert, B. and Levine, J.M. (2009) Plant invasions and the niche. *Journal of Ecology* **97**, 609–15.
- Macedo, M.O., Resende, A.S., Garcia, P.C. *et al.* (2008) Changes in soil C and N stocks and nutrient dynamics 13 years after recovery of degraded land using leguminous nitrogen-fixing trees. *Forest Ecology and Management* **255**, 1516–24.
- Macklin, M.J. and Lewin, J. (1997) Channel, floodplain and drainage basin response to environmental change. In: *Applied Fluvial Geomorphology for River Engineering and Management* (ed. C.R. Thorne, R.D. Hey and M.D. Newson), pp. 14–45. John Wiley & Sons Ltd, Chichester.
- MacMahon, J.A. and Holl, K. (2001) Ecological restoration: a key to conservation biology's future. In: *Research Priorities in Conservation Biology* (ed. M.E. Soulé and G. Orians), pp. 245–69. Island Press, Washington, DC.
- Maestre, F.T. and Cortina, J. (2004) Do positive interactions increase with abiotic stress? A test from a semi-arid steppe. *Biology Letters (Proc. Royal Soc. London suppl.)* **271**, S331–3.
- Maestre, F.T., Cortina, J., Bautista, S., Bellot, J. and Vallejo, V.R. (2003a) Small-scale environmental heterogeneity and spatio-temporal dynamics of seedling establishment in a semiarid degraded ecosystem. *Ecosystems* **6**, 630–43.
- Maestre, F.T., Cortina, J., Bautista, S. and Bellot, J. (2003b) Does *Pinus halepensis* facilitate the establishment of shrubs in Mediterranean semi-arid afforestations? *Forest Ecology and Management* **176**, 147–60.
- Maestre, F.T., Callaway, R.M., Valladares, F. and Lortie, C.J. (2009) Refining the stress-gradient hypothesis for competition and facilitation in plant communities. *Journal of Ecology* **97**, 199–205.
- Mainstone, C. and Holmes, N. (2010) Embedding a strategic approach to river restoration in operation management processes: experiences in England. *Aquatic Conservation: Marine and Freshwater Ecosystems* **20**, S82–96.
- Malaval, S. (2006) Revegetation with site-specific species in the French Pyrenees mountains. In: *Soil Bioengineering: Ecological Restoration with Site-specific Plant and Seed Material* (ed. B. Krautzer and E. Hacker), pp. 197–200. Conference Proceedings, HBLFA Raumberg-Gumpenstein, Irnding.
- Malaval, S., Lauga, B., Regnault-Roger, C. and Largier, G. (2009) Combined definition of seed transfer guidelines for ecological restoration in the French Pyrenees. *Applied Vegetation Science* **13**, 113–24.
- Malmer, N. and Wallén, B. (1993) Accumulation and release of organic matter in ombrotrophic bog hummocks: processes and regional variation. *Ecography* **16**, 193–211.
- Maltby, E. (2009) Re-establishment of wetland functioning. In: *The Wetlands Handbook* (ed. E. Maltby and T. Barker), pp. 721–8. Blackwell Publishing, Oxford.
- Manel, S., Schwartz, M.K., Luikart, G. and Taberlet, P. (2003) Landscape genetics: combining landscape ecology and population genetics. *Trends in Ecology & Evolution* **18**, 189–97.
- Mansourian, S., Vallauri, D. and Dudley, N. (eds.) (2005) *Forest Restoration in Landscapes: Beyond Planting Trees*. Springer, New York.
- Marchante, E., Kjoller, A., Struwe, S. and Freitas, H. (2008) Invasive *Acacia longifolia* induce changes in the microbial catabolic diversity of sand dunes. *Soil Biology & Biochemistry* **40**, 2563–8.
- Marchante, E., Kjoller, A., Struwe, S. and Freitas, H. (2009) Soil recovery after removal of the N₂-fixing invasive *Acacia longifolia*: consequences for ecosystem restoration. *Biological Invasions* **11**, 813–23.

- Marchante, H.S., Marchante, E.M., Buscardo, E. *et al.* (2004) Recovery potential of dune ecosystems invaded by an exotic *Acacia* species (*Acacia longifolia*). *Weed Technology* **18**, 1427–33.
- Marin-Spiotta, E., Cusack, D.E., Ostertag, R. and Silver, W.L. (2008) Trends in above and belowground carbon with forest regrowth after agricultural abandonment in the neotropics. In: *Post-Agricultural Succession in the Neotropics* (ed. R. Myster), pp. 22–72. Springer, New York.
- Margules, C.R. and Pressey, R.L. (2000) Systematic conservation planning. *Nature* **405**, 243–53.
- Markart, G., Kohl, B. and Zanetti, P. (1997) Runoff caused by heavy rainfall: runoff generation on wooded, grazed and wet areas. *Centralblatt für das gesamte Forstwesen* **114**, 123–44.
- Marris, E. (2009) Ragamuffin Earth. *Nature* **460**, 450–2.
- Marris, R.H. (1993) Soil fertility and nature conservation in Europe: theoretical considerations and practical management solutions. *Advances in Ecological Research* **24**, 241–300.
- Marris, R.H. (2002) Manipulating the chemical environment of the soil. In: *Handbook of Ecological Restoration*, vol. 1 (ed. M.R. Perrow and A.J. Davy), pp. 155–83. Cambridge University Press, Cambridge.
- Marris, R.H., Snow, C.S.R., Owen, K.M. and Evans, C.E. (1998) Heathland and acid grassland creation on arable soils at Minsmere: identification of potential problems and a test of cropping to impoverish soils. *Biological Conservation* **85**, 69–82.
- Martin, G. (2003) *Domesday Book: A Complete Translation*. Penguin Books, London.
- Martinez, D. (2010) Welcome to the Indigenous People's Restoration Network Web Resource Center, Washington. <http://www.ser.org/iprn/founder.asp>
- Martínez García, F.J., Martínez García, J.J., Masiá, R. and Cabanes, S. (1996) La restauración hidrológico-forestal de la Sierra de Espuña. *Montes* **43**, 9–11.
- Martínez-Garza, C. and Howe, H.F. (2003) Restoring tropical diversity: beating the time tax on species loss. *Journal of Applied Ecology* **40**, 423–9.
- Mascaro, J., Becklund, K.K., Hughes, R.F. and Schnitzer, S.A. (2008) Limited native plant regeneration in novel, exotic-dominated forests on Hawai'i. *Forest Ecology and Management* **256**, 593–606.
- Maschinski, J. (2006) Implications of population dynamic and metapopulation theory for restoration. In: *Foundations of Restoration Ecology* (ed. D.A. Falk, M.A. Palmer and J.B. Zedler), pp. 59–87. Island Press, Washington, DC.
- Mascia, M.B., Brosius, J.P., Dobson, T.A. *et al.* (2003) Conservation and the social sciences. Editorial. *Conservation Biology* **17**, 649–50.
- Mason, C.F. (2002) *Biology of Freshwater Pollution*, 4th edn. Pearson Education Limited, Essex.
- Matthews, J.W., Spyreas, G. and Endress, A.G. (2009a) Trajectories of vegetation-based indicators used to assess wetland restoration progress. *Ecological Applications* **19**, 2093–107.
- Matthews, J.W., Peralta, A.L., Flanagan, D.N. *et al.* (2009b) Relative influence of landscape vs. local factors on plant community assembly in restored wetlands. *Ecological Applications* **19**, 2108–23.
- Mawdsley, J.R., O'Malley, R. and Ojima, D.S. (2009) A review of climate-change adaptation strategies for wildlife management and biodiversity conservation. *Conservation Biology* **23**, 1080–9.
- Max-Neef, M.A. (2005) Foundations of transdisciplinarity. *Ecological Economics* **53**, 5–16.
- May, R.M. (1973) *Stability and Complexity in Model Ecosystems*. Princeton University Press, Princeton.
- McCallum, H. and Dobson, A. (2002) Disease, habitat fragmentation and conservation. *Proceedings of the Royal Society of London Series B – Biological Sciences* **269**, 2041–9.
- McCann, K.S. (2000) The diversity–stability debate. *Nature* **405**, 228–33.
- McCarthy, T.S. and Ellery, W.N. (1998) The Okavango Delta. *Transactions of the Royal Society of South Africa* **53**, 157–82.
- McCown, R.L. (1973) An evaluation of the influence of available soil water storage capacity on growing season length and yield of tropical pastures using simple water balance models. *Agricultural Meteorology* **11**, 53–63.
- McDonald, A.W. (2001) Succession during the re-creation of a flood-meadow 1985–1999. *Applied Vegetation Science* **4**, 167–76.
- McDonald, A.W., Bakker, J.P. and Vegelin, K. (1996) Seed bank classification and its importance for the restoration of species-rich flood-meadows. *Journal of Vegetation Science* **7**, 157–64.
- McIntyre, S. and Hobbs, R. (1999) A framework for conceptualizing human effects on landscapes and its relevance to management and research models. *Conservation Biology* **13**, 1282–92.
- McKay, J.K. and Latta, R.G. (2002) Adaptive population divergence: markers, QTL and traits. *Trends in Ecology & Evolution* **17**, 285–91.
- McKay, J.K., Christian, C.E., Harrison, S. and Rice, K.J. (2005) 'How local is local?' A review of practical and conceptual issues in the genetics of restoration. *Restoration Ecology* **13**, 432–40.
- McKendrick, J.D. (1991) Arctic tundra rehabilitation: observations of progress and benefits to Alaska. *Agroborealis* **23**, 29–40.
- McKendrick, J.D. (1997) Long-term tundra recovery in northern Alaska. In: *Disturbance and Recovery in Arctic Lands, an Ecological Perspective* (ed. R.M.M. Crawford), pp. 503–18. Kluwer Academic Publishers, Dordrecht.
- McKendrick, J.D. (1999) Wildlife and vegetation find habitat niches on oil field gravel pad. *Agroborealis* **31**, 36–8.
- McKendrick, J.D. (2000) Vegetative responses to disturbance. In: *The Natural History of an Arctic Oil Field: Development and*

- the Biota* (ed. J.C. Truett and S.R. Johnson), pp. 35–56. Academic Press, San Diego.
- McKendrick, J.D. and Mitchell, W.W. (1978) Fertilizing and seeding of oil-damaged arctic tundra to effect vegetation recovery Prudhoe Bay, Alaska. *Arctic* **31**, 296–304.
- McKendrick, J.D., Wilkenson, R.C. and Senner, R.G.B. (1997) Tundra plant succession and vascular plant species diversity. *Agroborealis* **29**, 28–30.
- McLachlan, J.S., Hellmann, J.J. and Schwartz, M.W. (2007) A framework for debate of assisted migration in an era of climate change. *Conservation Biology* **21**, 297–302.
- McQueen, D.J., Post, J.R. and Mills, E.L. (1986) Trophic relationships in freshwater pelagic ecosystems. *Canadian Journal of Fisheries and Aquatic Sciences* **43**, 1571–81.
- Meadows, D.H. (2008) *Thinking in Systems*. Chelsea Green Publishing Company, White River Junction, VT.
- Mealor, B.A. and Hild, A.L. (2006) Potential selection in native grass populations by exotic invasion. *Molecular Ecology* **15**, 2291–2300.
- Mealor, B.A. and Hild, A.L. (2007) Post-invasion evolution of native plant populations: a test of biological resilience. *Oikos* **116**, 1493–1500.
- Meffe, G.K. (1995) Genetic and ecological guidelines for species reintroduction programs: application to Great Lakes fishes. *Journal of Great Lakes Research* **21**, 3–9.
- Meijer, M.L. (2000) Biomanipulation in the Netherlands: 15 years of experience. PhD thesis, Wageningen University.
- Meli, P. (2003) Tropical forest restoration: twenty years of academic research. *Interciencia* **28**, 581–9.
- Menezes, S., Baird, D.J. and Soares, M.V.M. (2010) Beyond taxonomy: a review of macroinvertebrate trait-based community descriptors as tools for freshwater biomonitoring. *Journal of Applied Ecology* **47**, 711–9.
- Menges, E.S. (2000) Population viability analyses in plants: challenges and opportunities. *Trends in Ecology & Evolution* **15**, 51–6.
- Menzel, A. and Fabian, P. (1999) Growing season extended in Europe. *Nature* **397**, 659.
- Merton, R.K. (1973) The normative structure of science. In: *The Sociology of Science* (ed. R.K. Merton), pp. 267–78. University of Chicago Press, Chicago.
- Miceli-Méndez, C.L., Ferguson, B.G. and Ramírez-Marcial, N. (2008) Seed dispersal by cattle: natural history and applications to neotropical forest restoration and agroforestry. In: *Post-Agricultural Succession in the Neotropics* (ed. R. Myster), pp. 165–91. Springer, New York.
- Middelkoop, H. and van Haselen, C.O.G. (1999) *Twice a River: Rhine and Meuse in the Netherlands*. National Institute for Inland Water Management and Waste Water Treatment (RIZA), Lelystad.
- Middleton, B. (2000) Hydrochory, seed banks, and regeneration dynamics along the landscape boundaries of a forested wetland. *Plant Ecology* **146**, 169–84.
- Middleton, B., Grootjans, A.P., Jensen, K., Olde Venterink, H. and Katalin Margóczy, K. (2006) Fen management and research perspectives: an overview. *Ecological Studies* **191**, 247–68.
- Millennium Ecosystem Assessment (MA) (2005) *Ecosystems and Human Well-being: General Synthesis*. Island Press, Washington, DC. <http://www.maweb.org/en/index.aspx>
- Mills, A.J. and Cowling, R.M. (2006) Rate of carbon sequestration at two thicket restoration sites in the Eastern Cape, South Africa. *Restoration Ecology* **14**, 38–49.
- Mills, A.J., Turpie, J., Cowling, R.M. *et al.* (2007) Assessing costs, benefits and feasibility of subtropical thicket restoration in the Eastern Cape, South Africa. In: *Restoring Natural Capital: Science, Business and Practice* (ed. J. Aronson, S.J. Milton and J. Blignaut), pp. 179–87. Island Press, Washington, DC.
- Mills, A.J., Blignaut, J.N., Cowling, R.M., *et al.* (2010) *Investing in Sustainability: Restoring Degraded Thicket, Creating Jobs, Capturing Carbon and Earning Green Credit*. Climate Action Partnership, Cape Town, and Wilderness Foundation, Port Elizabeth, South Africa.
- Milton, S.J., Dean, W.R.J. and Richardson, D.M. (2003) Economic incentives for restoring natural capital: trends in southern African rangelands. *Frontiers in Ecology and the Environment* **1**, 247–54.
- Ministry of Forests (2003) *Old Growth Forests: British Columbia, Canada*. Ministry of Forests Fact Sheet January. <http://www.growingtogether.ca>
- Minnich, R.E. (2008) *California's Fading Flowers: Lost Legacy and Biological Invasions*. University of California Press, Berkeley.
- Minteer, B.A. and Collin, J.P. (2010) Move it or lose it? The ecological ethics of relocating species under climate change. *Ecological Applications* **20**, 1801–4.
- Miriti, M.N. (1998) Regeneração florestal em pastagens abandonadas na Amazônia Central: competição, predação, e disperso de sementes. In: *Floresta Amazônica: dinâmica, regeneração e manejo* (ed. C. Gascon and P. Moutinho), pp. 179–91. Instituto Nacional de Pesquisa da Amazônia, Manaus.
- Mitchell, R.J., Auld, M.H.D., Le Duc, M.G. and Marrs, R.H. (2000) Ecosystem stability and resilience: a review of their relevance for the conservation management of lowland heaths. *Perspectives in Plant Ecology, Evolution and Systematics* **3**, 142–60.
- Mitlacher, K., Poschlod, P., Rosén, E. and Bakker, J.P. (2002) Restoration of wooded meadows – comparative analysis along a chronosequence on Öland (Sweden). *Applied Vegetation Science* **5**, 63–74.
- Mitroff, I.I. and Silvers, A. (2009) *Dirty Rotten Strategies: How We Trick Ourselves and Others into Solving the Wrong Problems Precisely*. Stanford University Press, Stanford.
- Mittelbach, G.G., Steiner, C., Scheiner, S.M. *et al.* (2001) What is the observed relationship between species richness and productivity? *Ecology* **82**, 2381–96.
- Money, R.P., Wheeler, B.D., Baird, A.J. and Heathwaite, A.L. (2009) Replumbing wetlands: managing water for the

- restoration of bogs and fens. In: *The Wetlands Handbook* (ed. E. Maltby and T. Barker), pp. 755–79. Blackwell Publishing, Oxford.
- Montalvo, A.M., Williams, S.L., Rice, K.J. *et al.* (1997) Restoration biology: a population biology perspective. *Restoration Ecology* **5**, 277–90.
- Mooij, W.M., Hülsmann, S., De Senerpont Domis, L.N. *et al.* (2005) The impact of climate change on lakes in the Netherlands: a review. *Aquatic Ecology* **39**, 381–400.
- Moore, K.A. and Elmendorf, S.C. (2006) Propagule vs. niche limitation: untangling the mechanisms behind plant species' distributions. *Ecology Letters* **9**, 797–804.
- Morales, C.L. and Traveset, A. (2009) A meta-analysis of impacts of alien vs. native plants on pollinator visitation and reproductive success of co-flowering native plants. *Ecology Letters* **12**, 716–28.
- Moran, E.F., Brondizio, E.S., Tucker, J.M. *et al.* (2000) Effects of soil fertility and land-use on forest succession in Amazonia. *Forest Ecology and Management* **139**, 93–108.
- Morrison, M. (2009) *Restoring Wildlife: Ecological Concepts and Practical Applications*. Island Press, Washington, DC.
- Morrison, E.B., Lindell, C.A., Holl, K.D. and Zahawi, R.A. (2010) Patch size effects on avian foraging behaviour: implications for tropical forest restoration design. *Journal of Applied Ecology* **47**, 130–8.
- Mortimer, S.R., Hollier, J.A. and Brown, V.K. (1998) Interactions between plant and insect diversity in the restoration of lowland calcareous grasslands in southern Britain. *Applied Vegetation Science* **1**, 101–14.
- Moss, B. (1998) Shallow lakes, biomanipulation and eutrophication. *Scope News Letter* **29**, 1–45.
- Moss, B., Madgwick, J. and Phillips, G. (1996) *A Guide to the Restoration of Nutrient-enriched Shallow Lakes*. Broads Authority. Environment Agency and EU Life Programme, Norwich.
- Mossman, H.L., Brown, M.J.H., Davy, A.J. and Grant, A. (2011) Constraints on salt marsh development following managed coastal realignment: dispersal limitation or environmental tolerance? *Restoration Ecology* **19**. Early online: doi:10.1111/j.1526-100X.2010.00745.x
- Mouissie, A.M. (2004) Seed dispersal by large herbivores. PhD thesis, University of Groningen.
- Mouissie, A.M., van der Veen, C.E.J., Veen, G.F. and van Diggelen, R. (2005a) Ecological correlates of seed survival after ingestion by Fallow Deer. *Functional Ecology* **19**, 284–90.
- Mouissie, A.M., Lengkeek, W. and van Diggelen, R. (2005b) Estimating adhesive seed-dispersal distances: field experiments and correlated random walks. *Functional Ecology* **19**, 478–86.
- Muir, P.S., Mattingly, R.L., Tappeiner II, J.C. *et al.* (2002) *Managing for Biodiversity in Young Douglas-fir Forests of Western Oregon*. Geological Survey, Biological Resources Division, Biological Science Report USGS/BRD/BSR–2002–0006. US Geological Survey, Washington, DC.
- Müller-Motzfeld, G. (1997) Renaturierung eines Überflutungsgrünlandes an der Ostseeküste. *Schriftenreihe für Landschaftspflege und Naturschutz* **54**, 239–63.
- Munoz-Erickson, T.A., Aguilar-Gonzales, B. and Sisk, T.D. (2007) Linking ecosystem health indicators and collaborative management: a systematic framework to evaluate ecological and social outcomes. *Ecology and Society* **12**(2), 6. <http://www.ecologyandsociety.org/vol12/iss2/art6>
- Murcia, C. (1997) Evaluation of Andean alder as a catalyst for the recovery of tropical cloud forests in Colombia. *Forest Ecology and Management* **99**, 163–70.
- Murcia, C., Aronson, J., Kattan, G., Dixon, K. and Simberloff, D. (In press) Novel ecosystems: the new normal? *Nature*.
- Murdoch, W.W. (1966) 'Community structure, population control and competition' – A critique. *The American Naturalist* **100**, 219–26.
- Musil, C.F. (1993) Effect of invasive Australian acacias on the regeneration, growth and nutrient chemistry of South African lowland fynbos. *Journal of Applied Ecology* **30**, 361–72.
- Nabhan, G.P. (1979) The ecology of floodwater farming in arid southwestern North America. *Agro-Ecosystems* **5**, 245–55.
- Nabhan, G.P., Rea, A.M., Reichardt, K.L., Melink, E. and Hutchinson, C.F. (1982) Papago influence on habitat and biotic diversity: quitovac oasis ethnocoecology. *Journal of Ethnoecology* **2**, 124–43.
- Naeem, S., Loreau, M. and Inchausti, P. (2002) Biodiversity and ecosystem functioning: the emergence of a synthetic ecological framework. In: *Biodiversity and Ecosystem Functioning: Synthesis and Perspectives* (ed. M. Loreau, S. Naeem and P. Inchausti), pp. 3–11. Oxford University Press, Oxford.
- Napper, C. (2006) *Burned Area Emergency Response Treatments Catalog*. USDA Forest Service San Dimas Technology and Development Center, San Dimas, CA.
- Nathan, R. (2006) Long-distance dispersal of plants. *Science* **313**, 786–8.
- National Forest and Nature Agency (1999) *The Skjerne River Restoration Project*. Danish Ministry of the Environment and Energy, Copenhagen.
- National Research Council (NRC) (1974) Rehabilitation potential of western coal lands. Ballinger Publishing Co., Cambridge.
- National Research Council (NRC) (1992) *Committee on 'Restoration of Aquatic Ecosystems-Science, Technology and Public Policy'*. National Research Council USA, National Academy Press, Washington, DC. <http://www.nap.edu/openbook.php?isbn=0309045347>
- National Research Council (NRC) (2005) *Valuing Ecosystem Services: Toward Better Environmental Decision-Making*. National Academies Press, Washington, DC.
- Nature Conservancy (2010) Vegetation departure calculator for the contiguous United States. <http://tncfire.org/AssessingVegetationConditions.htm>

- NatureServe (2010) *NatureServe Explorer: An Online Encyclopedia of Life* [web application], v. 7.1. NatureServe, Arlington, VA. <http://www.natureserve.org/explorer>
- Naveh, Z. (1989) Neot Kedumim. *Restoration and Management Notes* **7**, 9–13.
- Neilson, R.P., Pitelka, L.F., Solomon, A.M. *et al.* (2005) Forecasting regional to global plant migration in response to climate change. *BioScience* **55**, 749–59.
- Nel, J.L., Richardson, D.M., Rouget, M. *et al.* (2004) A proposed classification of invasive alien plant species in South Africa: towards prioritizing species and areas for management action. *South African Journal of Science* **100**, 53–64.
- Nepstad, D., Uhl, C. and Serrao, E.A. (1990) Surmounting barriers to forest regeneration in abandoned, highly degraded pastures: a case study from Paragominas, Pará, Brazil. In: *Alternatives to Deforestation: Steps toward Sustainable Use of the Amazon Rain Forest* (ed. A.B. Anderson), pp. 215–29. Columbia University Press, New York.
- Nepstad, D.C., Stickler, C.M., Soares, B. and Merry, F. (2008) Interactions among Amazon land use, forests and climate: prospects for a near-term forest tipping point. *Philosophical Transactions of the Royal Society B – Biological Sciences* **363**, 1737–46.
- Neñhöver, C., Aronson, J., Blignaut, J.N. *et al.* (2011) Investing in ecological infrastructure. In: *The Economics of Ecosystems and Biodiversity in National and International Policy Making* (ed. P. ten Brink), pp. 401–48. Earthscan, London.
- Neutel, A.M., Heesterbeek, J.A.P., van de Koppel, J. *et al.* (2007) Reconciling complexity with stability in naturally assembling food webs. *Nature* **449**, 599–602.
- Newman, D. and Pilson, D. (1997) Increased probability of extinction due to decreased genetic effective population size: experimental populations of *Clarkia pulchella*. *Evolution* **51**, 354–62.
- Newman, D. and Tallmon, D.A. (2001) Experimental evidence for beneficial fitness effects of gene flow in recently isolated populations. *Conservation Biology* **15**, 1054–63.
- Newton, A. and Featherstone, A.W. (2005) In: *Forest Restoration in Landscapes: Beyond planting trees* (ed. S. Mansourian, D. Vallauri and N. Dudley), pp. 320–26. Springer, New York.
- Nicol, S.C. and Possingham, H.P. (2010) Should metapopulation restoration strategies increase patch area or number of patches? *Ecological Applications* **20**, 566–81.
- Nieminen, M., Singer, M.C., Fortelius, W., Schops, K. and Hanski, I. (2001) Experimental confirmation that inbreeding depression increases extinction risk in butterfly populations. *The American Naturalist* **157**, 237–44.
- Nienhuis, P.H. and Gulati, R.D. (2002) Ecological restoration of aquatic and semi-aquatic ecosystems in the Netherlands: an introduction. *Hydrobiologia* **478**, 1–6.
- Niering, W.A. (1997) Tidal wetlands restoration and creation along the east coast of North America. In: *Restoration Ecology and Sustainable Development* (ed. K.M. Urbanska, N.R. Webb and P.J. Edwards), pp. 259–85. Cambridge University Press, Cambridge.
- Nijland, H.J. and Cals, M.J.R. (2001) *River Restoration in Europe – Practical Approaches*. Proceedings of the 2000 River Restoration Conference, RIZA, Wageningen.
- Nilsson, C., Gardfjell, M. and Grelsson, G. (1991) Importance of hydrochory in structuring plant communities along rivers. *Canadian Journal of Botany* **69**, 2631–3.
- Nilsson, M.-C., Gallet, C. and Wallstedt, A. (1998) Temporal variability of phenolics and batatasin-III in *Empetrum hermaphroditum* leaves over an eight-year period: interpretations of ecological function. *Oikos* **81**, 6–16.
- Noakes, D.L. and Curry, R.A. (1995) Lessons to be learned from attempts to restore *Salvelinus* species other than *S. namaycush*: a review of reproductive behavior. *Journal of Great Lakes Research* **21**, 54–64.
- Noël, F., Prati, D., van Kleunen, M. *et al.* (2011) Establishment success of 25 rare wetland species introduced into restored habitats is best predicted by ecological distance to source habitats. *Biological Conservation* **144**, 602–609.
- Norton, D.A. (2009) Species invasions and the limits to restoration: learning from the New Zealand experience. *Science* **325**, 569–71.
- Noy-Meir, I. (1973) Desert ecosystems: environment and producers. *Annual Reviews of Ecology and Systematics* **4**, 25–51.
- Noy-Meir, I. (1975) Stability of grazing systems: an application of predator–prey graphs. *Journal of Ecology* **63**, 459–83.
- Noy-Meir, I. (1981) Spatial effects in modelling of ecosystems. In: *Arid-land Ecosystems: Structure, Functioning and Management*, vol. 2 (ed. D.W. Goodall and R.A. Perry), pp. 411–32. Cambridge University Press, Sydney.
- Oades, J.M. (1984) Soil organic matter and structural stability: mechanisms and implications for management. *Plant and Soil* **76**, 319–37.
- Oades, J.M. (1993) The role of biology in the formation, stabilization and degradation of soil structure. *Geoderma* **56**, 377–400.
- Obedzinski, R.A. (2001) Declining woody vegetation in riparian ecosystems of the Western United States. *Western Journal of Applied Forestry* **16**, 169–81.
- O'Brien, S.J. and Evermann, J.F. (1988) Interactive influence of infectious disease and genetic diversity in natural populations. *Trends in Ecology & Evolution* **3**, 254–9.
- Öckinger, E., Hammarstedt, O., Nilsson, S.G. and Smith, H.G. (2006) The relationship between local extinction of grassland butterflies and increased soil nitrogen levels. *Biological Conservation* **128**, 564–73.
- O'Grady, J.J., Brook, B.W., Reed, D.H. *et al.* (2006) Realistic levels of inbreeding depression strongly affect extinction risk in wild populations. *Biological Conservation* **133**, 42–51.
- O'Grady, M.F. (2001) Salmoid riverine habitat restoration in the Republic of Ireland. In: *River Restoration in Europe – Practical Approaches* (ed. H.J. Nijland and M.J.R. Cals), pp. 237–43. Proceedings of the 2000 River Restoration Conference, RIZA, Wageningen.

- Oksanen, L., Fretwell, S.D., Arruda, J. and Niemelä, P. (1981) Exploitation ecosystems in gradients of primary productivity. *The American Naturalist* **118**, 240–61.
- Olde Venterink, H., Wiegman, E., van der Lee, G.E.M. and Vermaat, J.E. (2003) Role of active floodplains for nutrient retention in the river Rhine. *Journal of Environmental Quality* **32**, 1430–5.
- Oleszczuk, R., Regina, K., Szajdak, L., Höper, H. and Maryganova, V. (2008) Impacts of agricultural utilization of peat soils on the greenhouse balance. In: *Peatlands and Climate Change* (ed. M. Strack), pp. 70–97. IPS, Helsinki.
- Oloff, H., de Leeuw, J., Bakker, J.P. *et al.* (1997) Vegetation succession and herbivory in a salt marsh: changes induced by sea-level rise and silt deposition along an elevational gradient. *Journal of Ecology* **85**, 799–814.
- Oloff, H., Vera, F.W.M., Bokdam, J. *et al.* (1999) Shifting mosaics in grazed woodlands driven by the alternation of plant facilitation and competition. *Plant Biology* **1**, 127–37.
- Oloff, H., Alonso, D., Berg, M.P. *et al.* (2009) Parallel ecological networks in ecosystems. *Philosophical Transactions of the Royal Society B* **364**, 1755–79.
- Olivieri, I., Michalakakis, Y. and Gouyon, P.H. (1995) Metapopulation genetics and the evolution of dispersal. *The American Naturalist* **146**, 202–28.
- Oost, A.P. and de Boer, P.L. (1994) Sedimentology and development of barrier islands, ebb-tidal deltas, inlets and back-barrier areas of the Dutch Wadden Sea. *Senckenbergiana Maritima* **24**, 65–115.
- Oostermeijer, J.B.G., van Eijck, M.W., van Leeuwen, N.C. and den Nijs, J.C.M. (1995) Analysis of the relationship between allozyme heterozygosity and fitness in the rare *Gentiana pneumonanthe* L. *Journal of Evolutionary Biology* **8**, 739–59.
- Opdam, P. (1991) Metapopulation theory and habitat fragmentation: a review of holarctic breeding bird studies. *Landscape Ecology* **5**, 93–106.
- Opdam, P., Verboom, J. and Pouwels, R. (2003) Landscape cohesion: an index for the conservation potential of landscapes for biodiversity. *Landscape Ecology* **18**, 113–26.
- Osborne, L.L. and D.A. Kovacic (1993) Riparian vegetated buffer strips in water quality restoration and stream management. *Freshwater Biology* **29**, 243–58.
- Österreichische Arbeitsgemeinschaft für Grünland (ÖAG) (2000) *Richtlinien für standortgerechte Begrünungen*. Österreichische Arbeitsgemeinschaft für Grünland Fachgruppe Saatgut. <http://www.saatbau.at/Renatura/richtlinien.html>
- Ouborg, N.J. and Biere, A. (2003) The relationship between plant-pathogen and plant-herbivore interactions and plant population persistence in a fragmented landscape. In: *Population Viability in Plants* (ed. C.A. Brigham and M.W. Schwartz), pp. 99–116. Springer, Berlin.
- Ouborg, N.J., Biere, A. and Mudde, C.L. (2000) Inbreeding effects on resistance and transmission-related traits in the *Silene-Microbotryum* pathosystem. *Ecology* **81**, 520–31.
- Ovalle, C., Aronson, J., Del Pozo, A., and Avendaño, J. (1999) Restoration and rehabilitation of mixed espinales in central Chile: 10-year report and appraisal. *Arid Soil Research and Rehabilitation* **13**, 369–81.
- Ozenda, P. (1988) *The Vegetation of the Alps*. Gustav Fischer Verlag, Stuttgart.
- Ozinga, W.A., van Andel, J. and McDonnell-Alexander, M.P. (1997) Nutritional soil heterogeneity and mycorrhiza as determinants of plant species diversity. *Acta Botanica Neerlandica* **46**, 237–54.
- Ozinga, W.A., Römermann, C., Bekker, R.M. *et al.* (2009) Dispersal failure contributes to plant losses in NW Europe. *Ecology Letters* **11**, 66–74.
- Pearl, H.W. and Huisman, J. (2008) Blooms like it hot. *Science* **320**, 57–8.
- Page, S., Siegert, F., Rieley, J.O. *et al.* (2002) The amount of Carbon released from peat and forest fires in Indonesia during 1997. *Nature* **420**, 61–5.
- Pahl-Wostl, C. (2007) Requirements for adaptive water management. In: *Coping with Complexity and Uncertainty* (ed. C. Pahl-Wostl, P. Kabat and J. Möltgen), pp. 1–22. Springer Verlag, New York.
- Paine, R.T. (1966) Food web complexity and species diversity. *The American Naturalist* **100**, 65–75.
- Paine, R.T. (1980) Food webs: linkage, interaction strength and community infrastructure. *Journal of Animal Ecology* **49**, 667–85.
- Pakalne, M. and Kalnina, L. (2005) Mire ecosystems of Latvia. *Stapfia* **85**, 147–74.
- Palmer, M.A., Bernhardt, E.S., Allan, J.D. *et al.* (2005) Standards for ecologically successful river restoration. *Journal of Applied Ecology* **42**, 208–17.
- Palmer, M.A., Liermann, C.A., Nilsson, C. *et al.* (2008) Climate change and the world's river basins: anticipating management options. *Frontiers in Ecology and the Environment* **6**, 81–9.
- Parker, V.T. (1997) The scale of successional models and restoration objectives. *Restoration Ecology* **5**, 301–6.
- Parker, I.M., Simberloff, D., Lonsdale, W.M. *et al.* (1999) Impact: toward a framework for understanding the ecological effects of invaders. *Biological Invasions* **1**, 3–19.
- Partl, C. (2006) Saatstärke und Düngung im Rahmen standortgerechter Hochlagenbegrünungen. In: *Bericht ALVA Jahrestagung 2006*, pp. 78–81. Conference Proceedings, ALVA, Vienna. <http://www.alva.at/upload/Publikationen/Tagungsband/ALVATagungsband2006.pdf>
- Partridge, K., Jackson, C., Wheeler, D. and Zohar, A. (2005) *The Stakeholder Engagement Manual*. UNEP/Accountability, Nairobi.
- Parviainen, J. (2009) Nachhaltige Waldbewirtschaftung und steigende Ansprüche der Gesellschaft in Europa. In: *Management zukunftsfähige Waldnutzung* (ed. O. Thees and R. Lemm), pp. 649–74. Eidgenössische Forschungsanstalt für Wald, Schnee und Landschaft, Birmensdorf.

- Paschke, M., Abs, C. and Schmid, B. (2002) Relationship between population size, allozyme variation, and plant performance in the narrow endemic *Cochlearia bavarica*. *Conservation Genetics* **3**, 131–44.
- Paula, S., Arianoutsou, M., Kazanis, D. *et al.* (2009) Fire-related traits for plant species of the Mediterranean Basin. *Ecology* **90**, 1420.
- Pausas, J.G. and Vallejo, R. (2008) Bases ecológicas para convivir con los incendios forestales en la Región Mediterránea – decálogo. *Ecosistemas* **17**, 128–9.
- Pausas, J.G. and Keeley, J.E. (2009) A burning story: the role of fire in the history of life. *BioScience* **59**, 593–601.
- Pausas, J.G., Carbó, E., Caturla, R.N., Gil, J.M. and Vallejo, R. (1999) Post-fire regeneration patterns in the eastern Iberian Peninsula. *Acta Oecologica* **20**, 499–508.
- Pausas, J.G., Bladé, C., Valdecantos, A. *et al.* (2004) Pines and oaks in the restoration of Mediterranean landscapes of Spain: new perspectives for an old practice – a review. *Plant Ecology* **171**, 209–20.
- Pausas, J.G., Bonet, A., Maestre, F.T. and Climent, A. (2006) The role of the perch effect on the nucleation process in Mediterranean semi-arid oldfields. *Acta Oecologica* **29**, 346–52.
- Pavlik, B.M. (1996) Defining and measuring success. In: *Restoring Diversity: Strategies for Reintroduction of Endangered Plants* (ed. D. Falk, C.I. Millar and M. Olwell), pp. 127–55. Island Press, Washington, DC.
- Penning, W.E., Uittenbogaard, R., Ouboter, M. and van Donk, E. (2010) Local deepening of large shallow peat lakes: a measure to improve their ecological status. *Journal of Limnology* **69**, 126–37.
- Pentecost, A. (2005) *Travertine*. Springer-Verlag, Berlin.
- Peñuelas, J. and Boada, M. (2003) A global change-induced biome shift in the Montseny Mountains (NE Spain). *Global Change Biology* **9**, 131–40.
- Peratoner, G. (2003) Organic seed propagation of alpine species and their use in ecological restoration of ski runs in mountain regions. PhD dissertation, University of Kassel, Kassel University Press.
- Peratoner, G. (2006) Extreme sites and their restoration requirements in Arctic–alpine climatic regions. In: *Soil Bioengineering: Ecological Restoration with Site-specific Plant and Seed Material* (ed. B. Krautzer and E. Hacker), pp. 37–42. Conference Proceedings, HBLFA Raumberg-Gumpenstein, Irnding.
- Perry, L.G., Galatowitsch, S.M. and Rosen, C.J. (2004) Competitive control of invasive vegetation: a native wetland sedge suppresses *Phalaris arundinacea* in carbon-enriched soil. *Journal of Applied Ecology* **41**, 151–62.
- Peterson, C.J. and Haines, B.L. (2000) Early successional patterns and potential facilitation of woody plant colonization by rotting logs in premontane Costa Rican pastures. *Restoration Ecology* **8**, 361–9.
- Pétillon, J., Ysnel, E., Canard, A. and Lefeuvre, J.C. (2005) Impact of an invasive plant (*Elymus athericus*) on the conservation value of tidal salt marshes in western France and implications for management: responses of spider populations. *Biological Conservation* **126**, 103–17.
- Petraltis, P.S. and Latham, R.E. (1999) The importance of scale in testing the origins of alternative community states. *Ecology* **80**, 429–42.
- Petts, G. (1984) *Impounded Rivers: Perspectives for Ecological Management*. John Wiley & Sons Ltd, Chichester.
- Petts, G., Heathcote, J. and Martin, D. (2002) *Urban Rivers: Our Inheritance and Future*. IWA Publishing, Dorchester.
- Pflug, W. (1998) *Braunkohlentagebau und Rekultivierung. Landschaftsökologie – Folgenutzung – Naturschutz*. Springer, Berlin.
- Pfadenhauer, J. and Grootjans, A.P. (1999) Wetland restoration in Central Europe: aims and methods. *Applied Vegetation Science* **2**, 95–106.
- Phillimore, A.B., Hadfield, J.D., Jones, O.R. and Smithers, R.J. (2010) Differences in spawning date between populations of common frog reveal local adaptation. *Proceedings of the National Academy of Sciences USA* **107**, 8292–7.
- Phillips, G.L., Jackson, R., Bennet, C. and Chilvers, A. (1994) The importance of sediment phosphorus release in the restoration of very shallow lakes (the Norfolk Broads, England) and implications for biomanipulation. *Hydrobiologia* **275–6**, 445–56.
- Pickett, S.T.A., Kolasa, J., Armesto, J.J. and Collins, S.L. (1989) The ecological concept of disturbance and its expression at various hierarchical levels. *Oikos* **54**, 129–36.
- Pigliucci, M. (2001) *Phenotypic Plasticity: Beyond Nature and Nurture*. Johns Hopkins University Press, Baltimore.
- Pimm, S.L. (1984) The complexity and stability of ecosystems. *Nature* **307**, 321–6.
- Pimm, S.L. (1991) *The Balance of Nature*. University of Chicago Press, Chicago.
- Pimm, S.L. (2009) Climate disruption and biodiversity. *Current Biology* **19**, R595–R601.
- Pinkham, R. (2000) *Daylighting: New Life for Buried Streams*. Rocky Mountain Institute, Old Snowmass, CO.
- Pinter-Wollman, N., Isbell, L.A. and Hart, L.A. (2009) Assessing translocation outcome: comparing behavioral and physiological aspects of translocated and resident African elephants (*Loxodonta africana*). *Biological Conservation* **142**, 1116–24.
- Pomarol, M. (1994) Releasing Montagu's harrier (*Circus pygargus*) by the method of hacking. *Journal of Raptor Research* **28**, 19–22.
- Pommerening, A. and Murphy, S.T. (2004) A review of the history, definitions and methods of continuous cover forestry with special attention to afforestation and restocking. *Forestry* **77**, 27–44.
- Poschod, P. and Bonn, S. (1998) Changing dispersal processes in the central European landscape since the last ice age: an explanation for the actual decrease of plant species richness in different habitats? *Acta Botanica Neerlandica* **47**, 27–44.

- Poschlod, P., Bakker, J.P., Bonn, S. and Fischer, S. (1996) Dispersal of plants in fragmented landscapes. In: *Species Survival in Fragmented Landscapes* (ed. J. Settele, C.R. Margules, P. Poschlod and K. Henle), pp. 123–7. Kluwer Academic Publishers, Dordrecht.
- Post, E., Pedersen, C., Wilmers, C.C. and Forchhammer, M.C. (2008) Warming, plant phenology and the spatial dimension of trophic mismatch for large herbivores. *Proceedings of the Royal Society B – Biological Sciences* **275**, 2005–13.
- Postel, S. and Richter, B. (2003) *Rivers for Life: Managing Water for People and Nature*. Island Press, Washington, DC.
- Potthof, J., Herwig, B.R., Hanson, M.A. *et al.* (2008) Cascading food-web effects of piscivore introductions in shallow lakes. *Journal of Applied Ecology* **45**, 1170–9.
- Power, M.E. (1992) Top-down and bottom-up forces in food webs: do plants have primacy? *Ecology* **73**, 733–46.
- PPG 25 (2001) *Regions Planning Policy Guidance Notes: Development and Flood Risk*. DTLR, London.
- Prach, K., Bartha, S., Joyce, C.B. *et al.* (2001) The role of spontaneous vegetation succession in ecosystem restoration: a perspective. *Applied Vegetation Science* **4**, 111–4.
- Prell, C., Hubacek, K., Reed, M. *et al.* (2007) If you have a hammer everything looks like a nail: ‘traditional’ versus participatory model building. *Interdisciplinary Science Reviews* **32**, 1–19.
- Prentis, P.J., White, E.M., Radford, I.J. *et al.* (2007) Can hybridization cause local extinction: a case for demographic swamping of the Australian native *Senecio pinnatifolius* by the invasive *Senecio madagascariensis*? *New Phytologist* **176**, 902–12.
- Pretty, J. (2008) Agricultural sustainability: concepts, principles and evidence. *Philosophical Transactions of the Royal Society B: Biological Sciences* **363**, 447–65.
- Pretzsch, H. and Schütze, G. (2009) Transgressive overyielding in mixed compared with pure stands of Norway spruce and European beech in Central Europe: evidence on stand level and explanation on individual tree level. *European Journal of Forest Research* **128**, 183–204.
- Prevedello, J.A. and Vieira, M.V. (2010) Does the type of matrix matter? A quantitative review of the evidence. *Biodiversity and Conservation* **19**, 1205–23.
- Price, J.S. (1998) Methods for restoration of a cutover peatland, Quebec, Canada. In: *Peatland Restoration and Reclamation* (ed. T. Malterer, K. Johnson and J. Stuart), pp. 149–54. Proceedings of the 1998 International Peat Symposium, Duluth, MN. International Peat Society, Jyväskylä.
- Puhe, J. and Ulrich, B. (2000) *Global and Human Impacts on Forest Ecosystems*. Ecological Studies Series, vol. 143. Springer, Berlin.
- Purugganan, M.D. and D.Q. Fuller (2009) The nature of selection during plant domestication. *Nature* **457**, 843–8.
- Pye, K. (2000) Saltmarsh erosion in southeast England: mechanisms, causes and implications. In: *British Saltmarshes* (ed. B.R. Sherwood, B.G. Gardiner and T. Harris), pp. 359–96. Linnean Society of London, London.
- Pyne, S.J. (1982) *Fire in America: A Cultural History of Wildland and Rural Fire*. Princeton University Press, Princeton.
- Pyšek, P. (1995) On the terminology used in plant invasion studies. In: *Plant Invasions: General Aspects and Special Problems* (ed. P. Pyšek, K. Prach, M. Rejmanek and M. Wade), pp. 71–81. SPB Academic Publishing, Amsterdam.
- Pyvell, R. and Putwain, P. (1996) Restoration and conservation gain. In: *Conservation Biology* (ed. I.F. Spellerberg), pp. 204–21. Longman Singapore Publishers (Pte) Ltd., Singapore.
- Quézel, P., Barbero, M., Bonin, G. and Loisel, R. (1990) Recent plant invasions in the Circum-Mediterranean region. In: *Biological Invasions in Europe and the Mediterranean Basin* (ed. F. di Castri, A.J. Hansen and M. Debussche), pp. 51–60. Kluwer Academic Publishers, Dordrecht.
- Ramakrishnan, P.I. (1992) *Shifting Agriculture and Sustainable Development: Man and the Biosphere Series*, vol. 10. UNESCO/Parthenon, Paris.
- Ramseier, D., Klötzli, F., Bollens, U. and Pfadenhauer, J. (2009) Restoring wetlands for wildlife habitat. In: *The Wetlands Handbook* (ed. E. Maltby and T. Barker), pp. 780–801. Blackwell Publishing, Oxford.
- Randriamiarina, D. (2009) Managing environmentally induced migration in drylands: the win-win strategy. UNCCD Policy Brief on Migration. UNCCD Secretariat, Bonn.
- Ranganathan, J., Daniels, R.J.R., Chandran, M.D.S., Ehrlich, P.R. and Daily, G.C. (2008) Sustaining biodiversity in ancient tropical countryside. *Proceedings of the National Academy of Sciences USA* **105**, 17852–4.
- Rapport, D.J., Costanza, R. and McMichael, A.J. (1998) Assessing ecosystem health. *Trends in Ecology & Evolution* **13**, 397–402.
- Rast, W. and Holland, M. (1988) Eutrophication of lakes and reservoirs – a framework for making management decisions. *Ambio* **17**, 2–12.
- Rast, W. and Thornton, J.A. (1996) Trends in eutrophication research and control. *Hydrological Processes* **10**, 295–313.
- Rausch, J. and Kershaw, G.P. (2007) Short-term revegetation performance on gravel-dominated, human-induced disturbances, Churchill, Manitoba, Canada. *Arctic, Antarctic and Alpine Research* **39**, 16–24.
- Raven, P.J., Holmes, N.T.H., Dawson, F.H. *et al.* (1998) *River Habitat Quality: The Physical Character of Rivers and Streams in the UK and Isle of Man*. Environment Agency, Bristol.
- Ravenscroft, C., Scheller, R.M., Mladenoff, D.J. and White, M.A. (2010) Forest restoration in a mixed-ownership landscape under climate change. *Ecological Applications* **20**, 327–46.
- Reed, D.H. and Frankham, R. (2001) How closely correlated are molecular and quantitative measures of genetic variation? A meta-analysis. *Evolution* **55**, 1095–1103.
- Reed, D.H. and Frankham, R. (2003) Correlation between fitness and genetic diversity. *Conservation Biology* **17**, 230–7.
- Reed, D.J. (1988) Sediment dynamics and deposition in a retreating coastal salt marsh. *Estuarine, Coastal and Shelf Science* **26**, 67–79.

- Rees, W.E. (1995) Cumulative environmental assessment and global change. *Environmental Impact Assessment Review* **15**, 295–309.
- Rees, W.E. (2006) Ecological footprints and bio-capacity: essential elements in sustainability assessment. In: *Renewables-based Technology: Sustainability Assessment* (ed. J. Dewulf and H. van Langenhove), pp. 143–58. John Wiley & Sons Ltd, Chichester.
- Rehfeldt, G.E., Ying, C.C., Spittlehouse, D.L. and Hamilton, D.A. (1999) Genetic responses to climate in *Pinus contorta*: niche breadth, climate change, and reforestation. *Ecological Monographs* **69**, 375–407.
- Reinhardt, A.C. and Galatowitsch, S.M. (2008) The transition from invasive species control to native species promotion and its dependence on seed density thresholds. *Applied Vegetation Science* **11**, 131–8.
- Reisigl, H. and Keller, R. (1994) *Alpenpflanzen im Lebensraum: Alpine Schutt- und Rasenvegetation*. Gustav Fischer, Stuttgart.
- Rejmánek, M. and Rosén, E. (1992) Influence of colonizing shrubs on species–area relationships in alvar plant communities. *Journal of Vegetation Science* **3**, 625–30.
- Reusch, T.B.H. and Wood, T.E. (2007) Molecular ecology of global change. *Molecular Ecology* **16**, 3973–92.
- Rey Benayas, J.M., Newton, A.C., Diaz, A. and Bullock, J.M. (2009) Enhancement of biodiversity and ecosystem services by ecological restoration: a meta-analysis. *Science* **325**, 1121–4.
- Reynolds, C.S. (1994) The ecological basis for the successful biomaniipulation of aquatic communities. *Archiv für Hydrobiologie* **130**, 1–34.
- Reynolds, J.F., Stafford Smith, D.M., Lambin, E.F. *et al.* (2007) Global desertification: building a science for dryland development. *Science* **317**, 847–51.
- Ribot, J.C., Magalhaes, A.R., and Panagides, S.S. (1996) *Climate Variability, Climate Change and Social Vulnerability in the Semi-arid Tropics*. Press Syndicate University of Cambridge, Melbourne.
- Ricciardi, A. and Simberloff, D. (2008) Assisted colonization is not a viable conservation strategy. *Trends in Ecology & Evolution* **24**, 248–53.
- Rice, K.J. and Emery, N.C. (2003) Managing microevolution: restoration in the face of global change. *Frontiers in Ecology and the Environment* **1**, 469–78.
- Richards, C.L., Bossdorf, O., Muth, N.Z., Gurevitch, J. and Pigliucci, M. (2006) Jack of all trades, master of some? On the role of phenotypic plasticity in plant invasions. *Ecology Letters* **9**, 981–93.
- Richards, C.M. (2000) Inbreeding depression and genetic rescue in a plant metapopulation. *American Naturalist* **155**, 383–94.
- Richards, R., Chambers, C. and Ross, C. (1997) Use of site-specific plants on federal lands: policy and practice. *Journal of Range Management* **51**, 625–32.
- Richardson, C.J. (2008) *The Everglades Experiments: Lessons for Ecosystem Restoration*. Springer-Verlag, New York.
- Richardson, C.J. and Hussain, N.A. (2006) Restoring the Garden of Eden: an ecological assessment of the marshes of Iraq. *BioScience* **56**, 477–89.
- Richardson, D.M. (2000) Mediterranean pines as invaders in the southern hemisphere. In: *Ecology, Biogeography and Management of Pinus halepensis and P. brutia Forest Ecosystems in the Mediterranean Basin* (ed. G. Ne'eman and L. Trabaud), pp. 131–42. Backhuys Publishers, Leiden.
- Richardson, D.M. and Higgins, S.I. (1998) Pines as invaders in the southern hemisphere. In: *Ecology and Biogeography of Pinus* (ed. D.M. Richardson), pp. 535–70. Cambridge University Press, Cambridge.
- Richardson, D.M. and Kluge, R.L. (2008) Seed banks of invasive Australian *Acacia* species in South Africa: role in invasiveness and options for management. *Perspectives in Plant Ecology, Evolution and Systematics* **10**, 161–77.
- Richardson, D.M. and van Wilgen, B.W. (1986) Effects of 35 years of afforestation with *Pinus radiata* on the composition of mesic mountain fynbos near Stellenbosch. *South African Journal of Botany* **52**, 309–15.
- Richardson, D.M. and van Wilgen, B.W. (2004) Invasive alien plants in South Africa: how well do we understand the ecological impacts? *South African Journal of Science* **100**, 45–52.
- Richardson, D.M., Mac Donald, A.W. and Forsyth, G.G. (1989) Reductions in plant species richness under stands of alien trees and shrubs in the fynbos biome. *South African Forestry Journal* **149**, 1–8.
- Richardson, D.M., Pyšek, P., Rejmánek, M. *et al.* (2000) Naturalization and invasion of alien plants: concepts and definitions. *Diversity and Distributions* **6**, 93–107.
- Richardson, D.M., Holmes, P.M., Esler, K.J. *et al.* (2007) Riparian vegetation: degradation, alien plant invasions, and restoration prospects. *Diversity and Distributions* **13**, 126–39.
- Richardson, D.M., Hellmann, J.J., McLachlan, J.S. *et al.* (2009) Multidimensional evaluation of managed relocation. *Proceedings of the National Academy of Sciences USA* **106**, 9721–4.
- Richert, M., Dietrich, O., Koppisch, D. and Roth, S. (2000) The influence of rewetting on vegetation development and decomposition in a degraded fen. *Restoration Ecology* **8**, 185–96.
- Rieley, J. (1999) Death of an ecosystem. *Peatlands International* **1**, 28–31.
- Rietbergen-McCracken, J., Maginnis, S. and Sarre, A. (2008) *The Forest Landscape Restoration Handbook*. Earthscan, London.
- Rietkerk, M. and van de Koppel, J. (1997) Alternate stable states and threshold effects in semi-arid grazing systems. *Oikos* **79**, 69–76.
- Rietkerk, M. and van de Koppel, J. (2008) Regular pattern formation in real ecosystems. *Trends in Ecology & Evolution* **23**, 169–75.
- Rietkerk, M., Boerlijst, M.C., van Langevelde, F. *et al.* (2002) Self-organisation of vegetation in arid ecosystems. *The American Naturalist* **160**, 524–30.

- Rietkerk, M., Dekker, S.C., Wassen, M.J., Verkroost, A.W.M. and Bierkens, M.F.P. (2004a) A putative mechanism for bog patterning. *The American Naturalist* **163**, 699–708.
- Rietkerk, M., Dekker, S.C., de Ruiter, P.C. and van de Koppel, J. (2004b) Self-organized patchiness and catastrophic shifts in ecosystems. *Science* **305**, 1926–9.
- Ripple, W.J. and Beschta, R.L. (2004) Wolves and the ecology of fear: can predation risk structure ecosystems? *BioScience* **54**, 755–66.
- Rivera, J.A. (1998) *Acequia Culture: Water, Land and Community in the Southwest*. University of New Mexico Press, Albuquerque.
- River Restoration Centre (RRC) (1999) *Manual of River Restoration Techniques*. River Restoration Centre, Bedford.
- River Restoration Centre (RRC) (2002) *Update for the Manual of River Restoration Techniques*. River Restoration Centre, Bedford.
- RIZA (1996) *Landscape Planning of the river Rhine in the Netherlands: Towards a Balance in River Management*. RIZA, Lelystad.
- Robbins, A. and Daniels, J. (2011) Restoration and economics: a union waiting to happen? *Restoration Ecology* **20**(1). Online DOI: 10.1111/j.1526-100X.2001.00838.
- Rocheftort, L., Gauthier, R. and Lequeré, D. (1995) *Sphagnum* regeneration: toward an optimisation of bog restoration. In: *Restoration of Temperate Wetlands* (ed. B.D. Wheeler, S.C. Shaw, W.J. Fojt and R.A. Robertson), pp. 423–34. John Wiley & Sons Ltd, Chichester.
- Rodrigues, R.R., Lima, R.A.F., Gandolfi, S. and Nave, A.G. (2009) On the restoration of high diversity forests: 30 years of experience in the Brazilian Atlantic Forest. *Biological Conservation* **142**, 1242–51.
- Rodwell, J.S. (ed.) (1992) *British Plant Communities*, vol. 3: *Grasslands and Montane Communities*. Cambridge University Press, Cambridge.
- Röhle, H. (1995) *Zum Wachstum der Fichte auf Hochleistungsstandorten in Südbayern*. No. 48. Mitteilungen der Staatsforstverwaltung Bayerns, München.
- Roman, C.T., Garvine, R.W. and Portnoy, J.W. (1995) Hydrologic modeling as a predictive basis for ecological restoration of salt marshes. *Environmental Management* **19**, 559–66.
- Román-Dañobeytia, F., Levy-Tacher, S., Aronson, J., Ribeiro Rodreigues, R. and Douterlunghe, D. (2011) Classification of tropical tree species into ecological groups: implications for forest management and restoration in the Lacandon region, Chiapas, México. *Restoration Ecology* **19** (3) [early online version: <http://onlinelibrary.wiley.com/doi/10.1111/j.1526-100X.2011.00779.x/abstract>].
- Rometsch, S. (2009) Recommendations for the production and use of wild flower seeds adapted to local ecological conditions in Switzerland. In: *Semi-Natural Grassland as a Source of Biodiversity Improvement* (ed. B. Krautzer, E.M. Pötsch and W. Graiss), pp. 19–20. Proceedings International Workshop SALVERE, 26–27 May. Agricultural Research and Education Centre Raumberg-Gumpenstein, Irdning. http://www.salvereproject.eu/downloads/workshop_may_2009/SALVERE_Proceedings_May_2009.pdf
- Romme, W.H., Veblen, T.T., Kaufmann, M.R., Sherriff, R. and Regan, C.M. (2003) Ecological effects of the Hayman Fire – part 1: historical (pre-1860) and current (1860–2002) fire regimes. In: *Hayman Fire Case Study* (ed. R.T. Graham), pp. 181–95. US Department of Agriculture, US Forest Service, Rocky Mountain Research Station, Ogden, UT.
- Rosemond, A.D. and Anderson, C.B. (2003) Engineering role models: do non-human species have the answers? *Ecological Engineering* **20**, 379–87.
- Rosenzweig, M.L. (1995) *Species Diversity in Space and Time*. Cambridge University Press, Cambridge.
- Rossiter-Rachor, N.A., Setterfield, S.A., Douglas, M.M. et al. (2008) *Andropogon gayanus* (Gamba grass) invasion increases fire-mediated nitrogen losses in the tropical savannas of northern Australia. *Ecosystems* **11**, 77–88.
- Roura-Pascual, N., Richardson, D.M., Krug, R.M. et al. (2009) Ecology and management of alien plant invasions in South African fynbos: accommodating key complexities in objective decision making. *Biological Conservation* **142**, 1595–1604.
- Roura-Pascual, N., Krug, R.M., Richardson, D.M. and Hui, C. (2010) Spatially-explicit sensitivity analysis for conservation management: exploring the influence of decisions in invasive alien plant management. *Diversity and Distributions* **16**, 426–38.
- Rubenstein, D.R., Rubenstein, D.I., Sherman, P.W. and Gavin, T.A. (2006) Pleistocene Park: does re-wilding North America represent sound conservation for the 21st century? *Biological Conservation* **132**, 232–8.
- Rumpel, C., Kögel-Knabner, I. and Hüttl, R.F. (1999) Organic matter composition and degree of humification in lignite-rich mine soils under a chronosequence of pine. *Plant and Soil* **213**, 161–8.
- Rundel, P.W. (1998) Landscape disturbance in Mediterranean-type ecosystems: an overview. In: *Landscape Degradation and Biodiversity in Mediterranean-type Ecosystems* (ed. P.W. Rundel, G. Montenegro and F.M. Jaksic), pp. 4–22. Springer, Berlin.
- Rutherford, I.D., Jerie, K. and Marsh, N. (2000) *A Rehabilitation Manual for Australian Scheme*, vols. 1 and 2. Cooperative Research Centre for Catchment Hydrology, Canberra, and Land and Water Research and Development Corporation, Clayton.
- Rydgren, K., Halvorsen, R., Odland, A. and Skjerdala, G. (2011) Restoration of alpine spoil heaps: successional rates predict vegetation recovery in 50 years. *Ecological Engineering* **37**, 294–301.
- Ryding, S.O. and Rast, W. (eds.) (1989) *The Control of Eutrophication of Lakes and Reservoirs*. UNESCO, Man and the Biosphere Series, vol. 1. Parthenon Publishing Group, London.
- Rykiel, E.J., Jr. (1985) Towards a definition of ecological disturbance. *Journal of Australian Ecology* **10**, 361–5.

- Sachs, J.D. (2007) Climate change refugees. *Scientific American* **296**, 43.
- Sackville Hamilton, N.R. (2001) Is local provenance important in habitat creation? A reply. *Journal of Applied Ecology* **38**, 1374–6.
- Sainath, P. (2009) The largest wave of suicides in history. *CounterPunch*, February 12. <http://www.counterpunch.org>
- Saintilan, N. and Willems, R.J. (1999) Mangrove transgression into saltmarsh environments in south-east Australia. *Global Ecology and Biogeography* **8**, 117–24.
- Sala, O.E., Chapin III, F.S., Armesto, J.J. *et al.* (2000) Biodiversity: global biodiversity scenarios for the year 2001. *Science* **287**, 1770–4.
- Sampaio, A.B., Holl, K.D. and Scariot, A. (2007) Does restoration enhance regeneration of seasonal deciduous forests in pastures in central Brazil? *Restoration Ecology* **15**, 462–71.
- Samson, F. and Knopf, F. (1994) Prairie conservation in North America. *BioScience* **44**, 418–21.
- Saris, E., Vergeer, J.W., Hustings, E. and van Turnhout, C. (2002) Volkstelling onder broedvogels biedt gevarieerd beeld. *De Levende Natuur* **103**, 196–205 (with English summary).
- Sasser, C.E. and Gosselink, J.G. (1984) Vegetation and primary production in a floating freshwater marsh in Louisiana. *Aquatic Botany* **20**, 245–55.
- Sax, D.F. and Gaines, S.D. (2003) Species diversity: from global decreases to local increases. *Trends in Ecology & Evolution* **18**, 561–6.
- Secretariat of the Convention on Biological Diversity (SCBD) (2006) *Global Biodiversity Outlook 2*. Montreal. <http://www.cbd.int/doc/gbo/gbo2/cbd-gbo2-en.pdf>
- Scheffer, M. (1998) *Ecology of Shallow Lakes*. Kluwer Academic Publishers, Dordrecht.
- Scheffer, M. (2009) *Critical Transitions in Nature and Society*. Princeton University Press, Princeton.
- Scheffer, M., Hosper, S.H., Meijer, M-L. *et al.* (1993) Alternative equilibria in shallow lakes. *Trends in Ecology & Evolution* **8**, 275–9.
- Scheffer, M., Bascompte, J., Brock, W.A. *et al.* (2009) Early-warning signals for critical transitions. *Nature* **461**, 53–9.
- Scherr, S.J. and McNeely, J. (2007) *Farming with Nature: The Science and Practice of Ecoagriculture*. Island Press, Washington, DC.
- Scherr, S.J. and Rhodes, C. (2006) Only connect: the Millennium Development Goals can only be achieved in the drylands by ecoagriculture approaches. *Our Planet* **17**, 22–3.
- Schindler, D.W. (2006) Recent advances in the understanding and management of eutrophication. *Limnology and Oceanography* **51**, 356–63.
- Schipper, A.M., Zeefat, R., Tanneberger, F. *et al.* (2007) Vegetation characteristics and eco-hydrological processes in a pristine mire in the Ob River valley (Western Siberia). *Plant Ecology* **193**, 131–45.
- Schlaepfer, M.A., Sherman, P.W., Blossey, B. and Runge, M.C. (2005) Introduced species as evolutionary traps. *Ecology Letters* **8**, 241–6.
- Schmidt, W. (1993) Sukzession und Sukzessionslenkung auf Brachflächen. Neue Erkenntnisse aus einem Dauerflächenversuch. *Scripta Geobotanica* (Göttingen) **20**, 65–104.
- Schmitt, U., Fischer, A. and Abs, C. (2002) Vegetation patterns and options for ecological restoration in the central Loess Plateau of Shaanxi Province, PR China. *Berichte der Reinhold-Tüxen-Gesellschaft* **14**, 31–43.
- Schmittbüssen, J. (1963) Der wissenschaftliche Landschaftsbegriff. *Mitteilungen der floristisch-soziologischen Arbeitsgemeinschaft* **10**, 9–19.
- Scholz, R.W., Mieg, H.A. and Oswald, J.E. (2000) Transdisciplinarity in groundwater management: towards mutual learning of science and society. *Water, Air, and Soil Pollution* **123**, 477–87.
- Schönenberger, W., Fischer, A. and Innes, J. (eds.) (2002) Vivian's legacy in Switzerland: impact of windthrow on forest dynamics. *Forest Snow and Landscape Research* **77**, 1–224.
- Schoot Uiterkamp, A.J.M. and Vlek, C. (2007) Practice and outcomes of multidisciplinary research for environmental sustainability. *Journal of Social Issues* **63**, 175–97.
- Schot, P.P., Dekker, S.C. and Poot, A. (2004) The dynamic form of rainwater lenses in drained fens. *Journal of Hydrology* **293**, 74–84.
- Schrage, L.J. and Downing, J.A. (2004) Pathways of increased water clarity after fish removal from Ventura Marsh: a shallow, eutrophic wetland. *Hydrobiologia* **511**, 215–31.
- Schreiber, K.F. (1997) Grundzüge der Sukzession in 20-jährigen Grünlandbrachen in Baden-Württemberg. *Forstwissenschaftliches Centralblatt* **116**, 243–58.
- Schröder, H.K., Kiehl, K. and Stock, M. (2002) Directional and non-directional vegetation changes in a temperate salt marsh in relation to biotic and abiotic factors. *Applied Vegetation Science* **5**, 33–44.
- Schumm, S.A. (1979) Geomorphic thresholds: the concept and its applications. *Transactions of the Institute of British Geographers New Series* **4**, 485–515.
- Scoble, J. and Lowe, A.J. (2010) A case for incorporating phylogeography and landscape genetics into species distribution modelling approaches to improve climate adaptation and conservation planning. *Diversity and Distributions* **16**, 343–53.
- Scott, L. and Vogel, J.C. (1983) Late quaternary pollen profile from the Transvaal highveld, South-Africa. *South African Journal of Science* **79**, 266–72.
- Seabloom, E.W., Borer, E.T., Boucher, V.L. *et al.* (2003) Competition, seed limitation, disturbance, and reestablishment of California native annual forbs. *Ecological Applications* **13**, 575–92.
- Seastedt, T.R., Hobbs, R.J. and Suding, K.N. (2008) Management of novel ecosystems: are novel approaches required? *Frontiers in Ecology and the Environment* **6**, 547–53.

- Seddon, P.J. and Soorae, P.S. (1999) Guidelines for subspecific substitutions in wildlife restoration projects. *Conservation Biology* **13**, 177–84.
- Seddon, P.J., Armstrong, D.P. and Maloney, R.F. (2007) Developing the science of reintroduction biology. *Conservation Biology* **21**, 303–12.
- Seifert, B. and Fisher, M. (2010) Experimental establishment of a declining dry-grassland flagship species in relation to seed origin and target environment. *Biological Conservation* **143**, 1202–11.
- Society for Ecological Restoration International (SER) (2004) *The SER Primer on Ecological Restoration*. Society for Ecological Restoration International, Science and Policy Working Group. http://www.ser.org/content/ecological_restoration_primer.asp
- Sereda, J.M., Hudson, J.J., Taylor, W.D. and Demers, E. (2008) Fish as sources and sinks of nutrients in lakes. *Freshwater Biology* **53**, 278–89.
- Severinghaus, C.W. and Darrow, R.W. (1976) Failure of elk to survive in the Adirondacks. *New York Fish and Game Journal* **23**, 98–9.
- Severns, P.M. and Warren, A.D. (2008) Selectively eliminating and conserving exotic plants to save an endangered butterfly from local extinction. *Animal Conservation* **11**, 476–83.
- Sexton, J.P., McIntyre, P.J., Angert, A.L. and Rice, K.J. (2009) Evolution and ecology of species range limits. *Annual Review of Ecology, Evolution and Systematics* **40**, 415–36.
- Shaver, G.R. and Chapin, F.S. III. (1980) Response to fertilization by various plant growth forms in an Alaskan tundra: nutrient accumulation and growth. *Ecology* **61**, 662–75.
- Sheridan, P.M. and Karowe, D.N. (2000) Inbreeding, outbreeding, and heterosis in the yellow pitcher plant, *Sarracenia flava* (Sarraceniaceae), in Virginia. *American Journal of Botany* **87**, 1628–33.
- Sheridan, T.E. (1996) *Where the Dove Calls: The Political Ecology of a Peasant Corporate Community*. University of Arizona Press, Tucson. (Reprint of the original 1988 edition)
- Shiels, A.B. and Walker, L.R. (2003) Bird perches increase forest seeds on Puerto Rican landslides. *Restoration Ecology* **11**, 457–65.
- Shirey, P.D. and Lamberti, G.A. (2011) Regulate trade in rare plants. *Nature* **469**, 465–7.
- Shono, K., Cadaweng, E.A. and Durst, P.B. (2007) Application of assisted natural regeneration to restore degraded tropical forestlands. *Restoration Ecology* **15**, 620–6.
- Short, J., Bradshaw, S.D., Giles, J. *et al.* (1992) Reintroduction of macropods (Marsupialia, Macropodoidea) in Australia: a review. *Biological Conservation* **62**, 189–204.
- Shulman, R.S. and Chase, J.M. (2007) Increasing isolation reduces predator:prey species richness ratios in aquatic food webs. *Oikos* **116**, 1581–7.
- Siegel, D.I., Glaser, P.H., So, J. and Janecky, D.R. (2006) The dynamic balance between organic acids and circumneutral groundwater in a large boreal peat basin. *Journal of Hydrology* **320**, 421–31.
- Siemann, E. and Rogers, W.E. (2003) Changes in light and nitrogen availability under pioneer trees may indirectly facilitate tree invasions of grasslands. *Journal of Ecology* **91**, 923–31.
- Sierdsema, H. and Bonte, D. (2002) Duinstruwelen en samenstelling broedvogelbevolking: meer vogels, minder kwaliteit. *De Levende Natuur* **103**, 88–93 (with English summary).
- Silliman, B.R., Bertness, M.D. and Thomson, M.D. (2009) Top-down control and human intensification of consumer pressure in southern US salt marshes. In: *Human Impacts on Salt Marshes* (ed. B.R. Silliman, E.D. Grosholz and M.D. Bertness), pp. 103–14. University of California Press, Berkeley.
- Silvertown, J., Biss, P.M. and Freeland, J. (2009) Community genetics: resource addition has opposing effects on genetic and species diversity in a 150-year experiment. *Ecology Letters* **12**, 165–70.
- Simberloff, D., Genovesi, P., Pysěk, P. and Campbell, K. (2011) Recognizing conservation success. *Science* **332**, 419.
- Singer, F.J., Moses, M.E., Bellew, S. and Sloan, W. (2000) Correlates to colonizations of new patches by translocated populations of bighorn sheep. *Restoration Ecology* **8** (Suppl. 4), 66–74.
- Sinha, A. (1991) *Against the Few*. Zed Books, London.
- Skerratt, L.F., Berger, L., Speare, R. *et al.* (2007) Spread of chytridiomycosis has caused the rapid global decline and extinction of frogs. *EcoHealth* **4**, 125–34.
- Smart, S.M., Bunce, R.G.H., Marrs, R. *et al.* (2005) Large-scale changes in the abundance of common higher plant species across Britain between 1978, 1990 and 1998 as a consequence of human activity: tests of hypothesised changes in trait representation. *Biological Conservation* **124**, 355–71.
- Smart, S.M., Bunce, R.G.H., Marrs, R. *et al.* (2006) Biotic homogenization and changes in species diversity across human-modified ecosystems. *Proceedings of the Royal Society B – Biological Sciences* **273**, 2659–65.
- Smith, B., Miles, P.D., Perry, C. and Pugh, S. (2007) *Forest Resources of the United States*. General Technical Report WO-78. US Forest Service, Washington, DC.
- Smith, M.D., Knapp, A.K. and Collins, S.L. (2009) A framework for assessing ecosystem dynamics in response to chronic alterations induced by global change. *Ecology* **90**, 3279–89.
- Smits, A.J.M., Cals, M.J.R. and Drost, H.J. (2001) In: *River Restoration in Europe – Practical Approaches* (ed. H.J. Nijland and M.J.R. Cals), pp. 41–9. Proceedings of the 2000 River Restoration Conference, RIZA, Wageningen.
- Smolders, A.J.P., Tomassen, H.B.M., Pijnappel, H.W. *et al.* (2001) Substrate-derived CO₂ is important in the development of *Sphagnum* spp. *New Phytologist* **152**, 325–32.
- Smolders, A.J.P., Tomassen, H.B.M., van Mullekom, M., Lamers, L.P.M. and Roelofs, J.G.M. (2003) Mechanisms

- involved in the re-establishment of *Sphagnum* dominated vegetation in rewetted bog remnants. *Wetlands: Ecology and Management* **11**, 403–18.
- Smolders, A.J.P., Lamers, L.P.M., Lucassen, E.C.H.E.T. *et al.* (2006) Internal eutrophication: 'how it works and what to do about it', a review. *Chemistry and Ecology* **22**, 93–111.
- Smolders, A.J.P., Lucassen, E.C.H.E.T., Bobbink, R. *et al.* (2010) How nitrate leaching from agricultural lands provokes phosphate eutrophication in groundwater-fed wetlands: the sulphur bridge. *Biogeochemistry* **98**, 1–7.
- Snow, A.A. and Vince, S.W. (1984) Plant zonation in an Alaskan salt marsh. II. An experimental study of the role of edaphic conditions. *Journal of Ecology* **72**, 669–84.
- Solé, R. (2007) Ecology: scaling laws in the drier. *Nature* **449**, 151–3.
- Solheim, A.L. and Gulati, R.D. (2008) Quantitative ecological responses for implementation of Water Framework Directive in European lakes. *Aquatic Ecology* **42**, 179–334.
- Soomers, H., Sarneel, J.M., Patberg, W. *et al.* (2011) Factors influencing the seed source and sink functions of a flood-plain nature reserve in the Netherlands. *Journal of Vegetation Science* **22**, 445–456
- Soons, M.B. and Bullock, J.M. (2008) Non-random seed abscission, long-distance wind dispersal and plant migration rates. *Journal of Ecology* **96**, 581–90.
- Soulé, M.E. and Simberloff, D.S. (1986) What do genetics and ecology tell us about the design of nature reserves? *Biological Conservation* **35**, 19–40.
- Soulé, M.E. and Terborgh, J. (1999) Conserving nature at regional and continental scales: a scientific program for North America. *BioScience* **49**, 809–17.
- Spain, A.V., Ludwig, J.A., Tibbett, M. and Tongway, D.J. (2009) *Ecological and Minesoil Development Studies at the Rio Tinto Gove Mine Site, Northern Territory*. Centre for Land Rehabilitation, University of Western Australia, Perth.
- Spek, T. (2004) *Het Drentse Esdorpenlandschap – Een Historisch-Geografische Studie*. Matrijs, Utrecht.
- Sperber, G. (1968) Die Reichswälder bei Nürnberg. Aus der Geschichte des ältesten Kunstforstes. *Mitteilungen aus der Staatsforstverwaltung Bayerns*, vol. 37. Franckenverlag, Nürnberg.
- Spielman, D., Brook, B.W. and Frankham, R. (2004a) Most species are not driven to extinction before genetic factors impact them. *Proceedings of the National Academy of Sciences USA* **101**, 15261–4.
- Spielman, D., Brook, B.W., Briscoe, D.A. and Frankham, R. (2004b) Does inbreeding and loss of genetic diversity decrease disease resistance? *Conservation Genetics* **5**, 439–48.
- Stacey, P.B., Johnson, V.A. and Taper, M.L. (1997) Migration within metapopulations: the impact upon local population dynamics. In: *Metapopulation Biology: Ecology, Genetics and Evolution* (ed. I. Hanski and M.E. Gilpin), pp. 267–91. Academic Press, San Diego.
- Stahl, P., Vandel, J.M., Herrenschmidt, V. and Migot, P. (2001) Predation on livestock by an expanding reintroduced lynx population: long term trend and spatial variability. *Journal of Applied Ecology* **38**, 674–87.
- Stahr, K. (1996) *Handbuch der Bodenkunde*. Wiley-VCH, Weinheim.
- Standish, R.J., Cramer, V.A. and Hobbs, R.J. (2008) Land-use legacy and the persistence of invasive *Avena barbata* on abandoned farmland. *Journal of Applied Ecology* **45**, 1576–83.
- Stanley-Price, M.R. (1989) *Animal Re-introductions: The Arabian Oryx in Oman*. Cambridge University Press, Cambridge.
- Steen, H.K. (2004) *The US Forest Service: A History*, centennial ed. Forest History Society, Durham, NC.
- Stein, C., Rißmann, C., Hempel, S. *et al.* (2009) Interactive effects of mycorrhizae and a root hemiparasite on plant community productivity and diversity. *Oecologia* **159**, 191–205.
- Steinberg, C.E.W. and Wright, R.F. (eds.) (1994) *Acidification of Freshwater Ecosystems: Implications for Future*. John Wiley & Sons Ltd, Chichester.
- Steiner, C.F., Long, Z.T., Krumins, J.A. and Morin, P.J. (2006) Population and community resilience in multitrophic communities. *Ecology* **87**, 996–1007.
- Stephens, S.L., Millar, C.I. and Collins, B.M. (2010) Operational approaches to managing forests of the future in Mediterranean regions within a context of changing climates. *Environment Research Letters* **5**. <http://stacks.iop.org/ERL/5/024003>
- Stern, N. (2006) *Review on the Economics of Climate Change*. October. HM Treasury, London.
- Stevens, C.J., Dupré, C., Dorland, E. *et al.* (2010) Nitrogen deposition threatens species richness of grasslands across Europe. *Environmental Pollution* **158**, 2940–5.
- Stewart, G.B., Bayliss, H.R., Showler, D.A., Pullin, A.S. and Sutherland, W.J. (2006) Does the use of in-stream structures and woody debris increase the abundance of salmonids? *Systematic Review* (12: Collaboration for Environmental Evidence).
- Stewart, H. (1984) *Cedar: Tree of Life to the Northwest Coast Indians*. University of Washington Press, Seattle.
- Stock, M. and Hofeditz, F. (2002) Einfluss des Salzwiesen-Managements auf Habitatnutzung und Bestandsentwicklung von Nonnengänsen *Branta leucopsis* im Wattenmeer. *Vogelwelt* **123**, 265–82.
- Stockwell, C.A., Mulvey, M. and Vinyard, G.L. (1996) Translocations and the preservation of allelic diversity. *Conservation Biology* **10**, 1133–41.
- Stott, I., Franco, M., Carslake, D., Townley, S. and Hodgson, D. (2010) Boom or bust? A comparative analysis of transient population dynamics in plants. *Journal of Ecology* **98**, 302–11.
- Stralberg, D., Jongsomjit, D., Howell, C.A. *et al.* (2009) Re-shuffling of species with climate disruption: a no-analog future for California birds? *PLoS ONE* **4**, e6825.

- Strauss, S.Y., Lau, J.A. and Carroll, S.P. (2006) Evolutionary responses of natives to introduced species: what do introductions tell us about natural communities? *Ecology Letters* **9**, 354–71.
- Strayer, D.L. (2009) Twenty years of zebra mussels: lessons from the mollusk that made headlines. *Frontiers in Ecology and Environment* **7**, 135–41.
- Streever, W.J., McKendrick, J., Fanter, L. *et al.* (2003) Evaluation of percent cover requirements for revegetation of disturbed sites on Alaska's North Slope. *Arctic* **56**, 234–48.
- Stroh, M., Storm, C., Zehm, A. and Schwabe, A. (2002) Restorative grazing as a tool for directed succession with diaspore inoculation: the model of sand ecosystems. *Phytocoenologia* **32**, 595–625.
- Strykstra, R.J., Verweij, G.L. and Bakker, J.P. (1996) Seed dispersal by mowing machinery in a Dutch brook valley system. *Acta Botanica Neerlandica* **46**, 387–401.
- Stuyfzand, P.J. (1989) Hydrology and water quality aspects of Rhine bank groundwater in the Netherlands. *Journal of Hydrology* **106**, 341–63.
- Succow, M. (1982) Topische und chorische Naturraumtypen der Moore. In: *Naturräumliche Grundlagen der Landnutzung* (ed. D. Kopp, K-D. Jäger and M. Succow), pp. 138–83. Akademie Verlag, Berlin.
- Succow, M. (1988) *Landschaftsökologische Moorkunde: am Beispiel der Moore der DDR*. Gustav Fischer, Jena.
- Succow, M. and Joosten, H. (eds.) (2001) *Landschaftsökologische Moorkunde*, 2nd edn. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Suding, K.N. and Hobbs, R.J. (2009) Threshold models in restoration and conservation: a developing framework. *Trends in Ecology & Evolution* **24**, 271–9.
- Suding, K.N., Gross, K.L. and Hausmann, G.R. (2004) Alternative states and positive feedbacks in restoration ecology. *Trends in Ecology & Evolution* **19**, 46–53.
- Suding, K.N., Lavorel, S., Chapin, F.S. III *et al.* (2008) Scaling environmental change through the community-level: a trait-based response-and-effect framework for plants. *Global Change Biology* **14**, 1125–40.
- Sukopp, H. (1972) Wandel von Flora und Vegetation in Mitteleuropa unter dem Einfluß des Menschen. *Berichte über Landwirtschaft der Landnutzung am Beispiel des Tieflandes der DDR* **50**, 112–39.
- Sukopp, H. and Trepl, L. (1987) Extinction and naturalization of plant species as related to ecosystem structure and function. *Ecological Studies* **61**, 245–76.
- Summerfield, D. (2006) The effectiveness of mulch and cover crops in stabilising sloping rehabilitation areas at Cowal Gold Project, West Wyalong, NSW. Honours thesis, School of Resources, Environment and Society, Australian National University, Canberra.
- Swart, J.A.A. and van Andel, J. (2008) Rethinking the interface between ecology and society: the case of the cockle controversy in the Dutch Wadden Sea. *Journal of Applied Ecology* **45**, 82–90.
- Swart, J.A.A., van der Windt, H.J. and Keulartz, J. (2001) Valuation of nature in conservation and restoration. *Restoration Ecology* **9**, 230–8.
- Swetnam, T.W., Allen, C.D. and Betancourt, J.L. (1999) Applied historical ecology: using the past to manage for the future. *Ecological Applications* **9**, 1189–1206.
- Tabacchi, E., Planty-Tabacchi, A.M. and Decamps, H. (1990) Continuity and discontinuity of the riparian vegetation along a fluvial corridor. *Landscape Ecology* **5**, 9–20.
- Tackenberg, O., Poschlod, P. and Bonn, S. (2003) Assessment of wind dispersal potential in plant species. *Ecological Monographs* **73**, 191–205.
- Taki, H. and Kevan, P.G. (2007) Does habitat loss affect the communities of plants and insects equally in plant–pollinator interactions? *Biodiversity Conservation* **16**, 3147–61.
- Tallmon, D.A., Luikart, G. and Waples, R.S. (2004) The alluring simplicity and complex reality of genetic rescue. *Trends in Ecology & Evolution* **19**, 489–96.
- Tansley, A.G. (1935) The use and abuse of vegetational concepts and terms. *Ecology* **16**, 284–307.
- Tappeiner, J.C., Lavender, D., Walstad, J., Curtis, R.O. and Debell, D.S. (1997) Silvicultural systems and regeneration methods: current practices and new alternatives: In: *Creating a Forestry for the 21st Century: The Science of Ecosystem Management* (ed. K.A. Kohm and J.F. Franklin), pp. 151–64. Island Press, Washington, DC.
- Tasser, E., Newesely, C., Höller, P., Cernuska, A. and Tappeiner, U. (1999) Potential risks through land-use changes. In: *Land Use Changes in European Mountain Ecosystems* (ed. A. Cernuska, U. Tappeiner and N. Bayfield), pp. 218–24. Blackwell Verlag, Berlin.
- Tasser, E., Mader, M. and Tappeiner, U. (2003) Effects of land use in alpine grasslands on the probability of landslides. *Basic and Applied Ecology* **4**, 271–80.
- TEEB (2010) *The Economics of Ecosystems and Biodiversity: Ecological and Economic Foundations* (ed. P. Kumar). Earthscan, London.
- TEEB (2011) *The Economics of Ecosystems and Biodiversity in National and International Policy Making* (ed. P. ten Brink). Earthscan, London.
- Teixera, C.P., Schetini de Azevedo, Mendl, M., Cipreste, C. and Young, R.J. (2007) Revisiting translocation and reintroduction programmes: the importance of considering stress. *Animal Behaviour* **73**, 1–13.
- Temmerman, S. (2003) Sedimentation on tidal marshes in the Scheldt estuary: a field and numerical modelling study. PhD thesis. Catholic University of Leuven.
- Temperton, V.M., Hobbs, R.J., Nuttle, T. and Halle, S. (eds.) (2004) *Assembly Rules and Restoration Ecology*. Island Press, Washington, DC.
- Tepe, T.L. and Meretsky, V.J. (2011) Forward-looking forest restoration under climate change: are US nurseries ready? *Restoration Ecology* **19**, 295–8.
- Terborgh, J. and Ested, J. (2010) *Trophic Cascades: Predators, Prey, and the Changing Dynamics of Nature*. Island Press, Washington DC.

- Termorshuizen, J.W. and Opdam, P. (2009) Landscape services as a bridge between ecology and sustainable development. *Landscape Ecology* **24**, 1037–52.
- Thiery, J.M., Dherbes, J.M. and Valentin, C. (1995) A model simulating the genesis of banded vegetation patterns in Niger. *Journal of Ecology* **83**, 497–507.
- Thirgood, J.V. (1981) *Man and the Mediterranean Forest*. Academic Press, New York.
- Thompson, B.A. (2011) Planning for implementation: landscape-level restoration planning in an agricultural setting. *Restoration Ecology* **19**, 5–13.
- Thompson, D.B.A., Hester, A.J. and Usher, M.B. (eds.) (1995) *Heaths and Moorlands: Cultural Landscapes*. HMSO, London.
- Thompson, J.D., Mathevet, R., Delanoë, O. et al. (2011) Ecological solidarity as a conceptual tool for rethinking ecological and social interdependence in conservation policy for protected areas and their surrounding landscape. *Comptes Rendus Biologies* **334**, 412–9 (in French). doi:10.1016/j.crvi.2011.02.001
- Thompson, K., Bakker, J.P. and Bekker, R.M. (1997) *The Soil Seed Banks of North West Europe: Methodology, Density and Longevity*. Cambridge University Press, Cambridge.
- Thomson, M.D., Adam, P. and Silliman, B.R. (2009) Anthropogenic threats to Australasian coastal salt marshes. In: *Human Impacts on Salt Marshes* (ed. B.R. Silliman, E.D. Grosholz and M.D. Bertness), pp. 361–90. University of California Press, Berkeley.
- Thomson, R. (2008) Waterponing: reclamation technique for scalded duplex soils in western New South Wales rangelands. *Ecological Management and Restoration* **9**, 170–81.
- Thorne, C.R., Hey, R.D. and Newson, M.D. (eds.) (1997) *Applied Fluvial Geomorphology for River Engineering and Management*. John Wiley and Sons Ltd, Chichester.
- Tiedeman, J. (2005) The challenge of rangeland degradation in WANA: going beyond restoration. *ICARDA Caravan* (Aleppo) (22).
- Tikka, P.M., Hogmander, H. and Koski, P.S. (2001) Road and railway verges serve as dispersal corridors for grassland plants. *Landscape Ecology* **16**, 659–66.
- Tilman, D. (1982) *Resource Competition and Community Structure*. Princeton University Press, Princeton.
- Tilman, D. (1988) *Plant Strategies and the Dynamics and Structure of Plant Communities*. Princeton University Press, Princeton.
- Timmermann, A., Oberhuber, J., Bocher, A. et al. (1999) Increased El Niño frequency in a climatic model forced by future greenhouse warming. *Nature* **398**, 694–7.
- Ting, Z. (2001) Implementation of the NFPP. In: *Implementing the Natural Forest Protection Program and the Sloping Land Conversion Program* (ed. J. Xu, E. Katsigris and T.A. White), pp. 1–14. China Forestry Publishing House, Beijing.
- Tomassen, H.B.M., Smolders, A.J.P., van Herk, J.M., Lamers, L.P.M. and Roelofs J.G.M. (2003) Restoration of cut-over bogs by floating raft formation: an experimental feasibility study. *Applied Vegetation Science* **6**, 141–52.
- Tomassen, H.B.M., Smolders, A.J.P., Lamers, L.P.M. and Roelofs, J.G.M. (2004) Development of floating rafts after the rewetting of cut-over bogs: the importance of peat quality. *Biogeochemistry* **71**, 69–87.
- Tongway, D.J. and Ludwig, J.A. (1996) Rehabilitation of semi-arid landscapes in Australia. I. Restoring productive soil patches. *Restoration Ecology* **4**, 388–97.
- Tongway, D.J. and Ludwig, J.A. (1997) The nature of landscape dysfunction in rangelands. In: *Landscape Ecology, Function and Management: Principles from Australia's Rangelands* (ed. J.A. Ludwig, D.J. Tongway, D.A. Freudenberger, J.C. Noble and K.C. Hodgkinson), pp. 49–61. CSIRO Publishing, Melbourne.
- Tongway, D.J. and Ludwig, J.A. (2002) Australian semiarid lands and savannas. In: *Handbook of Ecological Restoration*, vol. 2 (ed. M.R. Perrow and A.J. Davy), pp. 486–502. Cambridge University Press, Cambridge.
- Tongway, D.J. and Ludwig, J.A. (2007) Landscape function as a target for restoring natural capital in semiarid Australia. In: *Restoring Natural Capital: Science, Business, and Practice* (ed. J. Aronson, S.J. Milton and J.N. Blihnaut), pp. 76–84. Island Press, Washington, DC.
- Tongway, D.J. and Ludwig, J.A. (2009) Landscape dynamics. In: *The Princeton Guide to Ecology* (ed. S. Levin), pp. 425–30. Princeton University Press, Princeton.
- Tongway, D.J. and Ludwig, J.A. (2011) *Restoring Disturbed Landscapes: Putting Principles into Practice*. Island Press, Washington, DC.
- Tongway, D.J., Valentin, C. and Seghieri, J. (eds.) (2001) *Banded Vegetation Patterning in Arid and Semiarid Environments*. Springer, Berlin.
- Toth, J. (1963) A theoretical analysis of groundwater flow in small drainage basins. *Journal of Geophysical Research* **68**, 4795–812.
- Traill, L.W., Bradshaw, C.J.A. and Brook, B.W. (2007) Minimum viable population size: a meta-analysis of 30 years of published estimates. *Biological Conservation* **139**, 159–66.
- Traveset, A. and Richardson, D.M. (2006) Biological invasions as disruptors of plant reproductive mutualisms. *Trends in Ecology & Evolution* **21**, 208–16.
- Troll, C. (1939) Luftbildplan und ökologische Bodenforschung [Aerial photography and ecological studies of the earth]. *Zeitschrift der Gesellschaft für Erdkunde* (Berlin), 7–8.
- Tscharntke, T. and Brandl, R. (2004) Plant–insect interactions in fragmented landscapes. *Annual Review of Entomology* **49**, 405–30.
- Tsuyuzaki, S. (2006) Plant establishment patterns in relation to microtopography on grassy marshlands in Ruergai, central China. *Lyonia* **11**, 35–41.
- Tucker, N.I.J. and Murphy, T.M. (1997) The effects of ecological rehabilitation on vegetation recruitment: some observations from the Wet Tropics of North Queensland. *Forest Ecology and Management* **99**, 133–52.
- Tukey, J.W. (1962) The future of data analysis. *Annals of Mathematical Statistics* **33**, 13.
- Turner, M.G., Gardner, R.H. and O'Neill, R.V. (2001) *Landscape Ecology in Theory and Practice: Pattern and Process*. Springer, New York.

- Turner, R.E., Swenson, E.M. and Milan, C.S. (2000) Organic and inorganic contributions to vertical accretion in salt marsh sediments. In: *Concepts and Controversies in Tidal Marsh Ecology* (ed. M.P. Weinstein and D.A. Kreeger), pp. 583–96. Kluwer Academic Publishers, Dordrecht.
- Tüxen, R. (1956) Die heutige potentielle natürliche Vegetation als Gegenstand der Vegetationskartierung. *Angewandte Pflanzensoziologie* (Stolzenau) **13**, 5–42.
- Uhl, C., Clark, H., Clark, K. and Marquirino, P. (1982) Successional patterns associated with slash-and-burn agriculture in the Upper Rio Negro Region of the Amazon Basin. *Biotropica* **14**, 249–54.
- Uhlig, C. (2006) Improvement of soil erosion control mats by using 'site-specific organic matter' from early succession plant species. In: *Soil Bioengineering: Ecological Restoration with Site-specific Plant and Seed Material* (ed. B. Krautzer and E. Hacker), pp. 280–1. Conference Proceedings, HBLFA Raumberg-Gumpenstein, Irnding.
- Uhlig, C. (2008) Reassessment of different methods for revegetation of sandy slopes in continental Northern Norway. In: *Proceedings of the 6th European Conference on Ecological Restoration*, p. 69, Ghent, Belgium, 8–12 September.
- United Nations (UN) (1994) *Protocol on Further Reduction of Sulphur Emissions* (Oslo, 1994). United Nations, Geneva.
- United Nations Convention to Combat Desertification (UNCCD) (1999) *Traditional Knowledge. Addendum: Synthesis on traditional knowledge in dryland ecosystems*. UNCCD, ICCD/COP (3)/CST/3Add.2, 23 September. <http://www.unccd.int/cop/officialdocs/cop3/pdf/cst3add2eng>
- United Nations Convention to Combat Desertification (UNCCD) (2005) *Traditional Knowledge. Convention on Science and Technology*, Item 7. Nairobi.
- United Nations Environment Programme (UNEP) (1992) *Status of Desertification and Implementation of the U.N. Plan of Action to Combat Desertification*. UNEP/GCSS.III/3. UNEP, Nairobi.
- Urban, M.C. and De Meester, L. (2009) Community monopolization: local adaptation enhances priority effects in an evolving metacommunity. *Proceedings of the Royal Society B – Biological Sciences* **276**, 4129–38.
- Urbanska, K.M. (1986) High altitude revegetation research in Switzerland – problems and perspectives. *Geobotanisches Institut ETH Zürich, Stiftung Rübél* **46**, 62–85.
- Urbanska, K.M. (1997) Reproductive behaviour of arctic/alpine plants and ecological restoration. In: *Disturbance and Recovery in Arctic Lands: An Ecological Perspective* (ed. R.M.M. Crawford), pp. 481–502. Kluwer Academic Publishers, Dordrecht.
- US Congress (2009) Title IV of Omnibus Public Land Management Act of 2009 – Public Law 111-11, Sec. 4001–4004. <http://www.gpo.gov/fdsys/pkg/PLAW-111pub111/pdf/PLAW-111pub111.pdf>
- US Department of Agriculture and US Department of Interior (USDA and USDI) (2011) *Hazardous Fuels Reduction and Landscape Restoration Accomplishment FY 2009*. <http://www.forestsandrangelands.gov/resources/reports/index.shtml>
- US Forest Service (USFS) (1948) *Forests and National Prosperity: A Reappraisal of the Forest Situation in the United States*. Miscellaneous Publication No. 668. US Department of Agriculture, Washington, DC.
- US Forest Service (USFS) (2001) *2000 RPA Assessment of Forest and Range Lands*. FS-687. US Department of Agriculture, Washington, DC.
- US Forest Service (USFS) (2009) *FY 2008 Legacy Roads and Trails Accomplishment Report*. Pacific Northwest Region, February 2009. Portland, OR. Available online: <http://www.fs.fed.us/r6/fishing/regional/habitat/legacy.html>
- Vadineanu, A. (2009) Deterioration and rehabilitation of the Lower Danube Wetlands System. In: *The Wetlands Handbook* (ed. E. Maltby and T. Barker), pp. 876–907. Blackwell Publishing, Oxford.
- Valdecantos, A., Cortina, J., Fuentes, D. et al. (2002) Use of biosolids for reforestation in the Region of Valencia (E Spain): first results of a pilot project. *Bioprocessing of Solid Waste and Sludge* **1**, 1–6.
- Valentin, C. and d'Herbes, J.M. (1999) Niger tiger bush as a natural water harvesting system. *Catena* **37**, 231–56.
- Valentin, C., d'Herbes, J.M. and Poesen, J. (1999) Soil and water components of banded vegetation patterns. *Catena* **37**, 1–24.
- Vallauri, D., Aronson, J. and Barbéro, M. (2002) An analysis of forest restoration 120 years after reforestation on badlands in the southwestern Alps. *Restoration Ecology* **10**, 16–26.
- Vallauri, D., Aronson, J., Dudley, N., and Vallejo, V.R. (2005) Monitoring and evaluating forest restoration success. In: *Forest Restoration in Landscapes: Beyond Planting Trees* (ed. S. Mansourian, D. Vallauri and N. Dudley), pp. 150–6. Springer, New York.
- Vallejo, R., Bautista, S. and Cortina, J. (1999) Restoration for soil protection after disturbances. In: *Life and Environment in the Mediterranean* (ed. L. Trabaud), pp. 301–43. WIT Press, Southampton.
- Vallejo, V.R., Serrasolses, I., Alloza, J.A. et al. (2009) Long-term restoration strategies and techniques. In: *Fire Effects on Soils and Restoration Strategies* (ed. A. Cerdà and P.R. Robichaud), pp. 373–98. Science Publishers, Enfield, NH.
- van Andel, J. (1998) Intraspecific variability in the context of ecological restoration projects. *Perspectives in Plant Ecology, Evolution and Systematics* **1**, 221–37.
- van Andel, J. and Aronson, J. (eds.) (2006) *Restoration Ecology: The New Frontier*. Blackwell Scientific Publications, Oxford.
- van Andel, J., Bakker, J.P. and Snaydon, R.W. (eds.) (1987) *Disturbance in Grasslands: Causes, Effects and Processes*. Junk Publishers, Dordrecht.
- Vance, R.K., Edminster, C.B., Covington, W.W. and Blake, J.A. (2000) *Ponderosa Pine Ecosystems Restoration and Conservation: Steps toward Stewardship*. Rocky Mountain Research

- Station, Department of Agriculture, Forest Service, Ogden, UT.
- van de Kam, J., Ens, B., Piersma, T. and Zwarts, L. (2004) *Shorebirds: An Illustrated Behavioural Ecology*. KNNV Publishers, Utrecht.
- van de Koppel, J. (1997) Trophic interactions in gradients of primary productivity. PhD thesis, University of Groningen.
- van de Koppel, J., Huisman, J., van der Wal, R. and Olf, H. (1996) Patterns of herbivory along a productivity gradient: an empirical and theoretical investigation. *Ecology* **77**, 736–45.
- van de Koppel, J., Rietkerk, M., Dankers, N. and Herman, P.M.J. (2005) Scale-dependent feedback and regular patterns in young mussel beds. *The American Naturalist* **165**, E66–E77.
- van den Broek, T., van Diggelen, R. and Bobbink, R. (2005) Variation in seed buoyancy of species in wetland ecosystems with different flooding dynamics. *Journal of Vegetation Science* **16**, 579–86.
- van der Heijden, M.G.A., Boller, T., Wiemken, A. and Sanders, I.R. (1998) Different arbuscular mycorrhizal fungal species are potential determinants of plant community structure. *Ecology* **79**, 2082–91.
- Vander Mijnsbrugge, K., Bischoff, A. and Smith, B. (2010) A question of origin: where and how to collect seed for ecological restoration? *Basic and Applied Ecology* **11**, 300–11.
- van der Vyver, M.L., Cowling, R.M., Mills, A.J. and Difford, M. (unpubl. MS) Spontaneous return of biodiversity in degraded subtropical thicket restored for carbon sequestration: *Portulacaria afra* as an ecosystem engineer.
- van der Werf, G.R., Morton, D.C., DeFries, R.S. *et al.* (2009) CO₂ emissions from forest loss. *Nature Geoscience* **2**, 737–8.
- van der Windt, H.J. (1995) *En dan: wat is natuur nog in dit land? Natuurbescherming in Nederland 1890–1990*. Boom, Amsterdam.
- van Diggelen, R., Grootjans, A.P. and Burkunk, R. (1994) Assessing restoration perspectives of disturbed brook valleys: the Gorecht area, The Netherlands. *Restoration Ecology* **2**, 87–96.
- van Diggelen, R., Molenaar, W.J. and Kooijman, A.M. (1996) Vegetation succession in a floating mire in relation to management and hydrology. *Journal of Vegetation Science* **7**, 809–20.
- van Dijck, H., van Strien, A.J., Maes, D. and van Swaaij, C.A.M. (2009) Declines in common, widespread butterflies in a landscape under intense human use. *Conservation Biology* **23**, 957–65.
- van Donk, E. and van de Bund, W.J. (2002) Impact of submerged macrophytes including charyophytes on phyto- and zooplankton communities: allelopathy versus other mechanisms. *Aquatic Botany* **72**, 261–74.
- van Donk, E., Hessen, D.O., Verschoor, A.M. and Gulati, R.D. (2008) Re-oligotrophication by phosphorus reduction and effects on seston quality in lakes. *Limnologia* **38**, 189–202.
- van Dorp, D., van den Hoek, W.P.M. and Daleboudt, C. (1996) Seed dispersal capacity of six perennial grassland species measured in a wind tunnel at varying wind speed and height. *Canadian Journal of Botany* **74**, 1956–63.
- van Dresser, P. (1976) *A Landscape for Humans*. Lightning Tree Press, Santa Fe, NM.
- van Duinen, G.J., Tomassen, H., Limpens, J. *et al.* (2011) Perspectieven voor hoogveenherstel in Nederland (in Dutch). Report. University of Nijmegen.
- van Duren, I.C., Grootjans, A.P., Strijkstra, R.J. *et al.* (1998) A multidisciplinary evaluation of restoration measures in a degraded fen meadow (Cirsio-Molinietum). *Applied Vegetation Science* **1**, 115–30.
- van Katwijk, M.M., Bos, A.R., Kennis, P. and de Vries, R. (2010) Vulnerability to eutrophication of a semi-annual life history: A lesson learnt from an extinct eelgrass (*Zostera marina*) population. *Biological Conservation* **143**, 248–54.
- van Liere, L. and Gulati, R.D. (eds.) (1992) Restoration and recovery of shallow eutrophic lake ecosystems in the Netherlands. *Hydrobiologia* **233**.
- van Liere, L. and Janse, J.H. (1992) Restoration and resilience to recovery of the Lake Loosdrecht ecosystem in relation to its phosphorus flow. *Hydrobiologia* **233**, 95–104.
- van Valen, L. (1973) A new evolutionary law. *Evolutionary Theory* **1**, 1–30.
- van Wesenbeeck, B.K., van de Koppel, J., Herman, P.M.J., Bakker, J.P. and Bouma, T.J. (2007) Biomechanical warfare in ecology: negative interactions between species by habitat modification. *Oikos* **116**, 742–50.
- van Wieren, S.E. (1998) Effects of large herbivores upon the animal community. In: *Grazing and Conservation Management* (ed. M.F. WallisDeVries, J.P. Bakker and S.E. van Wieren), pp. 185–214. Kluwer Academic Publishers, Dordrecht.
- van Wijnen, H.J. and Bakker, J.P. (2001) Long-term surface elevation changes in salt marshes: a prediction of marsh response to future sea-level rise. *Estuarine, Coastal and Shelf Science* **52**, 381–90.
- van Wilgen, B.W. and Richardson, D.M. (1985) The effects of alien shrub invasions on vegetation structure and fire behaviour in South African fynbos shrublands: a simulation study. *Journal of Applied Ecology* **22**, 955–66.
- van Wirdum, G., den Held, A.J. and Schmitz, M. (1992) Terrestrializing fen vegetation in former turbaries in the Netherlands. In: *Fens and Bogs in the Netherlands: Vegetation, History, Nutrient Dynamics and Conservation* (ed. J.T.A. Verhoeven), pp. 323–60. Kluwer Academic Publishers, Dordrecht.
- Vasil'evskaya, V.D., Grigor'ev, V.Y. and Pogozheva, E.A. (2006) Relationships between soil and vegetation characteristics of tundra ecosystems and their use to assess soil resilience, degradation, and rehabilitation potentials. *Eurasian Soil Science* **39**, 314–23.

- Veen, G.F., Blair, J.M., Smith, M.D. and Collins, S.L. (2008) Influence of grazing and fire frequency on small-scale plant community structure and resource variability in native tallgrass prairie. *Oikos* **117**, 859–66.
- Veen, P., Jefferson, R., de Smidt, J.T. and van der Straaten, J. (2009) *Grasslands in Europe of High Nature Value*. KNNV Publishing, Zeist.
- Veit, H. (2002) *Die Alpen: Geoökologie und Landschaftsentwicklung*. Ulmer UTB, Stuttgart.
- Verdú, M. and Valiente-Banuet, A. (2008) The nested assembly of plant facilitation networks prevents species extinctions. *The American Naturalist* **172**, 751–60.
- Verdú, M., Dávila, P., García-Fayos, P., Flores-Hernández, N. and Valiente-Banuet, A. (2003) 'Convergent' traits of Mediterranean woody plants belong to pre-Mediterranean lineages. *Biological Journal of the Linnean Society* **78**, 415–27.
- Verdú, M., Rey, P.J., Alcantara, J.M. et al. (2009) Phylogenetic signatures of facilitation and competition in successional communities. *Journal of Ecology* **97**, 1171–80.
- Verhagen, R., Klooker, J., Bakker, J.P. and van Diggelen, R. (2001) Restoration success of low-production plant communities on former agricultural soils after top-soil removal. *Applied Vegetation Science* **4**, 75–82.
- Verhagen, R. and van Diggelen, R. (2006) Spatial variation in atmospheric nitrogen deposition on low canopy vegetation. *Environmental Pollution* **144**, 826–32.
- Verkaar, H.J. (1990) Corridors as a tool for plant species conservation. In: *Species Dispersal in Agricultural Habitats* (ed. R.H.G. Bunce et al.), pp. 82–97. Belhaven Press, London.
- Vermeer, J.G. and Joosten, H. (1992) Conservation and management of bog and fen reserves in the Netherlands. In: *Fens and Bogs in the Netherlands: Vegetation, History, Nutrient Dynamics and Conservation* (ed. J.T.H. Verhoeven), pp. 433–78. Kluwer Academic Publishers, Dordrecht.
- Vieira, D.L.M. and Scariot, A. (2006) Principles of natural regeneration of tropical dry forests for restoration. *Restoration Ecology* **14**, 11–20.
- Vieira, D.L.M., Holl, K.D. and Peneireiro, F.M. (2009) Agro-successional restoration as a strategy to facilitate tropical forest recovery. *Restoration Ecology* **17**, 451–9.
- Viessman, W. and Hammer, M.J. (1993) *Water Supply and Pollution Control*, 5th edn. Harper Collins College Publishers, New York.
- Vila, M., Bartomeus, I., Dietzsch, A.C. et al. (2009) Invasive plant integration into native plant–pollinator networks across Europe. *Proceedings of the Royal Society B – Biological Sciences* **276**, 3887–93.
- Vilas, C., San Miguel, E., Amaro, R. and Garcia, C. (2006) Relative contribution of inbreeding depression and eroded adaptive diversity to extinction risk in small populations of shore Campion. *Conservation Biology* **20**, 229–38.
- Vince, G. (2011) Embracing invasives. *Science* **331**, 1383–4.
- Vinton, M.A. and Goergen, E.M. (2006) Plant-soil feedbacks contribute to the persistence of *Bromus inermis* in tallgrass prairie. *Ecosystems* **9**, 967–76.
- Visher, S.S. (1925) Tropical cyclones and the dispersal of life from island to island in the Pacific. *The American Naturalist* **59**, 70–8.
- Visser, M.E., Holleman, L.J.M. and Gienapp, P. (2006) Shifts in caterpillar biomass phenology due to climate change and its impact on the breeding biology of an insectivorous bird. *Oecologia* **147**, 164–72.
- Vitousek, P.M. and Sanford, J.J. (1986) Nutrient cycling in moist tropical forest. *Annual Review of Ecology and Systematics* **17**, 137–67.
- Vitousek, P.M., Aber, J.D., Howarth, W. et al. (1997) Human alteration of the global nitrogen cycle: sources and consequences. *Ecological Applications* **7**, 737–50.
- Vitt, P., Havens, K., Kramer, A.T., Sollenberger, D. and Yates, E. (2010) Assisted migration of plants: changes in latitudes, changes in attitudes. *Biological Conservation* **143**, 18–27.
- Vivian-Smith, G. and Stiles, E.W. (1994) Dispersal of salt marsh seeds on the feet and feathers of waterfowl. *Wetlands* **14**, 316–19.
- Vivrette, N.J. and Muller, C.H. (1977) Mechanism of invasion and dominance of coastal grassland by *Mesembryanthemum crystallinum*. *Ecological Monographs* **47**, 301–18.
- Voigt, H.J. (1980) *Hydrogeochemie: Eine Einführung in die Beschaffenheitsentwicklung des Grundwassers*. Urania Verlag, Leipzig.
- Vollenweider, R.A. (1987) Scientific concepts and methodologies pertinent to lake research and lake restoration. *Schweizerische Zeitschrift für Hydrologie* **49**, 129–47.
- von Carlowitz, H.C. (1713) *Sylvicultura oeconomica oder hauswirthliche Nachricht und naturmäßige Anweisung zur wilden Baum-Zucht*. J.F. Braun, Leipzig.
- Wackernagel, M. and Rees, W. (1996) *Our Ecological Footprint: Reducing Human Impact on the Earth*. New Society Publishers, Gabriola Island, BC.
- Walentowski, H. and Gulder, H-J. (2001) Es wächst zusammen was zusammen gehört. Die neue Karte der natürlichen Waldzusammensetzung Bayerns. Bayerische Landesanstalt für Wald und Forstwirtschaft. *LWF aktuell* **31**, 49 pp. + map.
- Walker, B. and Salt, D. (2006) *Resilience Thinking: Sustaining Ecosystems and People in a Changing World*. Island Press, Washington, DC.
- Walker, B., Holling, C.S., Carpenter, S.R. and Kinzig, A. (2004) Resilience, adaptability and transformability in social-ecological systems. *Ecology and Society* **9**, 5.
- Walker, D., Donald, A., Raynolds, M. et al. (2005) The Circumpolar Arctic vegetation map. *Journal of Vegetation Science* **15**, 267–82.
- Walker, S.F. Bosch, J., James, T.Y. et al. (2008) Invasive pathogens threaten species recovery programs. *Current Biology* **R853–R854**.
- WallisDeVries, M.F. and Ens, H. (2010) Effects of habitat quality and isolation on the colonization of restored heathlands by butterflies. *Restoration Ecology* **18**, 390–8.

- WallisDeVries, M.F., Poschlod, P. and Willems, J.H. (2002) Challenges for the conservation of calcareous grasslands in northwestern Europe: integrating the requirements of flora and fauna. *Biological Conservation* **104**, 265–73.
- Wang, Y.H., Shen, Z.X. and Wie, X. (2006) Eco-water and vegetation restoration in China. In: *The Loess Plateau in Central China: Ecological Restoration and Management* (ed. A. Fischer, K.G. Saxena, K.G. and R. Li), pp. 112–25. ERSEC – Ecological Book Series 3. Tsinghua University Press and Springer, New York.
- Walsh, B. and Blows, M.W. (2009) Abundant genetic variation + strong selection = multivariate genetic constraints: a geometric view of adaptation. *Annual Review of Ecology, Evolution and Systematics* **40**, 41–59.
- Ward, D., Holmes, N. and José, P. (1993) *The New Rivers and Wildlife Handbook*. RSBP, Sandy.
- Wardell, D.A., Reenberg, A. and Toettrup, C. (2003) Historical footprints in contemporary land use systems: forest cover changes in savannah woodlands in the Sudano-Sahelian zone. *Global Environmental Change* **13**, 235–54.
- Wardle, D.A., Yeates, G.W., Williamson, W. and Bonner, K.I. (2003) The response of a three level trophic food web to the identity and diversity of plant species and functional groups. *Oikos* **102**, 45–56.
- Warner, B.G. (2005) Canadian peatlands. In: *Mires, from Siberia to Tierra del Fuego* (ed. G.M. Steiner). *Stapfia* **85**, 353–72.
- Warren, R.S., Fell, P.E., Rozsa, R. *et al.* (2002) Salt marsh restoration in Connecticut: 20 years of science and management. *Restoration Ecology* **10**, 497–513.
- Warshall, P. (1995) The Madrean Sky Island Archipelago. In: *Biodiversity and Management of the Madrean Archipelago: the sky islands of southwestern United States and northwestern Mexico* (ed. L.H. DeBano, P.H. Folliott, A. Ortega-Rubio *et al.*), pp. 19–23. Tucson, AZ. Gen. Tech. Rep. RM-GTR-264. Fort Collins, CO: US Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Wassen, M.J., van Diggelen, R., Verhoeven, J.T.A. and Wolejko, L. (1996) A comparison of fens in natural and artificial landscapes. *Vegetatio* **126**, 5–26.
- Webb, N.R. (1997) The development of criteria for ecological restoration. In: *Restoration Ecology and Sustainable Development* (ed. K.M. Urbanska, N.R. Webb and P.J. Edwards), pp. 133–58. Cambridge University Press, Cambridge.
- Weber, N. (1998) Afforestation in Europe: experiences and future possibilities. In: *Carbon Dioxide Mitigation in Forestry and Wood Industry* (ed. G.H. Kohlmaier, M. Weber and R.A. Houghton), pp. 153–65. Springer, Berlin.
- Weesie, P.D.M. and van Andel, J. (2008) An integrated framework for the instrumental valuation of nature. *Restoration Ecology* **16**, 1–4.
- Wei, Y.C., Ouyang, Z.Y., Miao, H. and Zheng, H. (2009) Exotic *Pinus caribea* causes soil quality to deteriorate on former abandoned land compared to an indigenous *Podocarpus* plantation in the tropical forest area of southern China. *Journal of Forest Research* **14**, 221–8.
- Weiher, E. and Keddy, P. (eds.) (1999) *Ecological Assembly Rules: Perspectives, Advances, Retreats*. Cambridge University Press, Cambridge.
- Werner, C., Zumkier, U., Beyschlag, W. and Maguas, C. (2010) High competitiveness of a resource demanding invasive acacia under low resource supply. *Plant Ecology* **206**, 83–96.
- Westhoff, V. and Sykora, K.V. (1979) A study of the influence of desalination on the *Juncetum gerardii*. *Acta Botanica Neerlandica* **28**, 505–12.
- Westman, W.E. (1978) Measuring the inertia and resilience of ecosystems. *BioScience* **28**, 705–10.
- Wheeler, B.D. and Shaw, S.C. (1995) *Restoration of Damaged Wetlands*. HMSO, London.
- Wheeler, B.D., Money, R.P. and Shaw, S.C. (2002) Freshwater wetlands. In: *Handbook of Ecological Restoration*, vol. 2 (ed. M.R. Perrow and A.J. Davy), pp. 325–54. Cambridge University Press, Cambridge.
- Whelan, R.J. (1986) Seed dispersal in relation to fire. In: *Seed Dispersal* (ed. D.R. Murray), pp. 237–71. Academic Press, Sydney.
- Whinam, J. and Hope, G. (eds.) (2005) The peatlands of the Australasian region. In: *Mires, from Siberia to Tierra del Fuego* (ed. G.M. Steiner). *Stapfia* **85**, 397–433.
- Whisenant, S.G. (1999) *Repairing Damaged Wildlands: A Process-oriented, Landscape-scale Approach*. Cambridge University Press, Cambridge.
- Whisenant, S.G. (2002) Terrestrial systems. In: *Handbook of Ecological Restoration*, vol. 1 (ed. M. Perrow and A. Davy), pp. 83–105. Cambridge University Press, Cambridge.
- White, P.S. and Walker, J.L. (1997) Approximating nature's variation selecting and using references information in restoration ecology. *Restoration Ecology* **5**, 338–49.
- White, P.S. and Jentsch, A. (2001) The search for generality in studies of disturbance and ecosystem dynamics. In: *Progress in Botany* (ed. K. Esser, U. Lüttge, J.W. Kadereit and J.W.Z. Beischlag), pp. 399–450. Springer, Berlin.
- Whitham, T.G., Young, W.P., Martinsen, G.D. *et al.* (2003) Community and ecosystem genetics: a consequence of the extended phenotype. *Ecology* **84**, 559–73.
- Whitmore, T.C. (1998) *An Introduction to Tropical Rain Forests*, 2nd edn. Oxford University Press, Oxford.
- Wichtman, W. and Succow, M. (2001) Nachwachsenden Rohstoffe. In: *Ökosystemmanagement für Niedermooere: Strategien und Verfahren zur Renaturierung* (ed. R. Kratz, and J. Pfadenhauer), pp. 177–84. Ulmer, Stuttgart.
- Wiedenmann, J., Fujiwara, M. and Mangel, M. (2009) Transient population dynamics and viable stage or age distributions for effective conservation and recovery. *Biological Conservation* **142**, 2990–6.
- Wiens, J.A. (1976) Population responses to patchy environments. *Annual Review of Ecology and Systematics* **7**, 81–120.

- Wiens, J.A. (1992) What is landscape ecology, really? *Landscape Ecology* **7**, 149–50.
- Wilcove, D.S. (1987) Recall to the wild: wolf reintroduction in Europe and North America. *Trends in Ecology & Evolution* **2**, 146–7.
- Wilcove, D.S., Rothstein, D., Jason, D., Phillips, A. and Losos, E. (1998) Quantifying threats to imperiled species in the United States. *BioScience* **48**, 607–15.
- Wilcox, D.A., R.J. Shedlock, and W.H. Hendrickson (1986) Hydrology, water chemistry and ecological relations in the raised mound of Cowles Bog. *Journal of Ecology* **74**, 1103–17.
- Williams, J.W. and Jackson, S.T. (2007) Novel climates, no-analog communities, and ecological surprises. *Frontiers in Ecology and the Environment* **5**, 475–82.
- Williams, J.W., Jackson, S.T. and Kuytzbach, J.E. (2007) Projected distributions of novel and disappearing climates by 2100 AD. *Proceedings of the National Academy of Sciences USA* **104**, 5738–42.
- Williamson, I.P. (2000) *Best Practices for Land Administration Systems in Developing Countries*. International Conference on Land Policy Reform, Jakarta. <http://siteresources.worldbank.org/INTARD/8258261111055015956/20424575/lapcWilliamson.pdf>
- Wilken, G.C. (1987) *Good Farmers: Traditional Agricultural Resource Management in Mexico and Central America*. University of California Press, Berkeley.
- Wilson, E.O. (1998) *Consilience: The Unity of Knowledge*. Alfred A. Knopf, New York.
- Wimberly, M.C., Spies, T.A., Long, C.J. and Whitlock, C. (2000) Simulating historical variability in the amount of old forest in the Oregon Coast Range. *Conservation Biology* **14**, 167–80.
- Winterhalder, K., Clewell, A.F. and Aronson, J. (2004) Values and science in ecological restoration: a response to Davis and Slobodkin. *Restoration Ecology* **12**, 4–7.
- Wittmann, H. and Rucker, T. (1995) Eine neue Methode der Hochlagenbegrünung. *Carinthia-Sonderband zum 8. Österreichischen Botanikertreffen*, 134–6.
- Wittmann, H. and Rucker, T. (2006) Was ist standortgerecht? Theorie und Praxis der Arbeit mit standortgerechtem Saat- und Pflanzgut. In: *Soil Bioengineering: Ecological Restoration with Site-specific Plant and Seed Material* (ed. B. Krautzer and E. Hacker), pp. 11–30. Conference Proceedings, HBLEA Raumberg-Gumpenstein, Irnding.
- Wolejko, L., Aggenbach, C., van Diggelen, R. and Grootjans, A.P. (1994) Vegetation and hydrology in a spring mire complex in western Pomerania, Poland. *Proceedings of the Royal Netherlands Academy of Arts and Sciences* **97**, 219–45.
- Wolf, C.M., Griffith, B., Reed, C. and Temple, S.A. (1996) Avian and mammalian translocations: update and reanalysis of 1987 survey data. *Conservation Biology* **10**, 1142–54.
- Wolfram, C., Hörcher, U., Lorenzen, D. et al. (2000) Vegetation succession in a salt-water lagoon in the polder Beltringharder Koog, German Wadden Sea. In: *Vegetation Science in Retrospect and Perspective* (ed. P.S. White, L. Mucina, J. Lepš and E. van der Maarel), pp. 42–6. Proceedings 41st IAVS Symposium Uppsala 1998. Opulus Press, Uppsala.
- Wöllecke, J., Gebhardt, S. and Hüttl, R.F. (2007) The spatial distribution patterns of ectomycorrhizae on different scales. In: *Successional Change and Biodiversity Conservation – Natural and Cultural Colonisation of the Post-mining Landscape in Lower Lusatia* (ed. J. Wöllecke, K. Anders, W. Durka et al.), pp. 19–31. Shaker Verlag, Aachen.
- Wolters, H.A., Platteeuw, M. and Schoor, M.M. (eds.) (2001) *Guidelines for Rehabilitation and Management of Floodplains: Ecology and Safety Combined*. NRC, Delft.
- Wolters, M. and Bakker, J.P. (2002) Soil seed bank and driftline composition along a successional gradient on a temperate salt marsh. *Applied Vegetation Science* **5**, 55–62.
- Wolters, M., Garbutt, A. and Bakker, J.P. (2005) Recreation of intertidal habitat; evaluating the success of de-embankments in north-west Europe. *Biological Conservation* **123**, 249–68.
- Wood, A.R. and Morris, M.J. (2007) Impact of the gall-forming rust fungus *Uromykladium tepperianum* on the invasive tree *Acacia saligna* in South Africa: 15 years of monitoring. *Biological Control* **41**, 68–77.
- World Commission on Environment and Development (WCED) (1987) *Our Common Future: the Brundtland Report*. Oxford University Press, New York.
- Worm, B., Hilborn, R., Baum, J.K. et al. (2009) Rebuilding global fisheries. *Science* **325**, 578–85.
- Wright, J., Symstad, A., Bullock, J.M. et al. (2009) Restoring biodiversity and ecosystem function: will an integrated approach improve results? In: *Biodiversity, Ecosystem Functioning and Human Wellbeing* (ed. S. Naeem, D.E. Bunker, A. Hector, M. Loreau and C. Perrings), pp. 167–77. Oxford University Press, Oxford.
- Wright, S.J. (2003) The myriad consequences of hunting for vertebrates and plants in tropical forests. *Perspectives in Plant Ecology, Evolution and Systematics* **6**, 73–86.
- Wright, S.J., Muller-Landau, H.C., Calderon, O. and Hernandez, A. (2005) Annual and spatial variation in seedfall and seedling recruitment in a neotropical forest. *Ecology* **86**, 848–60.
- Wright, S.J., Muller-Landau, H.C. and Schipper, J. (2009) The future of tropical species on a warmer planet. *Conservation Biology* **23**, 1418–26.
- Wu, T., Kim, Y-S., Aronson, J., Hurteau, M. and Wu, J. (unpubl. MS). Investing in ecological infrastructure as a green economic stimulus.
- Wunder, S. (2007) The efficiency of payments for environmental services in tropical conservation. *Conservation Biology* **21**, 48–58.
- Wydhayagarn, C., Elliott, S. and Wangpakapattanawong, P. (2009) Bird communities and seedling recruitment in

- restoring seasonally dry forest using the framework species method in Northern Thailand. *New Forests* **38**, 81–97.
- Yelenik, S.G., Stock, W.D. and Richardson, D.M. (2004) Ecosystem level impacts of invasive *Acacia saligna* in the South African fynbos. *Restoration Ecology* **12**, 44–51.
- Youlin, Y. (2005) *Traditional Knowledge and Practical Techniques for Combatting Desertification in China*. CCICCD Secretariat. <http://www.din.net.cn/book/2ctk-1.html>
- Young, A., Boyle, T. and Brown, T. (1996) The population genetic consequences of habitat fragmentation for plants. *Trends in Ecology & Evolution* **11**, 413–18.
- Young, T.P. (2000) Restoration ecology and conservation biology. *Biological Conservation* **92**, 73–83.
- Yurkonis, K.A., Meiners, S.J. and Wachholder, B.E. (2005) Invasion impacts diversity through altered community dynamics. *Journal of Ecology* **93**, 1053–61.
- Yurkovskaya, T. (2005) Distribution of mire types in Russia. In: *Mires, from Siberia to Tierra del Fuego* (ed. G.M. Steiner). *Stapfia* **85**, 261–74.
- Zahawi, R.A. and Augspurger, C.K. (2006) Tropical forest restoration: tree islands as recruitment foci in degraded lands of Honduras. *Ecological Applications* **16**, 464–78.
- Zahawi, R.A. and Holl, K.D. (2009) Comparing the performance of tree stakes and seedlings to restore abandoned tropical pastures. *Restoration Ecology* **17**, 854–64.
- Zanini, L. and Ganade, G. (2005) Restoration of Araucaria forest: the role of perches, pioneer vegetation, and soil fertility. *Restoration Ecology* **13**, 507–14.
- Zarin, D.J., Ducey, M.J., Tucker, J.M. and Salas, W.A. (2001) Potential biomass accumulation in Amazonian regrowth forests. *Ecosystems* **4**, 658–68.
- Zavaleta, E.S. (2000) Valuing ecosystem services lost to *Tamarix* invasion in the United States. In: *Invasive Species in a Changing World* (ed. H.A. Mooney and R.J. Hobbs), pp. 261–300. Island Press, Washington, DC.
- Zavaleta, E.S., Hobbs, R.J. and Mooney, H.A. (2001) Viewing invasive species removal in a whole-ecosystem context. *Trends in Ecology & Evolution* **16**, 454–9.
- Zeder, M.A. (2008) Domestication and early agriculture in the Mediterranean Basin: origins, diffusion, and impact. *Proceedings of the National Academy of Sciences USA* **105**, 11597–604.
- Zedler, J.B. and Callaway, J.C. (1999) Tracking wetland restoration: do mitigation sites follow desired trajectories? *Restoration Ecology* **7**, 69–73.
- Zedler, J.B. and Lindig-Cisneros, R. (2000) Functional equivalency of restored and natural salt marshes. In: *Concepts and Controversies in Tidal Marsh Ecology* (ed. M.P. Weinstein and D.A. Kreeger), pp. 565–82. Kluwer Academic Publishers, Dordrecht.
- Zeh, H. (2007) *Soil Bioenergie: Construction Type Manual*. Vdf Hochschulverlag AG an der ETH Zürich, Zürich.
- Zhu, X.M. (1981) The main types of the water erosion and their related factors in the Loess Plateau. *Bulletin of Soil Water Conservation* **3**, 1–9.
- Zimmerman, J.K., Aide, T.M. and Lugo, A.E. (2007) Implications of land use history for natural forest regeneration and restoration strategies in Puerto Rico In: *Old Fields* (ed. R.J. Hobbs and V.A. Cramer), pp. 51–74. Island Press, Washington, DC.
- Zink, T.A. and Allen, M.F. (1998) The effects of organic amendments on the restoration of a disturbed coastal sage scrub habitat. *Restoration Ecology* **6**, 52–8.
- Zobel, M. (1997) The relative role of species pools in determining plant species richness: an alternative explanation of coexistence? *Trends in Ecology & Evolution* **12**, 266–9.
- Zöckler, C. (2000) *Wise Use of Floodplains: Review of River Restoration Projects in a Number of European Countries*. WWW European Freshwater Programme. World Wildlife Fund, Cambridge.